

The
Entomologist's Record
and Journal of Variation

Edited by C. W. Plant



Contents and Special Index

Volume 125

2013

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 2674302

Annual subscription for individual subscribers for 2013 is £25.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG
Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing these data please let us know.

The Entomologist's record is now printed in full colour, enabling us to accept a wider range of illustrative and interpretative material. This development has been made possible by a generous bequest by the late Andy Callow.

Front cover image of *Hecatera dysodea* (D.& S.), Noctuidae, from photograph © by Colin W. Plant

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

A second Irish locality for the Scarab Bug *Thyreocoris scarabaeoides* (L.) (Hem.: Thyreocoridae). *J. P. O'Connor and B. Nelson, 70-72*

C

Chilades trochylus (Freyer, [1845]) (Lep.: Lycaenidae) confirmed for the Bulgaria fauna and doubt cast on earlier records of this and other species. *Assen Ignatov, Paul Wetton and Stoyan Beshkov, 119-122*

Chilades trochylus (Freyer, [1845]) (Lep.: Lycaenidae), new for the North Aegean islands. *Mario S. Langourov, Nikolay P. Simov and Stanislav P. Abadjiev, 137-143*

Chilo partellus (Swinhoe, 1884) (Lep.: Pyraloidea, Crambidae) a stem borer on Cyprus. *Ian Barton, Kathleen Rosewarne and Eddie John, 181-185*

Colephora linosyridella Fuchs, 1880 (Lep.: Coleophoridae) discovered new to Devon on *Aster linosyris*, a newly recorded British foodplant. *R. J. Heckford and S. D. Beavan, 244-248*

D

Depressaria pyrenaella sp. n. – a confused species from south-western Europe (Lep.: Depressariidae). *Jan Šumpich, 114-118*

Description of a new subspecies of *Callistege mi* (Clerck, 1759) (Lep.: Erebidae): *Callistege mi delplanquei*, nov. ssp. *Guillaume H. C. Leraut, 64-69*

F

First English records of *Elachista orstadii* (Palm) (Lep.: Elachistidae) on four Cotswold grassland sites. *G. H. J. Meredith, 231-235*

H

Hydroptila valesiaca Schmid (Trich.: Hydroptilidae) new to Ireland with records of two other notable species. *James P. O'Connor and Mary O'Connor, 189-193*

M

Microlepidoptera Review of 2012. *J. R. Langmaid and M. R. Young, 205-230*

Myrmeleon formicarius (L., 1767) (Neur: Myrmeleontidae): an Ant-lion new to Britain. *Dave Cooke, Tim Norriss, Lynn Fomison and Colin W. Plant, 174-178*

N

Notes on the apparent status of *Agonopterix atomella* (D.& S.) (Lep.: Depressariidae). *M. S. Parsons and A. M. Davis, 111-113*

P

Pempeliella alibotuschella (Drenowski, 1932) (Lep.: Pyralidae, Phycitinae) *Bona sp.* and discovery of the male. *Boyan Zlatkov and Colin W. Plant, 19-28*

Phalonidia udana (Gienée, 1845) (Lep.: Tortricidae) newly recognised in Britain. *David Agassiz, 150-152*

R

Rearing Sombre Brocade *Dryobotodes tenebrosa* (Esp.) (Lep.: Noctuidae). *Roy Leverton and Mark Parsons, 41-46*

S

Scythris fallacella (Schläger, 1847) (Lep.: Scythrididae): an account of the early stages. *R. J. Heckford and S. D. Bevan*, 1-3

T

The discovery of *Brachmia inornatella* (Douglas, 1850) (Lep.: Gelechiidae) in North Hampshire, with notes on its life history and a larval description. *P. H. Sterling, M. J. Wall and J. R. Langmaid*, 14-17

The immigration of Lepidoptera to the British Isles in 2010. *Sean P. Clancy*, 81-107

W

What is the current status of *Epermenia insecurella* (Stainton) (Lep.: Epermeniidae) in Britain? *Mark Parsons*, 240-243

2: NOTES

A

2012 – a good year for finding new and rare microlepidoptera species in Gloucestershire. *Guy H. J. Meredith*, 58-61

A new aberration of the Figure of Eighty moth *Tethea ocularis* (L.) ab. *obsoleta* ab. nov. (Lep.: Thyatiridae) *Dave Wilton*, 53-54

A new locality for the Irish Annulet *Odontognophos dumetata hibernica* Forder (Lep.: Geometridae). *P. H. Sterling, D. Foot and B. P. Henwood*, 157

A new site for the Purple Emperor butterfly *Apatura iris* (L.) (Lep., Nymphalidae), in Oxfordshire. *Rob Ryan*, 29

A striking form of *Idaea biselata* (Hufn.) (Lep.: Geometridae) – the Small Fan-footed Wave – on the Island of Benbecula, Outer Hebrides. *John Kemp*, 154-155

Acleris abietana (Hb.) (Lep.: Tortricidae). A new record for Buckinghamshire and southern Britain and some discussion about its geographical movement. *Andrew King*, 160-162

An adventive occurrence of *Scopula minorata* (Boisduval, 1833) (Lep.: Geometridae) in Britain. *Harry E. Beaumont*, 62-63

An observation of apparent dispersive movement in Long-tailed Blue *Lampides boeticus* (L.) (Lep.: Lycaenidae). *Nick Bowles*, 193-194

An unusual food plant for larvae of the Cinnabar moth *Tyria jacobaeae* (L.) (Lep.: Arctiidae). *Annabel Drysdale and Mark Young*, 180

An update on the Marsh Moth *Athetis pallustris* (Hb.) (Lep.: Noctuidae) in the British Isles in 2012. *Paul Waring*, 50-52

Apamea crenata (Hufnagel) f. *putris* Hübner in Northumberland (Lep.: Noctuidae). *Tom Tams*, 153

B

Beautiful Snout *Hypena crassalis* (Fabr.) new to Scotland and Southern Wainscot *Mythimna straminea* (Tr.) new to Central Scotland (Lep.: Noctuidae). *John T. Knowler*, 202-203

Butterflies in south-east Fylde, Lancashire – 2004 to 2011. *Malcolm Evans*, 108-110

C

Calamia tridens occidentalis Cockayne, 1954, Burren Green (Lep.: Noctuidae) discovery of the larva in the wild and confirmation of its foodplant. *B. P. Henwood and D. Foot*, 147-149

Caloptilia hemidactylella (D.& S.) (Lep.: Gracillariidae) – recorded in West Suffolk. *Ben Sale*, 12-13

Celypha woodiana (Barrett) (Lep.: Tortricidae) in East Gloucestershire. *Robert Homan*, 131-132

Changes to the County Moth Recorders List, 6-7

Changes to the list of County Moth Recorders. *Editor*, 54

Cimbex luteus (L.) (Symphyta: Cimbricidae) feeding on willow *Salix* sp. *Ian Barton*, 198-200

Cloaked Pug *Eupithecia abietaria* (Goeze) (Lep.: Geometridae): A strategy for coping with periodic absence of its pabulum. *B. P. Henwood and P. H. Sterling*, 129-131

Comparison of Lepidoptera recorded at light in 2011 and 2012, at Spurn and Kilnsea, East Yorkshire (VC 61). *Barry Spence*, 39

Concolorous *Chortodes extrema* (Hb.) (Lep.: Noctuidae) in Peterborough and nearby during 2010. *Paul Waring*, 133-135

Cydia illutana (H.-S.) (Lep.: Tortricidae): New to Norfolk. *Dave Appleton and Jon Clifton*, 47-49

D

Devon Carpet *Lampropteryx otregiata* (Metcalf) (Lep.: Geometridae) new to Scotland. *Keith Naylor*, 203-204

Diptera additions to the leaf mine host plant list. *Rob Edmunds*, 195

E

Epiphyas postvittana (Walker) (Lep.: Tortricidae) reaches West Ross. *Margaret Currie and Roy Leverton*, 173

F

Five additions to the Heteroptera county list from a brownfield site in Oxfordshire. *Rob Ryan*, 74-76

I

Idaea elongaria (Rambur, 1833) (Lep.: Geometridae) in Wiltshire, a new species for the British Isles. *David Brotheridge*, 123-124

Is *Caloptilia cuculipennella* (Hb.) (Lep.: Gracillariidae) double-brooded in southern England? *Mark Young*, 164

L

Lacewing specimens wanted from light traps. *Colin W. Plant*, 156

Lampronia flavimitrella (Hb.) (Lep.: Prodoxidae) in South Wiltshire. *Andrew G. Duff*, 143

Lepidoptera Dissection Group website and forum (www.dissectiongroup.co.uk). *Brian Goodey*, 11

M

Mating attempt between Dusky Sallow *Eremobia ochroleuca* (D.&S.) (Noctuidae) and a skipper butterfly (Hesperiidae). *Tom Green*, 170

Miltochrista miniata (Forst.) (Lep.: Arctiidae) Rosy Footman: a new form. *Roger Hayward*, 49

Moth populations and bad weather – four speculative observations. *Mark R. Shaw*, 33-37

Moths new to the Isle of Wight in 2012. *Sam Knill-Jones*, 124

N

Nemopogon picarella (Clerck) (Lep.: Tineidae) in Lanarkshire (VC77). *Keith N.A. Alexander*, 158-159

Nesting ecology of the solitary wasp, *Ansitrocerus nigricornis* (Curtis 1826). *Ross Piper*, 29-33

New Welsh and county moth records for Pembrokeshire in 2012. *Paul Warren*, 127-128

O

On butterflies in moth-traps, and the migration of the Red Admiral butterfly *Vanessea atalanta* (L.) (Nymphalidae) and the Silver Y moth *Autographa gamma* (L.) (Noctuidae). *Paul Waring*, 18

Orsillus depressus (Mulsant & Rey) (Hem.: Lygaeidae) and *Brachycarenum tigrinus* (Schilling) (Hem.: Rhopalidae) in Oxford. *Rob Ryan*, 135-136

P

Painted Lady *Vanessa cardui* (L.) (Lep.: Nymphalidae) immigration at New Year 2013. *Richard Fox and Nick Bowles*, 144-146

Parctopa ononidis (Zeller) (Lep.: Gracillariidae) – new to Northamptonshire. *Mark Hammond*, 62

Pempeliella alibotuschella (Dren.) (Lep.: Pyralidae) – supplementary data. *Colin W. Plant and Boyan Zlatkov*, 76

Phaulernis dentella (Zeller) (Lep.: Epermeniidae) – new to Northamptonshire. *Mark Hammond*, 46-47

Phyllonorycter ulmifoliella (Hübner) (Lep.: Gracillariidae), reared from a mine on the upperside of *Carpinus betulus*. *R. J. Heckford*, 47

Phytomyza hellebori Kaltenbach, 1872 (Dip.: Agromyzidae) now on *Helleborus niger* (Christmas Rose) in the UK. *Keith Palmer*, 200-201

Prays fraxinella (Bjerkander) (Lep.: Praydidae) is not monophagous on Ash. *Paul Millard*, 171

R

Rearing Flame Brocade *Trigonophora flammea* (Esp.) (Lep.: Noctuidae). *Roy Leverton*, 165-169

Recording the Goat Moth *Cossus cossus* (L.) (Lep.: Cossidae) and a thought about its conservation. *Rob Partridge*, 56-58

Rhigognostis incarnatella (Steudel) (Lep.: Yponomeutidae): A new Northumberland record. *T. J. Tams*, 179

Rusty Wave *Idaea inquinata* (Scopoli, 1763) (Lep.: Geometridae): A new adventive species to Glamorgan (VC41) and probably to Wales. Mike, *Emma & Holly Cram and David Slade*, 163-164

S

Scythris empetrella Karsholt & Nielsen (Lep.: Scythrididae) larvae in August. *Miss S. D. Beavan and R. J. Heckford*, 77-78

Signs of migration of Lepidoptera at high altitude in eastern Switzerland. *Tony Pickles*, 197-198

Some observations on the flight period of *Xenolechia aethiops* (Humphreys and Westwood) (Lep.: Gelechiidae) in the British Isles and a request for records. *Stephen M. Palmer*, 55-56

Strong indications of the establishment of the Hoary Footman, *Eilema caniola* (Hb.) (Lep.: Arctiidae) at Chorleywood, on the Buckinghamshire – Hertfordshire border. *Richard Ellis*, 186-187

T

The apparent first record of *Schiffermuelleria schaefferella* (Linnaeus, 1758) (Lep.: Oecophoridae) in Britain. *Jim Porter*, 125-127

The first record of *Acrolepia autumnitella* Curtis, 1838 (Lep.: Glyphipterigidae) in Scotland. *Keith Naylor*, 195-196

The snakefly *Subilla confinis* (Stephens) (Raphidioptera, Raphidiidae) new to Berkshire. *Rob Ryan*, 39-40

Trifolium pratense – a new host plant for *Agromyza frontella* (Rondani) (Dip.: Agromyzidae). *Melissa Banthorpe and Rob Edmunds*, 72-73

W

Was 2012 such a bad year for moths? *Andrew Wood*, 37-38

Willow Ermine *Yponomeuta rorrella* (Hb.) (Lep.: Yponomeutidae) at Dungeness. *Roger Kemp*, 188

Z

Zygaena lonicerae (Schev.) ssp. *latomarginata* Tutt, Narrow-bordered Five-spot Burnet, f. *citrina* Speyer (Lep.: Zygaenidae) in Shropshire: A rare morph found in Church Stretton. *G. J. Wenman*, 172-173

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

Moths of the Algarve. *Bert Van Der Auwermeulen*, 80

Wanted – *Diachrysia stenochrysis*. *Colin W. Plant*, 178

Bob George, 252

4: NEWS FROM THE RECORDING SCHEMES

Gelechiid Recording Scheme. *Stephen and Carolyn Palmer*, 8-9

Leaf-Mining Lepidoptera Recording Scheme. *Rob Edmunds*, 9-10

5: BOOK REVIEWS

Smaller Moths of Surrey, 79-80

Pyraloidea of Europe (Lepidoptera). Volume 3: Pyraustinae & Spilomelinae, 248-249

Dragonflies and Damselflies of the Bristol Region, 250-251

The Frit Flies (Chloropidae, Diptera) of Fennoscandia and Denmark, 251

6: OBITUARIES

Paul Anthony **Sokoloff** 1948 - 2012, 4-6

7: ADDENDA & CORRIGENDA

Addenda, 252

Corrigenda, 252

5: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, the page number entry is printed in italic type.

Abadjiev, Stanislav P.	<i>137-143</i>	Knill-Jones, Sam	124
Agassiz, David	150-152	Knowler, John T.	202-203
Alexander, Keith N.A.	158-159	Langmaid, J. R.	<i>14-17</i> , 205-230
Appleton, Dave	47-49	Langourov, Mario S.	137-143
Auwermeulen, Bert Van Der	80	Leraut, Guillaume H. C.	64-69
Banthorpe, Melissa	72-73	Leverton, Roy	41-46 , 165-169, 173
Barton, Ian	181-185 , 198-200	Meredith, Guy H. J.	58-61, 231-235
Beaumont, Harry E.	62-63	Millard, Paul	171
Beavan, S. D.	77-78	Naylor, Keith	195-196, 203-204
Beshkov, Stoyan	<i>119-122</i>	Nelson, B.	70-72
Bevan, S. D.	<i>1-3</i> , 244-248	Norriss, Tim	<i>174-178</i>
Bowles, Nick	<i>144-146</i> , 193-194	O'Connor, James P.	70-72 , 189-193
Brotheridge, David	123-124	O'Connor, Mary	189-193
Clancy, Sean P.	81-107	Palmer, Carolyn	8-9
Clifton, Jon	47-49	Palmer, Keith	200-201
Cooke, Dave	174-178	Palmer, Stephen M.	8-9, 55-56
Cram, Emma	<i>163-164</i>	Parsons, Mark	<i>41-46</i> , 111-113 , 240-243
Cram, Holly	<i>163-164</i>	Partridge, Rob	56-58
Cram, Mike	163-164	Pickles, Tony	197-198
Currie, Margaret	173	Piper, Ross	29-33
Davis, A. M.	<i>111-113</i>	Plant, Colin W. 19-28 , 76, 156, 174-178 , 178	
Drysdale, Annabel	180	Porter, Jim	125-127
Duff, Andrew G.	143	Rosewarne, Kathleen	181-185
Edmunds, Rob	9-10, 72-73, 195	Ryan, Rob	29, 39-40, 74-76, 135-136
Ellis, Richard	186-187	Sale, Ben	12-13
Evans, Malcolm	108-110	Shaw, Mark R.	33-37
Fomison, Lynn	174-178	Simov, Nikolay P.	137-143
Foot, D.	<i>157</i> , <i>147-149</i>	Slade, David	<i>163-164</i>
Fox, Richard	144-146	Spence, Barry	39
Goodey, Brian	11	Sterling, P. H.	14-17 , 157, <i>129-131</i>
Green, Tom	170	Šumpich, Jan	114-118
Hammond, Mark	46-47, 62	Tams, Tom J.	153, 179
Hayward, Roger	49	Wall, M. J.	<i>14-17</i>
Heckford, R. J.	1-3 , 47, <i>77-78</i> , 244-248	Waring, Paul	18, 50-52, 133-135
Henwood, B. P.	129-131, 147-149, <i>157</i>	Warren, Paul	127-128
Homan, Robert	131-132	Wenman, G. J.	172-173
Ignatov, Assen	119-122	Wetton, Paul	119-122
John, Eddie	181-185	Wilton, Dave	53-54
Kemp, John	154-155	Wood, Andrew	37-38
Kemp, Roger	188	Young, Mark R.	164, <i>180</i> , 205-230
King, Andrew	160-162	Zlatkov, Boyan	19-28 , 76

SPECIAL INDEX

Compiled by Catherine Wellings

Taxa newly described in this volume are indexed in **bold type**.

Taxa new to, or newly recognised in, the British Isles and mentioned first
in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA			
<i>abbreviata</i> (Steph.), <i>Eupithecia</i>	38	<i>angustea</i> (Curt.), <i>Eudonia</i>	38
<i>abietana</i> (Hb.), <i>Acleris</i>	160-162	<i>angustella</i> (Zell.), <i>Nephoterix</i>	87
<i>abietaria</i> (Goeze), <i>Eupithecia</i> 124, 129-131		<i>angustiorana</i> (Haw.), <i>Ditula</i>	223
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	218	<i>annulatella</i> (Curt.), <i>Rhigognostis</i>	215
<i>acuminatella</i> (Sirc.), <i>Scrobipalpa</i>	220	<i>anomalella</i> (Goeze), <i>Stigmella</i>	210
<i>acutellus</i> (Evers.), <i>Sclerocona</i> 85, 104, 228		<i>anthyllidella</i> (Hb.), <i>Apraerema</i>	220
<i>adelphella</i> (F. v. R.), <i>Sciota</i>	229	<i>antiopa</i> (L.), <i>Nymphalis</i>	87
<i>advenella</i> (Zinck.), <i>Trachycera</i>	229	<i>aprilella</i> (H. & S.), <i>Metzneria</i>	219
<i>aegeria</i> (L.), <i>Pararge</i>	108, 110, 141	<i>aprilina</i> (L.), <i>Dichonia</i>	42, 46
<i>aerata</i> (P. & M.), <i>Dichrorampha</i>	227	<i>arcuatella</i> (H. & S.), <i>Ectoedemia</i>	208
<i>aerealis</i> (Hb.), <i>Pyrausta</i>	206, 228	<i>argentella</i> (Clerck), <i>Elachista</i>	217
<i>aerugula</i> (Hb.), <i>Nola</i>	91	<i>argentimaculella</i> (Staint.), <i>Infurcitinea</i> ..	211
<i>aestimaria</i> (Hb.), <i>Chiasmia</i>	81, 89	<i>argentula</i> (Steph.), <i>Coleophora</i>	216
<i>aethiops</i> (Humph. & West.),		<i>argiolus</i> (L.), <i>Celastrina</i>	109, 110, 139
<i>Xenolechia</i>	55-56	<i>argyran</i> (Hb.), <i>Pammene</i>	128, 226
<i>affinitana</i> (Dougl.), <i>Phalonidia</i>	222	<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	208
<i>agestis</i> (Schiff.), <i>Plebejus</i>	141	<i>armigera</i> (Hb.), <i>Helicoverpa</i> ..	102-103, 104
<i>alacella</i> (Zell.), <i>Dichomeris</i>	220	<i>artemisiella</i> (Treitschke), <i>Scrobipalpa</i> ..	230
<i>albersana</i> (Hb.), <i>Eucosmomorpha</i>	226	<i>asiatica</i> (Krul.), <i>Nyctea</i>	104
<i>albicapitella</i> (Scharf.),		<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	215
<i>Paraswammerdamia</i>	214	<i>assimilella</i> (Treitschke), <i>Agonopterix</i> ..	218
<i>albidella</i> (D. & S.), <i>Coleophora</i>	216	<i>assimilella</i> (Zell.), <i>Stigmella</i>	209
<i>albidella</i> (Nyl.), <i>Biselachista</i>	217	<i>atalanta</i> (L.), <i>Vanessa</i> 18, 98, 109, 142, 194	
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	209	<i>atomella</i> (D. & S.), <i>Agonopterix</i>	111-113
<i>albifrontella</i> (Hb.), <i>Elachista</i>	217	<i>atrella</i> ([D. & S.]), <i>Eulamprotes</i>	219
<i>albimaculea</i> (Haw.), <i>Denisia</i>	218	<i>atricapitana</i> (Steph.), <i>Cochylis</i>	223
<i>albipuncta</i> (D. & S.), <i>Mythimna</i>	91	<i>atricapitella</i> (Haw.), <i>Stigmella</i>	209
<i>albula</i> (D. & S.), <i>Meganola</i>	90	<i>atricomella</i> Staint., <i>Elachista</i>	217
<i>alceae</i> (Esper.), <i>Carcharodus</i>	139	<i>atriplicella</i> (F. v. R.), <i>Scrobipalpa</i>	230
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	212	<i>atriplicis</i> (L.), <i>Trachea</i>	93
<i>alcyonipenella</i> (Koll.), <i>Coleophora</i>	216	<i>atriplicis</i> Meyr., <i>Coleophora</i>	217
<i>alibotuschella</i> (Drenowski),		<i>atropos</i> (L.), <i>Acherontia</i>	89, 105, 197
<i>Pempeliella</i>	19-28, 76	<i>atropunctana</i> (Zett.), <i>Metendothenia</i> ..	224
<i>alissima</i> (Ragon.), <i>Gymnidomorpha</i> 152, 222		<i>aurana</i> (Fab.), <i>Pammene</i>	226
<i>alni</i> (L.), <i>Acronicta</i>	203	<i>aurantiaca</i> Warren f. of	
<i>alpestris</i> (Boisd.), <i>Chersotis</i>	120	<i>Callistegi mi mi</i> (Clerck)	67, 68
<i>alpicola</i> (Zett.), <i>Pachnobia</i> (= <i>Xestia</i>) ..	197	<i>aureatella</i> (Scop.), <i>Micropterix</i>	127, 208
<i>alpicola</i> (Zett.), <i>Xestia</i>	197	<i>aurella</i> (Fabr.), <i>Stigmella</i>	9-10
<i>alpinella</i> (Hb.), <i>Elachista</i>	228	<i>aurita</i> (Raz.), <i>Pammene</i>	226
<i>alsines</i> (Brahm), <i>Hoplodrina</i>	38	<i>augutella</i> (Steph.), <i>Eucalybites</i> ..	212, 230
<i>altermella</i> (D. & S.), <i>Tortricodes</i>	38, 223	<i>autumnitella</i> Curtis, <i>Acrolepia</i>	195-196, 215, 230
<i>ambigua</i> (D. & S.), <i>Hoplodrina</i>	38, 94	<i>azaleella</i> (Brants), <i>Caloptilia</i>	212
<i>amplana</i> (Hb.), <i>Cydia</i>	84, 206, 226	<i>badia</i> (Hodges), <i>Anatrachyntis</i>	222
<i>anachoreta</i> (D. & S.), <i>Clostera</i>	90	<i>badiella</i> (Hb.), <i>Depressaria</i>	218
<i>ancipitella</i> (La Harpe), <i>Scoparia</i> ..	128, 228	<i>badipegnella</i> (Dup.), <i>Coleophora</i>	215
<i>andereggii</i> (Boisd.), <i>Chersotis</i>	120	<i>bankiana</i> (Fab.), <i>Deltote</i>	95
<i>anglicella</i> (Staint.), <i>Parornix</i>	212	<i>bellana</i> (Curtis) ssp. of <i>Eana penziana</i> ..	223
<i>angulifasciella</i> (Staint.), <i>Ectoedemia</i> ..	208	<i>betulae</i> (Staint.), <i>Parornix</i>	212

betulella (Curtis), *Acrolepiopsis*206, 215
betulella (Hein.), *Coleophora*216
betulicola (Her.), *Caloptilia*230
betulicola (Staint.), *Stigmella*210
biatomella (Staint.), *Elachista*217
bicostella (Clerck), *Pleurota*218
bifasciana (Haw.), *Piniphila*224
bifasciana (Hb.), *Spatulistis*223
bifratella (Dup.), *Apodistis*219
bilunana (Haw.), *Epinotia*224
biselata (Hufn.), *Idaea*154-155
bistriatella (Hulst.), *Apomyelois*229
bistriga (Haw.), *Cryptoblabes*229
bisulcella (Dup.), *Elachista*217
biviella (Zell.), *Vitula*229
blancardella (Fabr.), *Phyllonorycter*212
blanda (D. & S.), *Hoplodrina*38
blandella (Fabr.), *Brachmia*221
boeticus (L.), *Lampides*87, 193-194
borelii lunata Freyer, *Gortyna*120
bortleyi Riedl, *Mompha*221
brassicae (L.), *Pieris*18, 87, 109, 194
brockeella (Hb.), *Argyresthia*214
brongiardiella (Fabr.), *Acrocercops*230
brumata (L.), *Operophtera*35
brunneata (Thunb.), *Itame*81, 89, 100,
103, 104
brunnichana (L.), *Epinotia*225
buettneri (Her.), *Sedina*93
caespititiella Zell., *Coleophora*217
c-album (L.), *Polygonia*109, 110
calthella (L.), *Micropterix*208
cambrica (Curt.), *Venusia*89
camilla (L.), *Limenitis*29
canapennella (Hb.), *Elachista*231
caniola (Hb.), *Eilema*90, 186-187
capitella (Cl.), *Lampronia*210
cararia (Hb.), *Stegania*81, 89
cardamines (L.), *Anthocharis*109, 110
cardui (L.), *Vanessa*98-99, 109,
144-146, 194
carphodactyla (Hb.), *Euleioptilus*230
cassioides (Hohen.), *Erebia*121
catalaunalis (Dup.), *Antigastra*85
catharticella (Staint.), *Stigmella*210
cecropia (L.), *Hyalophora*88
celerio (L.), *Hippotion*90, 103
centifoliella (Zell.), *Stigmella*210
cerasicolella H.-S., *Phyllonorycter*213
cervicela H.-S., *Depressaria*114-118
chalcites (Esp.), *Chrysodeixis*95, 105
cicatricella (Hb.), *Haimbachia*84
cicatricella (Zett.), *Eriocrania*208
cidarella Zell., *Bucculatrix*211
cinereana (Haw.), *Epinotia*224
cinerella (Cl.), *Acompsta*220
cingulata (L.), *Pyrausta*228
cinnamomeana (Treitschke), *Pandemis*223

circumvoluta (Geoff.), *Myelois*229
cirsiana (Zell.), *Epiblema*225
citrella Staint., *Phyllocnistis*206, 213
citrina f. of *Zygaena loniceræ* (Schev.)
ssp. *latomarginata* Tutt172-173
cloacella (Haw.), *Nemapogon*211
columbariella (Wocke), *Tinea*60, 211
comariana (L. & Z.), *Acleris*223
complana (L.), *Eilema*186
compositella (Fabr.), *Grapholita*226
compunctella H.-S., *Swammerdamia*214
confusa (Steph.), *Macdonoughia*95, 104
nicolana (Heyl.), *Cydia*48
coniferana (Ratz.), *Cydia*48, 227
conterminella (Zell.), *Agonopterix*230
convolvuli (L.), *Agrius*38, 100, 197
convagana (Fab.), *Pseudargyrotoza*171
conyzae Zell., *Coleophora*216
coracipennella (Hb.), *Coleophora*215
coridon (Poda), *Polyommatus*170
coronata (Hufn.), *Phlyctaenia*228
corylana (Fabr.), *Pandemis*38
coryli (Nic.), *Phyllonorycter*213
cosmorphorana (Tr.), *Cydia*48, 227
cossus (L.), *Cossus*56-58
crassalis (Fab.), *Hypena*96, 202-203
crassiuscula (H.-S.), *Scythris*77, 222
crataegella (Klim), *Stigmella*210
crenata (Hufn.), *Apamea*153
crocealis (Hb.), *Anania*228
croceus (Geoff.), *Colias*98, 108, 110
crocicapitella (Clemens), *Monopis*211
cruda (D. & S.), *Orthosia*38
cryptella (Staint.), *Trifurcula*231
culculata (Hufn.), *Catarhoe*89
culcipennella (Hb.), *Caloptilia*164, 171
cumlilla (L.), *Chrysoteuchia*53
cuprella (D. & S.), *Adela*124
cupressata (Geyer), *Thera*41, 89
cupriacella (Hb.), *Nemophora*59
curvatula (Borkh.), *Drepana*88
daphidice (L.), *Pontia*87
dealbana (Fröl.), *Gypsonoma*225
deauratella (H.-S.), *Coleophora*206, 216
deauratella (H.-S.), *Oegoconia*221
debilitata (Hb.), *Pasiphila*203
decoloratus (Stdgr), *Cupido*139
degenerana (Hb.), *Idaea*88
***delplanquei* Leraut nov. ssp.**
of *Callistege mi* Clerck64-69
delunella (Staint.), *Eudonia*228
demaryella (Dup.), *Bucculatrix*211
dentella (Zell.), *Phaulernis*46-47, 227
depressa (Esp.), *Eilema*203
devoniella (Staint.), *Parornix*212
dilectella Zell., *Argyresthia*214
diminutana (Haw.), *Ancylis*16
discordella Zell., *Coleophora*216

<i>dispar</i> (L.), <i>Lymantria</i>	90
<i>distinctella</i> (Zell.), <i>Chionodes</i>	220
<i>diversana</i> (Hb.), <i>Choristoneura</i>	223
<i>diversella</i> H.-S., <i>Mompha</i>	221
<i>dodecea</i> (Haw.), <i>Ethmia</i>	84
<i>dodecella</i> (L.), <i>Exoteleia</i>	127, 220
<i>dodoneata</i> (Guen.), <i>Eupithecia</i>	203
<i>domestica</i> (Haw.), <i>Bryotropha</i>	219
<i>drenowskii</i> (Rebel), <i>Hadena</i>	19
<i>drenowskii</i> (Rebel), <i>Phtheochroa</i>	19
<i>dumetata</i> Treitschke, <i>Odontognophos</i> ...	157
<i>dysodea</i> (D. & S.), <i>Hecatera</i>	38
<i>effractana</i> (Hb.), <i>Acleris</i>	224
<i>egea</i> (Cramer), <i>Polygonia</i>	142
<i>ekbladella</i> (Bjerk.), <i>Tischeria</i>	210
<i>eleochariella</i> (Staint.), <i>Biselachista</i>	217
<i>elongaria</i> (Ramb.), <i>Idaea</i>	123-124
<i>elongella</i> (L.), <i>Caloptilia</i>	212
<i>elutella</i> (Hb.), <i>Ephestia</i>	229
<i>elymi</i> (Hb.), <i>Chortodes</i>	93
<i>elzei</i> De Freina ssp. of <i>Callistege mi mi</i> (Clerck)	68
<i>emargana</i> (Fabr.), <i>Acleris</i>	224
<i>empetrella</i> Karsh. & Niel, <i>Scythris</i>	77-78, 222
<i>epomidion</i> (Haw.), <i>Apamea</i>	153
<i>erythrocephala</i> (D. & S.), <i>Conistra</i>	93
<i>esperella</i> (Goeze), <i>Phyllonorycter</i> ...	47, 213
<i>euphorbiae</i> (L.), <i>Hyles</i>	89
<i>evonymella</i> (L.), <i>Yponomeuta</i>	83, 214
<i>exclamationis</i> (L.), <i>Agrotis</i>	38
<i>exigua</i> (Hb.), <i>Spodoptera</i>	94
<i>explanata</i> Rebel f. of <i>Callistege mi mi</i> (Clerck)	68
<i>extimalis</i> (Scop.), <i>Evergestis</i>	85, 104, 228
<i>extrema</i> (Hb.), <i>Chortodes</i>	133-135
<i>extrema</i> Bang-Haas f. of <i>Callistege mi mi</i> (Clerck)	67, 68
<i>facella</i> ([D. & S.]), <i>Diurnea</i>	218
<i>fagiglandana</i> (Zell.), <i>Cydia</i>	226
<i>fallicella</i> (Schläger), <i>Scythris</i>	1-3
<i>falsella</i> ([D. & S.]), <i>Caloptria</i>	228
<i>fasciapennella</i> (Staint.), <i>Kessleria</i> 238-239	
<i>fatidica</i> (Hb.), <i>Agrotis</i>	197
<i>fatua</i> Freyer, <i>Hipparchia</i>	141
<i>faunus</i> (Turati), <i>Ochlodes</i>	110
<i>ferrugalis</i> (Hb.), <i>Udea</i>	96, 97, 146, 174
<i>flicivora</i> (Meyr.), <i>Psychoides</i>	211
<i>filipendulae</i> (L.), <i>Zygaena</i>	172
<i>fimbrialis</i> (Scop.), <i>Thalera</i>	88
<i>fimbriata</i> (Schreber), <i>Noctua</i>	197, 198
<i>flammea</i> (Esp.), <i>Trigonophora</i> 93, 165-169	
<i>flammealis</i> (D. & S.), <i>Endotricha</i>	38
<i>flavia</i> (Fuessly), <i>Arctia</i>	197
<i>flavicaput</i> (Haw.), <i>Spuleria</i>	222
<i>flavidorsana</i> (Knaggs), <i>Dichrorampha</i>	227
<i>flavifrontella</i> ([D. & S.]), <i>Pseudatmelia</i> 218	
<i>flavimaculella</i> (H.-S.), <i>Teleiodes</i>	220

<i>flavimitrella</i> (Hb.), <i>Lampronia</i>	143
<i>flavipennella</i> (Dup.), <i>Coleophora</i>	127, 215
<i>floslactella</i> (Haw.), <i>Stigmella</i>	47, 209
<i>fluxa</i> (Hb.), <i>Chortodes</i>	93, 133
<i>forcicella</i> (Scop.), <i>Harpella</i>	206, 218
<i>forcicella</i> (Thunb.), <i>Donacaula</i>	133, 228
<i>forsskaleana</i> (L.), <i>Acleris</i>	223
<i>forsterana</i> (Fabr.), <i>Lozotaenia</i>	38, 223
<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	213
<i>fovealis</i> (Zell.), <i>Duponchella</i>	85, 229
<i>francillana</i> (Fabr.), <i>Aethes</i>	223
<i>fraternana</i> (Haw.), <i>Epinotia</i>	225
<i>fraternella</i> (Dougl.), <i>Caryocolum</i>	220
<i>fraxinella</i> (Bjerk.), <i>Prays</i>	171
<i>fraxini</i> (L.), <i>Catocala</i>	95-96, 104
<i>friesei</i> Svensson, <i>Ocnerosoma</i>	214
<i>frischella</i> (L.), <i>Coleophora</i>	216
<i>fuliginaria</i> (L.), <i>Parascotia</i>	96
<i>fulvalis</i> (Hb.), <i>Udea</i>	174
<i>fulvana</i> (Steph.), <i>Eucosma</i>	128, 225
<i>fumatella</i> (Dougl.), <i>Chionodes</i>	220
<i>furcatellus</i> (Zett.), <i>Caloptria</i>	227
<i>fusca</i> (Haw.), <i>Pyla</i>	229
<i>fuscescens</i> (Haw.), <i>Borkhausenia</i>	218
<i>fuscoaenea</i> (Haw.), <i>Scythris</i>	1
<i>galbanella</i> (Zell.), <i>Bryotropha</i>	219
<i>gallii</i> (Rott.), <i>Hyles</i>	89
<i>gamma</i> (L.), <i>Autographa</i>	18, 38, 96, 103, 146, 174, 197, 198
<i>gardesanella</i> Toll, <i>Coleophora</i>	216
<i>geminana</i> (Don.), <i>Ancylis</i>	224
<i>gemma</i> (L.), <i>Stenolechia</i>	219
<i>genitalana</i> P. & M., <i>Cnephasia</i>	223, 239
<i>gentianaena</i> (Hb.), <i>Endothenia</i>	224
<i>germanica</i> (Hb.), <i>Pammene</i> ... 124, 128, 226	
<i>gibbosella</i> (Zell.), <i>Psoricoptera</i>	221
<i>gigantella</i> (D. & S.), <i>Schoenobius</i>	133
<i>gilvago</i> (D. & S.), <i>Xanthia</i>	93
<i>gilvata</i> (Fabr.), <i>Uresiphita</i>	81, 85, 103
<i>glaucicolella</i> Wood, <i>Coleophora</i>	217
<i>glaucinalis</i> (L.), <i>Orthopygia</i>	229
<i>glaucinella</i> Zell., <i>Argyresthia</i>	214
<i>gleichnella</i> (Fabr.), <i>Elachista</i>	217
<i>glutinosae</i> (Staint.), <i>Stigmella</i>	210
<i>goedartella</i> (L.), <i>Argyresthia</i>	214
<i>gonodactyla</i> ([D. & S.]), <i>Platyptilia</i>	229
<i>gorganus</i> (Fruhs.), race of <i>Papilio machaon</i> (L.)	87
<i>grandaevana</i> (L. & Z.), <i>Epiblema</i>	225
<i>grandipennis</i> (Haw.), <i>Scythris</i>	60, 222
<i>grandis</i> (Desvignes), <i>Schiffermuelleria</i>	125-127
<i>griseana</i> (Hb.), <i>Zeiraphera</i>	128, 225
<i>gruneri</i> gruneri H.-S., <i>Anthocharis</i>	137
<i>gryphipennella</i> (Hb.), <i>Coleophora</i>	215
<i>hammoniella</i> (Sorb.), <i>Heliozela</i>	230
<i>hastiana</i> (L.), <i>Acleris</i>	160
<i>headleyella</i> (Staint.), <i>Trifurcula</i>	59, 209

<i>hellerella</i> (Dup.), <i>Blastodacna</i>	222
<i>hemidactylella</i> (D. & S.),	
<i>Caloptilia</i>	12-13, 58, 206, 212
<i>hepariella</i> Staint., <i>Zelleria</i>	171, 214
<i>hepatica</i> (Clerck), <i>Lithophane</i>	203
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	209
<i>heringi</i> (Toll), <i>Ectoedemia</i>	209
<i>heterodactyla</i> (Müll.), <i>Pselnophorus</i>	59
<i>hibernica</i> Forder, ssp. of <i>Odontognophos</i>	
<i>dumetata</i> Treitschke	157
<i>hornigi</i> (Stdgr.), <i>Monochroa</i>	219
<i>horridella</i> (Treitschke), <i>Ypsolopha</i>	214
<i>humilis</i> (Zell.), <i>Elachista</i>	232
<i>hyemana</i> (Haw.), <i>Acleris</i>	223
<i>hyperantus</i> (L.), <i>Aphantopus</i>	18
<i>ibipennella</i> Zell., <i>Coleophora</i>	216
<i>icarus</i> (Rott.), <i>Polyommatus</i>	109, 141
<i>ignorata</i> (Kuzn.), <i>Pammene</i>	58, 226
<i>illuminata</i> Warren f. of	
<i>Callistege mi mi</i> (Clerck).....	67, 68
<i>illutana</i> (H.-S.), <i>Cydia</i>	47, 58, 227
<i>immaculatella</i> Dougl., <i>Eulamprotes</i>	219
<i>immundana</i> (F. & R.), <i>Epinotia</i>	224
<i>immundella</i> (Zell.), <i>Trifurcula</i>	209
<i>incarnatana</i> (Hb.), <i>Epiblema</i>	225
<i>incarnatella</i> (Steudel), <i>Rhigognostis</i> 179, 215	
<i>incognitella</i> (H. -S.), <i>Stigmella</i>	209
<i>indivisa</i> (Danilevsky), <i>Cydia</i>	48
<i>inornatella</i> (Dougl.), <i>Brachmia</i>	14-17
<i>inquinata</i> (Scop.), <i>Idaea</i>	163-164
<i>inquinatana</i> (Hb.), <i>Cydia</i>	81, 84
<i>inquinatella</i> (D. & S.), <i>Agriphila</i>	38, 227
<i>insecurella</i> (Stainton), <i>Epermenia</i> ..60, 227,	
240-243	
<i>internana</i> (Guen.), <i>Grapholita</i>	226
<i>interpunctella</i> (Hb.), <i>Plodia</i>	229
<i>interrogationis</i> (L.), <i>Syngrapha</i>	95
<i>inulae</i> Wocke, <i>Coleophora</i>	216
<i>io</i> (L.), <i>Inachis</i>	88, 109, 110
<i>ippsilon</i> (Hufn.), <i>Agrotis</i>	96, 101, 146,
174, 197, 198	
<i>iris</i> (L.), <i>Apatura</i>	29
<i>irrorella</i> (Hb.), <i>Yponomeuta</i>	83
<i>isertana</i> (Fabr.), <i>Zeiraphera</i>	225
<i>italica</i> Baldizzone, <i>Metalampra</i>	84, 125,
206, 218	
<i>jacobaeae</i> (L.), <i>Tyria</i>	180
<i>janata</i> (L.), <i>Achaea</i>	81, 96
<i>josephinae</i> Toll, <i>Pseudatemelia</i>	218
<i>juncicolella</i> (Staint.), <i>Coleophora</i>	215
<i>juncta</i> Tutt f. of <i>Diachrysis chrysitis</i> (L.) 178	
<i>jurassicella</i> (Frey), <i>Mompha</i>	222
<i>jurtina</i> (L.), <i>Maniola</i>	18, 108, 142
<i>juvenina</i> (Stoll), <i>Callopietria</i>	103
<i>kadenii</i> (Frey.), <i>Platyperigea</i>	94
<i>labecula</i> (Esp.), <i>Dryobota</i>	41
<i>lacteella</i> (Steph.), <i>Mompha</i>	221
<i>lacticolella</i> Rebel, <i>Blastobasis</i>	173, 221
<i>lacustrata</i> (Panz.), <i>Eudonia</i>	228
<i>l-album</i> (L.), <i>Mythimna</i>	92
<i>lambdella</i> (Don.), <i>Batia</i>	218
<i>langiella</i> (Hb.), <i>Mompha</i>	221
<i>lantarella</i> (Schr.), <i>Phyllonorycter</i>	213
<i>lappella</i> (L.), <i>Metzneria</i>	219
<i>laricella</i> (Hb.), <i>Coleophora</i>	216
<i>larseniella</i> (Gozm.), <i>Syncopacma</i>	220
<i>laterana</i> (Fabr.), <i>Acleris</i>	223
<i>lathamella</i> (Fletcher), <i>Chrysoclista</i> ..60, 222	
<i>lathonia</i> (L.), <i>Issoria</i>	103
<i>lathyra</i> (Hb.), <i>Grapholita</i>	113
<i>latistria</i> (Haw.), <i>Agriphila</i>	227
<i>latomarginata</i> Tutt ssp. of	
<i>Zygaena loniceræ</i> (Schev.)	172-173
<i>lautella</i> (Zell.), <i>Phyllonorycter</i>	213
<i>leautieri</i> (Boisd.), <i>Lithophane</i>	38, 41
<i>leucodactyla</i> ([D. & S.]), <i>Merrifieldia</i>	230
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	84
<i>leuwenhoekella</i> (L.), <i>Pancalia</i>	234
<i>levana</i> (L.), <i>Araschnia</i>	103
<i>lienigianus</i> (Zell.), <i>Ovendenia</i>	230
<i>limbata</i> (L.), <i>Evergestis</i>	174
<i>limbirena</i> (Guen.), <i>Ctenoplusia</i>	81, 95
<i>lineana</i> ([D. & S.]), <i>Apotomis</i>	224
<i>lineata</i> (Fabr.), <i>Hyles</i>	105
<i>lineatella</i> Zell., <i>Anarsia</i>	220
<i>lineola</i> (Curt.), <i>Eudonia</i>	228
<i>lineola</i> (Ochs.), <i>Thymelicus</i>	170
<i>lineolea</i> (Haw.), <i>Coleophora</i>	216
<i>linosyridella</i> Fuchs, <i>Coleophora</i>	244-248
<i>lipsiella</i> ([D. & S.]), <i>Diurnea</i>	218
<i>lithodactyla</i> (Treitschke),	
<i>Oidaematophorus</i>	230
<i>litterata</i> Cyrilli, <i>Phalaena</i> =	
<i>Callistege mi mi</i> (Clerck).....	65
<i>livornica</i> (Esp.), <i>Hyles</i>	90
<i>lobarzewski</i> (Nowicki), <i>Grapholita</i>	226
<i>lobella</i> ([D. & S.]), <i>Luquetia</i>	218
<i>locupletella</i> ([D. & S.]), <i>Mompha</i>	221
<i>logiana</i> (Clerck), <i>Acleris</i>	161, 223
<i>longana</i> (Haw.), <i>Cnephasia</i>	223
<i>loniceræ</i> (Schev.), <i>Zygaena</i>	172-173
<i>loreyi</i> (Dup.), <i>Mythimna</i>	92
<i>lorquiniana</i> (Dup.), <i>Acleris</i>	223
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	208
<i>lucidella</i> (Steph.), <i>Monochroa</i>	219
<i>lunana</i> (Thunb.), <i>Philedonides</i>	223
<i>lunaris</i> (Haw.), <i>Batia</i>	218
<i>lunula</i> (Hufn.), <i>Calophasia</i>	38
<i>lumularia</i> (Hb.), <i>Selenia</i>	89
<i>lupina</i> (Costa), <i>Hyponephele</i>	142
<i>lupulinus</i> (L.), <i>Hepialus</i>	38
<i>lurideola</i> (Zinck.), <i>Eilema</i>	38
<i>lusciniæpennella</i> (Treitschke),	
<i>Coleophora</i>	215
<i>lutulentella</i> (Zell.), <i>Monochroa</i>	219
<i>luzella</i> (Hb.), <i>Lampronia</i>	230

<i>machaon</i> (L.), <i>Papilio</i>	87
<i>maculicerusella</i> Bru., <i>Elachista</i>	217
<i>maculosana</i> (Haw.), <i>Hysterothorax</i>	222
<i>magdalenae</i> (Klim.), <i>Stigmella</i>	210
<i>malifoliella</i> (Costa), <i>Leucoptera</i>	215
<i>manniana</i> (F. v. R.), <i>Phalonidia</i>	150-152
<i>margaritella</i> (D. & S.), <i>Catoptria</i>	85, 227
<i>marginata</i> (L.), <i>Lomasipilis</i>	35
<i>maritima</i> Staint., <i>Bucculatrix</i>	211
<i>maritimus</i> (Taus), <i>Chilodes</i>	133
<i>matura</i> (Hufn.), <i>Thalpophila</i>	38
<i>mayrella</i> (Hb.), <i>Coleophora</i>	216
<i>megea</i> (L.), <i>Lasiommatata</i>	108
<i>mercurella</i> (L.), <i>Eudonia</i>	228
<i>mespilicola</i> (Frey), <i>Stigmella</i>	60
<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	212
<i>metaxella</i> (Hb.), <i>Nematopogon</i>	210
<i>metzneriella</i> (Staint.), <i>Metzneria</i>	219
<i>mi</i> (Clerck), <i>Callistege</i>	64-69
<i>mi mi</i> (Clerck), <i>Callistege</i>	64-69
<i>micana</i> ([D. & S.]), <i>Olethreutes</i>	224
<i>micella</i> ([D. & S.]), <i>Argolamprotes</i>	219, 243
<i>microdactyla</i> (Hb.), <i>Adaina</i>	230
<i>microphthalmala</i> Cockayne ab. of	
<i>Tethea ocularis</i> (L.).....	53
<i>miniata</i> (Forst.), <i>Mitochrista</i>	49
<i>minimella</i> (Zett.), <i>Ectoedemia</i>	209
<i>miniosa</i> (D. & S.), <i>Orthosia</i>	91
<i>minorata</i> (Boisd.), <i>Scopula</i>	62-63
<i>minutana</i> (Hb.), <i>Gypsonoma</i>	225
<i>molliculana</i> Zell., <i>Cochylis</i>	223
<i>monoglypha</i> (Hufn.), <i>Apamea</i>	38
<i>munda</i> (D. & S.), <i>Orthosia</i>	46
<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	213
<i>myrtillana</i> (H. & W.), <i>Rhopobota</i>	225
<i>naevana</i> (Hb.), <i>Rhopobota</i>	225
<i>nanana</i> (Treitschke), <i>Epinotia</i>	225
<i>napi</i> (L.), <i>Pieris</i>	109
<i>neleus</i> (Freyer), <i>Erebia</i>	121, 122
<i>nemoralis</i> (Scop.), <i>Agrotera</i>	86, 229
<i>nemorella</i> (L.), <i>Ypsolopha</i>	214
<i>nervosa</i> (Haw.), <i>Agonopterix</i>	218
<i>ni</i> (Hb.), <i>Trichoplusia</i>	95, 104
<i>nicelli</i> (Staint.), <i>Phyllonorycter</i>	213
<i>nicricomella</i> Zell., <i>Bucculatrix</i>	211
<i>nigrella</i> (Cl.), <i>Epinotia</i>	224
<i>nitidana</i> (Fabr.), <i>Strophedra</i>	226
<i>niveicostella</i> (Zell.), <i>Coleophora</i>	59, 216
<i>noctuella</i> (D. & S.), <i>Nomophila</i>	96, 98, 146, 229
<i>nubiferana</i> (Haw.), <i>Hedya</i>	224
<i>nubilalis</i> (Hb.), <i>Ostrinia</i>	85
<i>nympheata</i> (L.), <i>Elophila</i>	37
<i>obliquella</i> (Hein.), <i>Stigmella</i>	209
<i>oblitella</i> (Dup.), <i>Ancyclosis</i>	87
<i>obscura</i> Lempke f. of	
<i>Callistege mi mi</i> (Clerck).....	68
<i>obscurana</i> (Steph.), <i>Pammene</i>	226

obsoleta Wilton ab. nov. of

<i>Tethea ocularis</i> (L.).....	53-54
<i>obsolella</i> (F. v. R.), <i>Scrobipalpa</i>	220
<i>obstipata</i> (Fabr.), <i>Orthonoma</i>	99
<i>occidentalis</i> Cockayne ssp. of	
<i>Calamia tridens</i> (Hufn.).....	147-149
<i>occulta</i> (L.), <i>Eurois</i>	91
<i>ocellana</i> (Fabr.), <i>Agonopterix</i>	218
<i>ocellaris</i> (Borkh.), <i>Xanthia</i>	93
<i>ocellea</i> (Haw.), <i>Euchromius</i>	84, 146, 196
<i>ochraceella</i> (Curt.), <i>Mompha</i>	221
<i>ochrea</i> Tutt f. of <i>Callistege mi mi</i> (Clerck).....	68
<i>ochrodactyla</i> ([D. & S.]), <i>Platyptilia</i>	230
<i>ochroleuca</i> (D. & S.), <i>Eremobia</i>	170
<i>ochsenheimeriana</i> (Lien. & Zell.),	
<i>Pammene</i>	60, 206, 226
<i>ocularis</i> (L.), <i>Tethea</i>	53-54
<i>oditis</i> (Hb.), <i>Leucochlaena</i>	92
<i>ohridella</i> (Deschka & Dimic), <i>Cameraria</i>	38
<i>oleae</i> (Bernard), <i>Prays</i>	84, 214
<i>ononaria</i> (Fuessl.), <i>Aplasta</i>	88
<i>ononidis</i> (Zell.), <i>Parectopa</i>	62, 72, 212
<i>orichalcea</i> Frey., <i>Trysanoplusia</i>	95
<i>ornatella</i> (D. & S.), <i>Pempeliella</i>	22
<i>orstadii</i> (Palm), <i>Elachista</i>	231-235
<i>ostrinalis</i> (Hb.), <i>Pyrausta</i>	228
<i>otregiata</i> (Metcalfe), <i>Lampropteryx</i>	203-204
<i>oxycanthae</i> (Frey), <i>Phyllonorycter</i>	212
<i>padella</i> (L.), <i>Yponomeuta</i>	214
<i>paleacea</i> (Esp.), <i>Enargia</i>	93
<i>palealis</i> (D. & S.), <i>Sitochroa</i>	85
<i>pallida</i> (Curt.), <i>Eudonia</i>	228
<i>pallidula</i> (Hufn.), <i>Evergestis</i>	228
<i>pallustris</i> (Hb.), <i>Athetis</i>	50-52
<i>palustrana</i> (Lien. & Zell.), <i>Olethreutes</i>	224
<i>pamphilus</i> (L.), <i>Coenonympha</i>	110, 141
<i>pandora</i> (Schiff), <i>Argynnis</i>	142
<i>paphia</i> (L.), <i>Argynnis</i>	142
<i>parenthesella</i> (L.), <i>Ypsolopha</i>	214
<i>pariana</i> (Clerck), <i>Choreutis</i>	34, 213
<i>paripunctella</i> (Thunb.), <i>Pseudotelphusa</i>	220
<i>partellus</i> (Swinhoe), <i>Chilo</i>	181-185
<i>parva</i> (Hb.), <i>Eublemma</i>	95
<i>pectinea</i> Haw., <i>Incurvaria</i>	210
<i>pedella</i> (L.), <i>Stathmopoda</i>	221
<i>pellionella</i> L., <i>Tinea</i>	211
<i>peltigera</i> (D. & S.), <i>Heliothis</i>	94-95, 104
<i>penziana</i> (Thunb.), <i>Eana</i>	223
<i>peregrina</i> Agassiz, <i>Prays</i>	214
<i>peribenanderi</i> (Toll), <i>Coleophora</i>	216
<i>perieresalis</i> (Walk.), <i>Diplopseustis</i>	85, 229
<i>perlepidella</i> (Staint.), <i>Digitivalva</i>	215
<i>permutatella</i> (H. & S.), <i>Catoptria</i>	227
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	86
<i>phlaeas</i> (L.), <i>Lycaena</i>	109, 139
<i>Phyllonorycter</i> spp.....	36
<i>picarella</i> (Clerck), <i>Nemapogon</i>	158-159, 211
<i>pinguis</i> (Haw.), <i>Euzophera</i>	171

pini (L.), *Dendrolimus*81, 88
pinariella Zell., *Ocnerostoma*.....206, 214
pinivorana (Lien. & Zell.), *Rhyacionia*...226
pirithous (L.), *Leptotes*.....139
plagiata (L.), *Aplocera*203
plagicolella (Staint.), *Stigmella*209
platani (Staud.), *Phyllonorycter*212
platanoidella (Joan.), *Phyllonorycter*.....213
plebejana (Zell.), *Crociosema*.....225
plexippus (L.), *Danaus*88
plumbana (Scop.), *Dichrorampha*.....227
plumbella (D. & S.), *Yponomeuta*.....214
plumigera (D. & S.), *Ptilophora*.....12
plumigeralis (Hb.), *Pechipogo*96
poae Staint., *Elachista*217
politella (Staint.), *Bryotropha*219
polychloros (L.), *Nymphalis*87
pomonella (L.), *Cydia*226
populana (Fabr.), *Pammene*226
posticana (Zett.), *Pseudococcyx*.....225
postvittana (Walker), *Epiphyas*.....173, 230
potentillae Elisha, *Coleophora*216
potentillella (Zell.), *Scythris*78
poteri (Staint.), *Stigmella*209, 231
praeangusta (Haw.), *Batrachedra*221
pretiosa (Hein.), *Stigmella*209
primaria (Haworth), *Theria*35
professionea (L.), *Thaumetopoea*125
profugella (Staint.), *Epermenia*59
promba (L.), *Noctua*197, 198
propinquella (Staint.), *Mompha*221
proximella (Hb.), *Carpatolechia*220
prunalis (D. & S.), *Udea*228
pruniella (Clerck), *Argyresthia*.....214
pterodactyla (L.), *Stenoptilia*.....230
pubicornis (Haw.), *Lampronia*.....210
pulchella (L.), *Utetheisa*90
pulcherrimella Staint, *Depressaria*.....218
pulicariae (Klimesch), *Digitivalva*.....215
pumicana (Zeller), *Cnephasia*206, 223
pupillaria (Hb.), *Cyclophora*88
purdeyi (Durrant), *Clavigesta*225
purpuralis (L.), *Pyrausta*228
puta (Hb.), *Agrotis*38
putris Hb. f.of *Apamea crenata* (Hufn) 153
pygmina (Haw.), *Chortodes*.....133
pyramidea (L.), *Amphipyra* ...197, 198, 203
pyrausta (Pallas), *Ethmia*.....219
pyrenaella Šumpich, *Depressaria* ..114-118
pyri (Glitz), *Stigmella*210
quadra (L.), *Lithosia*.....90, 105
quadrillella (Goeze), *Ethmia*84, 219
quadripuncta (Haw.), *Oegoconia*221
quadrupunctaria (Poda), *Euplagia*..90, 174
quercus (L.), *Quercusia*18
rajella (L.), *Phyllonorycter*.....213
ramella (L.), *Epinotia*224
ramosella Zell., *Coleophora*.....245

rapae (L.), *Pieris*87, 109, 194
raschkiella (Zell.), *Mompha*230
ratzeburgiana (Ratz.), *Zeiraphera*.....225
recurvalis (Fabr.), *Spoladea*86, 229
regiana (Zell.), *Pammene*226
regiella (H.-S.), *Stigmella*210
reliquana (Hb.), *Lobesia*224
renigera (Hb.), *Dichagyris*197
resplendella (Staint.), *Heliozela*211
reticularis (L.), *Diasemia*81, 85, 197
rhamni (L.), *Gonepteryx*.....34
rhediella (Cl.), *Pammene*.....226
rhododactyla (D. & S.), *Cnaemidophorus* 87
rhomboidella (L.), *Hypatima*220
robustella Jäckh, *Caloptilia*212
rorrella (Hb.), *Yponomeuta*.....83, 188, 214
rubiginosana (H.-S.), *Epinotia*225
rubricollis (L.), *Atolmis*47, 203
rufana ([D. & S.]), *Acleris*.....223
rufana (Scop.), *Celypha*.....224
ruficapitella (Haw.), *Stigmella*210
ruficiliana (Haw.), *Falseuncaria*223
ruficiliaria (H.-S.), *Cyclophora*.....88
rufifasciata (Haw.), *Gymnoscelis*38
rufipennella (Hb.), *Caloptilia*212
rufocinerea (Haw.), *Elachista*217
ruralis (Scop.), *Pleuroptya*229
rustica Haw. f. of
Prays fraxinella (Bjerk.)171
ryffelenis ssp. of *Xestia alpicola* (Zett.) 197
sacraria (L.), *Rhodometra*.....38, 99, 104
sagitella (Bjerk.), *Phyllonorycter*213
salacitella (Treitschke), *Opostega*210
salicicolella (Sirc.), *Phyllonorycter*.....213
salicis (L.), *Leucoma*90
salicitella (Zell.), *Phyllonorycter*.....213
saligna (Zell.), *Phyllocnistis*.....213
salinella (Zell.), *Scrobipalpa*220
salopiella (Staint.), *Eriocrania*208
sangii (Wood), *Eriocrania*208
saucia (Hb.), *Peridroma*102
saxicola (Vaughan), *Phycitodes*.....229
saxicolella (Dup.), *Coleophora*216
saxifragae (Staint.), *Kessleria*238
schaefferella (L.),
Schiffermuelleria.....125-127, 206, 218
schumacherana (Fabr.), *Olindia*.....47
schwarzella (Fabr.), *Panccalia*.....222, 234
scolopacina (Esper.), *Apamea*203
scoticella (Staint.), *Parornix*212
scotinella H.-S., *Gelechia*220
scribaiella Zell., *Cosmopterix*222
sehestediana (Fabr.), *Prochoreutis*213
selasella (Hb.), *Agriphila*227
semibrunnea (Haw.), *Lithophane*128
semi-obsolata Hayward f. of
Mitlochrista miniata (Forst.).....49
semipurpurella (Steph.), *Eriocrania*.....208

<i>semirubella</i> (Scop.), <i>Oncocera</i>	86
<i>senectella</i> (Zell.), <i>Bryotropha</i>	219
<i>senilella</i> (Zett.), <i>Rhigognostis</i>	214
<i>senthes</i> (Fruhstorfer), <i>Hipparchia</i>	141
<i>senicetella</i> (Staud.), <i>Gelechia</i>	220
<i>sequana</i> (Hb.), <i>Dichrorampha</i>	227
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	203
<i>seriata</i> (Schr.), <i>Idaea</i>	123
<i>sericopeza</i> (Zell.), <i>Ectoedemia</i>	208
<i>serricornis</i> (Staint.), <i>Biselachista</i>	127, 206, 217
<i>servillana</i> (Dup.), <i>Cydia</i>	226
<i>sexpunctella</i> (Fabr.), <i>Prolita</i>	220
<i>signaria</i> (Hb.), <i>Macaria</i>	89, 105
<i>signatana</i> (Dougl.), <i>Epinotia</i>	225
<i>silvella</i> (Hb.), <i>Crambus</i>	84
<i>similis</i> (Staint.), <i>Bryotropha</i>	219
<i>simplicella</i> Hein., <i>Dioryctria</i>	229
<i>simpliciana</i> (Haw.), <i>Dichrorampha</i>	227
<i>smeathmanniana</i> (Fabr.), <i>Aethes</i>	222
<i>sodaliana</i> (Haw.), <i>Phtheochroa</i>	222
<i>solandriana</i> (L.), <i>Epinotia</i>	225
<i>somnulentella</i> (Zell.), <i>Bedellia</i>	215
<i>sorbi</i> (Staint.), <i>Stigmella</i>	209
<i>sororculana</i> (Zett.), <i>Apotomis</i>	224
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	215
<i>sparrmannella</i> (Bosc.), <i>Eriocrania</i>	208
<i>spartiella</i> (Schrk.), <i>Anarsia</i>	220
<i>spartifoliella</i> (Hb.), <i>Leucoptera</i>	215
<i>speciosa</i> (Frey), <i>Stigmella</i>	209
<i>spinicolella</i> (Zell.), <i>Phyllonorycter</i>	213
<i>spinosella</i> Staint., <i>Argyresthia</i>	214
<i>splendens</i> (Hb.), <i>Lacanobia</i>	81, 91, 103
<i>sponsa</i> (L.), <i>Catocala</i>	96, 105
<i>squamosella</i> Staint., <i>Coleophora</i>	217
<i>stagnana</i> ([D. & S.]), <i>Rhopobota</i>	225
<i>stagnata</i> (Donovan), <i>Nymphula</i>	37
<i>Stellatarum</i> (L.), <i>Macroglossum</i>	96, 101
<i>stenochrysis</i> (Warren), <i>Diachrysis</i>	178
<i>sternipennella</i> (Zett.), <i>Coleophora</i>	216
<i>sticticalis</i> (L.), <i>Loxostege</i>	85, 228
<i>stigmatella</i> (Fab.), <i>Caloptilia</i>	212
<i>straminea</i> (Haw.), <i>Cochylimorpha</i>	222
<i>straminea</i> (Tr.), <i>Mythimna</i>	203
<i>straminella</i> (D. & S.), <i>Agriphila</i>	38
<i>striana</i> (D. & S.), <i>Celypha</i>	38
<i>striatipennella</i> Nyl., <i>Coleophora</i>	216
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	226
<i>strigosa</i> (D. & S.), <i>Acrionicta</i>	81, 93
<i>strigulatella</i> (L. & Z.), <i>Phyllonorycter</i>	213
<i>striolella</i> (Matsumura), <i>Niditinea</i>	211
<i>strobilella</i> (L.), <i>Cydia</i>	129
<i>sturnipennella</i> (Treitschke), <i>Mompha</i>	222
<i>subalbidella</i> Schläg., <i>Elachista</i>	217
<i>subaquilea</i> (Staint.), <i>Denisia</i>	218
<i>subarctuana</i> (Dougl.), <i>Ancylis</i>	224
<i>subbimaculella</i> (Haw.), <i>Ectoedemia</i>	209
<i>subbistrigella</i> (Haw.), <i>Mompha</i>	222
<i>suberivora</i> (Staint.), <i>Stigmella</i>	210
<i>subfusca</i> Haw., <i>Scoparia</i>	228
<i>subnigrella</i> (Dougl.), <i>Elachista</i>	231
<i>subnitidella</i> (Dup.), <i>Trifurcula</i>	59
<i>subocellana</i> (Don.), <i>Epinotia</i>	230
<i>subocellea</i> (Steph.), <i>Elachista</i>	217
<i>subpurpurella</i> (Haw.), <i>Eriocrania</i>	208
<i>subsequana</i> (H.-S.), <i>Acroclita</i>	230
<i>suffusa</i> Warren f. of <i>Callistege mi mi</i> (Clerck).....	68
<i>suffusella</i> (Dougl.), <i>Monochroa</i>	219
<i>suspectana</i> (L. & Z.), <i>Pammene</i>	171
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	87, 229
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	110, 170
<i>syriaca</i> (Staud.), <i>Hipparchia</i>	141
<i>syringella</i> (Fab.), <i>Caloptilia</i>	171
<i>taeniolella</i> (Zeller), <i>Syncopaema</i>	127, 220
<i>tedella</i> (Cl.), <i>Epinotia</i>	224
<i>tenebrella</i> (Hb.), <i>Monochroa</i>	219, 230
<i>tenebrosa</i> (Esp.), <i>Dryobotodes</i>	41-46, 93, 124
<i>tenebrosana</i> (Dup.), <i>Grapholita</i>	226
<i>tenerana</i> ([D. & S.]), <i>Epinotia</i>	224
<i>terebrella</i> (Zinck.), <i>Assara</i>	87, 229
<i>terminella</i> (H. & W.), <i>Mompha</i>	221
<i>terrealis</i> (Treitschke), <i>Anania</i>	228
<i>tetralunaria</i> (Hufn.), <i>Selenia</i>	236
<i>therinella</i> Tengst., <i>Coleophora</i>	48, 59, 216
<i>tiliae</i> (Frey), <i>Stigmella</i>	210
<i>tinctella</i> (Hb.), <i>Crassa</i>	218
<i>tineana</i> (Hb.), <i>Ancylis</i>	224
<i>tithonus</i> (L.), <i>Pyronia</i>	109, 110
<i>torquilella</i> (Zell.), <i>Parornix</i>	212
<i>tricolorella</i> (Haw.), <i>Caryocolum</i>	220
<i>tridens</i> (Hufn.), <i>Calamia</i>	147-149
<i>trifasciata</i> Staud., <i>Argyresthia</i>	214, 230
<i>trifolii</i> (Curtis), <i>Coleophora</i>	206, 216
<i>trifolii</i> (Hufn.), <i>Discestra</i>	91
<i>trigeminella</i> Fuchs, <i>Coleophora</i>	215
<i>trigonella</i> (L.), <i>Epinotia</i>	225
<i>tripoliana</i> (Barr.), <i>Eucosma</i>	225
<i>triquetrella</i> (Hübner), <i>Dahlica</i>	211
<i>trochilella</i> (Dup.), <i>Coleophora</i>	245
<i>trochylus</i> (Freyer), <i>Chilades</i>	119-122, 137-143
<i>truncicolella</i> (Staint.), <i>Eudonia</i>	228
<i>tumidana</i> (D. & S.), <i>Acrobasis</i>	86
<i>turbidana</i> (Hb.), <i>Apotomis</i>	224
<i>turbidana</i> (Treitschke), <i>Epiblema</i>	225
<i>tutti</i> Kostrowicki f. of <i>Diachrysis chrysitis</i> (L.).....	178
<i>tyndarus</i> (Esper), <i>Erebia</i>	121
<i>udana</i> (Guen.), <i>Phalonia</i>	150-152
<i>ulicicolella</i> (Staint.), <i>Phyllonorycter</i>	213
<i>uliginosellus</i> Zell., <i>Crambus</i>	227
<i>ulmella</i> Zell., <i>Bucculatrix</i>	211
<i>ulmifoliella</i> (Hb.), <i>Phyllonorycter</i>	47, 230
<i>ulmivora</i> (Fol.), <i>Stigmella</i>	209

<i>ultimella</i> Staint, <i>Depressaria</i>	218
<i>umbrosella</i> (Zell.), <i>Bryotropha</i>	219
<i>unicolorella</i> (Dup.), <i>Eulamprotes</i>	219
<i>unimaculella</i> (Zett.), <i>Eriocrania</i>	127, 208
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	92
<i>urticae</i> (L.), <i>Aglais</i>	109
<i>ustalella</i> (Fabr.), <i>Dichomeris</i>	60
<i>vancouverana</i> McDunnough, <i>Dichrorampha</i>	227
<i>verberata</i> (Scop.), <i>Mesotype</i>	197
<i>verhuella</i> Bru, <i>Psychoides</i>	211
<i>versurella</i> (Zell.), <i>Coleophora</i>	60, 217
<i>vetusta</i> (Hb.), <i>Xylena</i>	93
<i>vetustata</i> (D. & S.), <i>Thera</i>	81, 105
<i>v-flava</i> (Haw.), <i>Oinophila</i>	83, 211
<i>vibicella</i> (Hb.), <i>Coleophora</i>	113
<i>vicinella</i> (Dougl.), <i>Caryocolum</i>	220
<i>viminiella</i> (Sirc.) ssp. of <i>Phyllonorycter salictella</i> (Zell.).....	213
<i>vitella</i> (Fabr.), <i>Earias</i>	104, 105
<i>viellina</i> (Hb.), <i>Mythimna</i>	102
<i>vitrata</i> (Fabr.), <i>Maruca</i>	85, 229
<i>vitrealis</i> (Rossi), <i>Palpita</i>	86, 104
<i>vulgana</i> (Fröhl.), <i>Capua</i>	223, 230
<i>vulgata</i> (Haw.), <i>Eupithecia</i>	38
<i>w-album</i> (L.), <i>Strymonidia</i>	108, 109, 110
<i>weaverella</i> Scott, <i>Monopis</i>	211
<i>weirana</i> (Dougl.), <i>Strophedra</i>	128, 226
<i>williana</i> (Brahm), <i>Aethes</i>	222
<i>woodiana</i> (Barrett), <i>Celypha</i>	131-132
<i>xylostella</i> (L.), <i>Plutella</i>	96, 97, 174
<i>zelleri</i> (Joan.), <i>Aphomia</i>	229
<i>zelleri</i> Staud., <i>Depressaria</i>	114-118
<i>zinkenella</i> (Treitschke), <i>Etiella</i>	81, 86
<i>zophodactylus</i> (Dup.), <i>Stenoptilia</i>	230

COLEOPTERA

Lampyridae	
<i>Lampyrus noctiluca</i> (L.).....	53
Melandryidae	
<i>Abdera flexuosa</i> (Paykull)	158

DIPTERA

Agromyzidae	
<i>Agromyza frontella</i> (Rondani).....	72-73
<i>Chromatomyia horticola</i> (Goureau).....	195
<i>Agromyza lathyri</i> Hendel.....	195
<i>Kiriomyza huidobrensis</i> (Blanchard).....	195
<i>Phytomyza hellebori</i> Kaltenbach.....	200-201
Drosophilidae	
<i>Scaptomyza flava</i> (Fallén).....	195

HETEROPTERA

Lygaeidae	
<i>Metopoplax ditomoides</i> (A. Costa).237-238	

Miridae	
<i>Brachynotocoris puncticornis</i> Reuter.....	237-238
<i>Orthotylus caprai</i> Wagner	136
Pentatomidae	
<i>Thyreocoris scarabaeoides</i> (L.).....	70-72
<i>Nezara viridula</i> L.....	70
<i>Euryderma ornata</i> (L.).....	70
<i>Sehirus luctuosus</i> Mulsant & Rey.....	70
Coreidae	
<i>Gonocerus acuteangulatus</i> (Goeze)	39
Lygaeidae	
<i>Nysius senecionis</i> (Schilling).....	74-76
<i>Nysius graminicola</i> (Kolenati)	74-76
<i>Orsillus depressus</i> (Mulsant & Rey).....	135-136
Rhopalidae	
<i>Stictopleurus punctatonervosus</i> (Goeze).....	74-76
<i>Stictopleurus abutilon</i> (Rossi).....	74-76
<i>Liorhysus hyalinus</i> (Fabricius).....	74-76
<i>Brachycarenum tigrinis</i> (Schilling).....	135-136

HYMENOPTERA

Aculeata: Eumenidae	
<i>Ansitrocerus nigricornis</i> (Curtis)	29-33
Parasitica: Ichneumonidae	
<i>Ephialtes manifestator</i> (Linn.)	31-32
<i>Colastes braconici</i> Haliday	36
<i>Lepisiota frauenfeldi</i> (Mayr).....	137
Symphyla: Cimbicidae	
<i>Cimbex luteus</i> (L.).....	198-200
<i>Cimbex connatus</i> (Schrank).....	200

NEUROPTERA

Myrmeleontidae	
<i>Myrmeleon formicarius</i> (L.).....	174-178
<i>Myrmeleon bore</i> (Tjeder)	174-176
<i>Euroleon nostras</i> (Fourcroy)	177

RAPHIDIPTERA

Raphidiidae	
<i>Subilla confinis</i> (Stephens).....	39-40
<i>Xanthostigma xanthostigma</i> (Schummel).....	40

TRICHOPTERA

Hydroptilidae	
<i>Hydroptila martini</i> Martini	189
<i>Hydroptila valesiaca</i> Schmid	189-191
<i>Ithytrichia clavata</i> Morton	189, 190-191
<i>Tinodes maculicornis</i> (Pictet).....	189, 191-192
Philopotamidae	
<i>Philopotamus montanus</i> Donovan var. <i>scoticus</i> McLachlan.....	190