

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 129 (2017)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2017 is £30.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing these data please let us know.

The Entomologist's record is now printed in full colour, enabling us to accept a wider range of illustrative and interpretative material. This development has been made possible by a generous bequest by the late Andy Callow.

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

- Achroia grisella* (Fabricius, 1794) (Lep.: Pyralidae): observations on the larva and adult. *R. J. Heckford*, 179-186
- Anarsia lineatella* Zeller, 1839 and *Anarsia innoxia* Gregersen & Karsholt, 2017 (Lep.: Gelechiidae) in the British Isles. *Stephen Palmer*, 117-124
- Apis mellifera* (Linnaeus, 1761) (Hymenoptera: Apidae) on carrion, a note of the behaviour and a review of the literature. *Andrew I. R. Chick and Alex Dye*, 311-312

B

- Butterflies of Montserrat, a post-eruption review. *R. R. Askew and M. L. Askew*, 251-264

C

- (The) Caddisfly *Limnephilus borealis* (Zetterstedt, 1840) (Trichoptera: Limnephilidae): an unexpected addition to the Irish fauna. *James P. O'Connor and Cathal McNaughton*, 306-310
- (The) Caddisfly *Trichostegia minor* (Curtis, 1834) (Trichoptera: Phryganeidae) confirmed as an Irish species. *James P. O'Connor and Cathal McNaughton*, 147-150
- Consideration of *Argyresthia goedartella* (Linnaeus, 1758), forma *litterella* (Haworth, 1828) and forma *splendida* Reutti, 1898 (Lep.: Argyresthiidae). *T. H. Freed, M. Gandy and R. J. Heckford*, 213-221
- Contribution to knowledge of the Lepidoptera fauna of the Balkan Peninsula. *Stoyan Beshkov*, 9-33

D

- Dotted carpet *Alcis jubata* (Thunberg, 1788) (Lep.: Geometridae): its captive rearing from egg to adult moth. *Nigel G. J. Richards*, 151-155

E

- Ectoparasites from small mammals in mid Wales. *R. J. C. Page*, 35-51

G

- Gelechia hippophaella* (Schrank, 1802) (Lep.: Gelechiidae): consideration of the larval period and possible affiliation to native plants of *Hippophae rhamnoides* L. in England. *S. D. Beavan, R. J. Heckford and S. M. Palmer*, 127-139

I

- (The) immigration of Lepidoptera to the British Isles in 2013. *Sean P. Clancy*, 57-99

M

- Microlepidoptera Review of 2016. *J. R. Langmaid and M. R. Young*, 265-291

S

- Seven new and some rare for Serbia nocturnal Lepidoptera species collected at light. *Stoyan Beshkov & Ana Nahirnić*, 189-205

U

- Updates to the annotated checklist of the larger moths of Stirlingshire, West Perthshire and Dunbartonshire. *John T. Knowler*, 236-250

2: NOTES

A

- A late flight of Yellow-barred Brindle *Acasis viretata* (Hb.) (Geometridae) at Rye, East Sussex. *Keith Palmer*, 54-55
- A second British example of *Cydia indivisa* Danilevsky, 1963 (Lep.: Tortricidae). *A. G. J. Butcher and P. J. Jewess*, 140-141
- Aberrant form of Riband Wave *Idaea aversata* (L.) (Lep.: Geometridae) on Scilly. *Bob Dawson and Roy Lawson*, 165-168
- An April record of *Prays peregrina* Agassiz, 2006 (Lep.: Praydidae). *Stella D. Beavan*, 176-178
- An unexpected Berkshire moth record. *Roger Hayward*, 226
- An unusual *Caloptilia semifascia* (Haw.) (Lep.: Gracillariidae). *Paul Kitchener*, 126
- An unusually marked example of *Agriphila geniculea* ((Haw.) (Lep.: Crambidae). *Richard B. Walker*, 303
- Apatania muliebris* McLachlan, 1866 (Trichoptera: Apataniidae), a caddisfly new the Northern Ireland. *James P. O'Connor*, 186-187
- Argyresthia glabratella* (Zeller, 1847) (Lep.: Argyresthiidae) new to Ireland. *Jon Clifton*, 125

B

- Behaviour of a mixed gynandromorphous Orange-tip *Anthocharis cardamines* (L.) (Lep.: Pieridae). *Chris Tyler-Smith and Yali Xue*, 227-229

C

- Catoptria permutatellus* (H.-S.) (Lep.: Crambidae): A second record for England, from Norfolk. *Dave Jones*, 188
- Clouded Border *Lomaspilis marginata* (L.) (Lep.: Geometridae) flying as a mated pair. *Roy Leverton*, 232-233
- (The) Concolorus *Photedes extrema* (Hb.) (Lep.: Noctuidae) well-established at Hampton Newt Reserve, Peterborough. *Paul Waring*, 55
- Corrigenda, 316
- Cydalima perspectalis* (Walker, 1859) (Lep.: Crambidae), new to Ireland. *Tony Bryant*, 230-231

D

- Dichrorampha acuminatana* (Lienig & Zeller, 1846) (Lep.: Tortricidae): discovery of a larva in the autumn feeding within a flower head of Oxeye Daisy *Leucanthemum vulgare*. *R. J. Heckford*, 1-2
- Discovery of a wild larva of White-marked *Cerastis leucographa* ([Denis & Schiffermüller], 1775) in Berkshire in 2015. *Martin Townsend*, 300-302

E

- Ephestia woodiella* Richards & Thomson, 1932 (Lep.: Pyralidae) new to Ireland. *Tony Bryant and K. G. M. Bond*, 230
- Etiella zinckenella* (Treitschke, 1832) (Lep.: Pyralidae) a migrant new to Ireland. *Tony Bryant*, 225-226

F

- First Irish record of *Lozotaeniodes formosana* (Frölich) [Lep.: Tortricidae]. *Emilie E. Ellis and Kenneth G. M Bond*, 302
- (The) Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.) and the Emperor Moth *Saturnia pavonia* (L.) at Werrington Brook Drain, Peterborough in 2016. *Paul Waring*, 5-8

G

Grey Dagger *Acrontica psi* (L.) (Lep.: Noctuidae) larva successfully producing an imago despite being parasitised. *Roy Leverton*, 223-224

H

Humming-bird Hawk-moth *Macroglossum stellatarum* L. (Lep.: Sphingidae) larva feeding on Lady's Bedstraw *Galium verum* in Shropshire. *Graham Wenman*, 292-294

I

Incurvaria pectinea Haworth, 1828 (Lep.: Incurvariidae) larva being predated by a species of Coleoptera, probably in the genus *Rhagonycha* (Cantharidae). *Miss S. D. Beavan and R. J. Heckford*, 292

L

(A) late flight of Yellow-barred Brindle *Acasis viretata* (Hb.) (Geometridae) at Rye, East Sussex. *Keith Palmer*, 54-55

M

Monitoring the Marsh Moth *Athetis pallustris* (Hb.) (Lep. Noctuidae) in 2016 at Saltfleetby-Theddlethorpe Dunes, Lincolnshire. *Paul Waring*, 3-4

N

New species of leaf-mining moths and bagworms in East Yorkshire: recent colonists or overlooked residents? *Andy D. Nunn*, 156-159

Notes from a red hole in south-east England. *Chris Tyler-Smith and Yali Xue*, 159-161

O

Occurrence of an aberrant population of *Melitaea athalia* (Rottemburg, 1775) (Lep.: Nymphalidae) on Parnassos Mountain, Greece. *Sotiris Alexiou*, 304-305

P

Palpita vitrealis (Rossi) (Lep.: Crambidae) new for North-east Scotland. *Roy Leverton*, 142-143

Pammene suspectana (Lien. & Zell., 1846) (Lep.: Tortricidae): new for the north of England. *Charles H. Fletcher and David I. Hutton*, 210-212

Phyllocnistis citrella Stt. (Lep.: Phyllocnistidae) in Hertfordshire. *Colin W. Plant*, 34

Pieris napi (L.) (Lep.: Pieridae) mud-puddling in West Perthshire (VC 87). *J. C. Weir*, 231-232

Pupa of Double-striped Pug *Gymnoscelis rufifasciata* (Haworth, 1809) (Lep.: Geometridae) eaten by a larva of *Epiphyas postvittana* (Walker, 1863) (Lep.: Tortricidae). *R. J. Heckford*, 114-116

R

(The) re-discovery of *Grammotaulius nitidus* (Muller, 1764) (Tri.: Limnephilidae) at Woodwalton Fen National Nature Reserve, Huntingdonshire and an overview of its UK status. *Kevin Royles*, 52-54

Reed-bed Wainscots in Scotland. *Mark Cubitt*, 172-175

S

Scalloped Hazel *Odontopera bidentata* (Clerck) (Lep.: Geometridae) melanics in Scotland. *Roy Leverton*, 296-298

(A) second British example of *Cydia indivisa* Danilevsky, 1963 (Lep.: Tortricidae). *A. G. J. Butcher and P. J. Jewess*, 140-141

Status of the Tissue *Triphosa dubitata* (L.) (Lep.: Geometridae) in Scotland with some observations of overwintering individuals. *Katy Baird and Mark Cubitt*, 168-172

T

Thaumatotibia leucotreta (Meyrick, 1913) (Lep.: Tortricidae) new to Cambridgeshire. *Ian Barton*, 222

The Concolorus *Photedes extrema* (Hb.) (Lep.: Noctuidae) well-established at Hampton Newt Reserve, Peterborough. *Paul Waring*, 55

The Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.) and the Emperor Moth *Saturnia pavonia* (L.) at Werrington Brook Drain, Peterborough in 2016. *Paul Waring*, 5-8

The re-discovery of *Grammotaulius nitidus* (Muller, 1764) (Tri.: Limnephilidae) at Woodwalton Fen National Nature Reserve, Huntingdonshire and an overview of its UK status. *Kevin Royles*, 52-54

Tree Bedstraw *Coprosma repens* (Rubiaceae), a possible larval foodplant of *Mecyna asinalis* (Hübner, [1819]) (Lep.: Crambidae) on the Isles of Scilly. *R. J. Heckford*, 234-235

U

(An) unexpected Berkshire moth record. *Roger Hayward*, 226

(An) unusual *Caloptilia semifascia* (Haw.) (Lep.: Gracillariidae). *Paul Kitchener*, 126

(An) unusually marked example of *Agriphila geniculea* ((Haw.) (Lep.: Crambidae). *Richard B. Walker*, 303

W

White larvae of Yellow-barred Brindle *Acasis viretata* (Hübner, [1799]) (Lep.: Geometridae) feeding on flowers of Olive *Olea europaea*. *Miss S. D. Beavan and R. J. Heckford*, 294-295

Y

Yet more moths new to Hertfordshire. *Colin W. Plant*, 206-210

Z

Zelleria oleastrella (Millière, 1864) (Lep.: Yponomeutidae) – a species new to Middlesex (VC 21). *Martin R. Honey*, 298-299

Zelleria oleastrella (Millière, 1864) (Lep.: Yponomeutidae) new to Hertfordshire. *David Kirk*, 299-300

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

2017 Uyttenboogaart-Eliassen prize. Editor, 143

Appeal for contributions. Editor, 56

Balkan Moth Survey. Editor 315

Putative database of forms and aberrations of the Heart and Dart moth *Agrotis exclamationis* (Linnaeus, 1758). *Dafydd Lewis*, 141

4: BOOK REVIEWS

Field Guide to the moths of Great Britain and Ireland. Third edition, by Waring, P., Townsend, MK., & Lewington, R. 162-163

Britain's Spiders – a Field Guide by Bee, L., Oxford, G. & Smith, H. . 315

Following Wild Bees. The craft and science of bee hunting by Seley, T. D. 315

Mariposas Nocturnas: Moths of Central and South America. A study in beauty and diversity by Gowin, E. 314

Ponds and Small Lakes by Benton, T. 163-164

Solitary Bees by Benton, T. 163-164

The Banchine wasps (Ichneumonidae: Banchinae) of the British Isles, by Brock, J. P. 313-314

5: OBITUARIES

Bernard Francis **Skinner**, 100-114

Walter Gerald **Tremewan**, 144-146

6: ADDENDA & CORRIGENDA

Corrigenda, 316

7: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Alexiou, Sotiris304-305
Askew, R. R.**251-264**
Askew, M. L.**251-264**
Baird, Katy168-172
Barton, Ian222
Beavan, Stella. D.**127-139**, 176-178,
292, 294-295
Beshkov, Stoyan**9-33, 189-205**
Bond, K. G. M.230, 302
Bryant, Tony225-226, 230, 230-231
Butcher, A. G. J.140-141
Chick, Andrew I. R.**311-312**
Clancy, Sean P.**57-99**
Clifton, Jon125
Cubitt, Mark168-172, 172-175
Dawson, Bob165-168
Dye, Alex**311-312**
Ellis, Emilie E.302
Fletcher, Charles H.210-212
Freed, T. H.**213-221**
Gandy, M.**213-221**
Hayward, Roger226
Heckford, R. J.1-2, 114-116, **127-139**,
179-186, 213-221, 234-235, 292, 294-295
Honey, Martin R.298-299
Hunton, David I.210-212
Jewess, P. J.140-141

Jones, Dave188
Kirk, David299-300
Kitchener, Paul126
Knowler, John T.**236-250**
Langmaid, J. R.**265-291**
Lawson, Roy165-168
Leverton, Roy142-143, 223-224,
232-233, 296-298
McNaughton, Cathal**147-150, 306-310**
Nahirnić, Ana**189-205**
Nunn, Andy D.156-159
O'Connor, James P.**147-150**, 186-187,
306-310
Page, R. J. C.**35-51**
Palmer, Keith54-55
Palmer, S. M.**117-124, 127-139**
Plant, Colin W.34, 206-210
Richards, Nigel G. J.**151-155**
Royles, Kevin52-54
Townsend, Martin300-302
Tyler-Smith, Chris159-161, 227-229
Walker, Richard B.303
Waring, Paul3-4, 5-8, 55
Weir, J. C.231-232
Wenman, Graham292-294
Xue, Yali159-161, 227-229
Young, M. R.**265-291**

SPECIAL INDEX

Compiled by Catherine Wellings & Graham Wenman

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first
in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA			
<i>abietana</i> (Hb.), <i>Acleris</i>	284	<i>anapheles</i> Nye, <i>Sideridis</i>	23
<i>abietaria</i> (Goeze), <i>Eupithecia</i>	241	<i>anaphus</i> Cramer, <i>Astraptus</i>	261, 263
<i>abscisana</i> (Doubleday), <i>Lobesia</i>	285	<i>anatolica</i> (Draudt), <i>Chersotis</i>	30
<i>absoluta</i> (Meyrick), <i>Tuta</i>	61	<i>anatolica</i> Schwingenschuss, <i>Hypenodes</i>	14
<i>acanthadactyla</i> (Hb.), <i>Amblyptilia</i>	282	<i>anausis</i> (Cramer), <i>Astraptus</i>	261
<i>acis</i> (Drury), <i>Parrhasius</i>	256, 263	<i>anceps</i> (Goeze), <i>Peridea</i>	192
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	276	<i>ancipitella</i> (La Harpe), <i>Scoparia</i>	289
<i>acuminatana</i> (Lien. & Zell.),		<i>anderreggii</i> (Boisd.), <i>Mythimna</i>	30
<i>Dichrorampha</i>	1-2, 286	<i>angelicella</i> (Hb.), <i>Agonopterix</i>	277
<i>adephellia</i> (F. v. R.), <i>Salebria</i>	140	<i>angerona</i> (Goodman & Salvin),	
<i>adephellia</i> (F. v. R.), <i>Sciota</i>	140	<i>Thecla</i>	256-257
<i>adoratrix</i> (Stdgr.), <i>Eutelia</i>	15, 24	<i>angustea</i> (Curtis), <i>Eudonia</i>	289
<i>adriana</i> (Goeze), <i>Hadena</i>	203	<i>angustella</i> (Zell.), <i>Nephoterix</i>	66
<i>adustella</i> Wals., <i>Blastobasis</i>	281	<i>antillarum</i> Hall, <i>Eurema</i>	258
<i>advenaria</i> (Hb.), <i>Cepphis</i>	11, 70	<i>antiopa</i> (L.), <i>Nymphalis</i>	68
<i>advenella</i> (Zinck.), <i>Acrobasis</i>	288	<i>apfelbecki</i> (Rebel), <i>Pseudoxestia</i>	21
<i>aeneofasciella</i> (H.-S.), <i>Stigmella</i>	269	<i>apicipunctella</i> Staint, <i>Elachista</i>	280
<i>aeratana</i> (P. & M.), <i>Dichrorampha</i>	286	<i>approximata</i> ab. of <i>aversata</i> (L.), <i>Idaea</i>	167
<i>aerugula</i> (Hb.), <i>Nola</i>	75	<i>arcas</i> (Drury), <i>Ephyriades</i>	261-262, 263
<i>aestimaria</i> (Hb.), <i>Chiasmia</i>	70	<i>arcuatella</i> (H.-S.), <i>Ectoedemia</i>	270
<i>aestivella</i> (Zell.), <i>Metzneria</i>	278	<i>arcuella</i> (Clerck), <i>Olethreutes</i>	285
<i>africanus</i> (Haw.), <i>Bryotropha</i>	278	<i>argentimaculella</i> (Stainton),	
<i>agnotana</i> Rebel, <i>Pammene</i>	211	<i>Infurcitinea</i>	157, 158
<i>albicilla</i> (H.-S.), <i>Salebriopsis</i>	288	<i>argyrella</i> ([D. & S.]), <i>Selagia</i>	288
<i>albidella</i> (Nyl.), <i>Elachista</i>	281	<i>argyropeza</i> (Zell.),	
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	269	<i>Ectoedemia</i>	156, 158, 269
<i>albifrontella</i> (Hb.), <i>Elachista</i>	280	<i>armigera</i> (Hb.), <i>Helicoverpa</i>	21, 25, 93-94
<i>albipuncta</i> (D. & S.), <i>Mythimna</i>	76, 160	<i>artemisiella</i> (Treits.), <i>Scrobipalpa</i>	278
<i>albistria</i> (Haw.), <i>Argyresthia</i>	275	<i>asella</i> (D. & S.), <i>Heterogenea</i>	226
<i>albitarsella</i> Zell., <i>Coleophora</i>	279	<i>asinalis</i> (Hb.), <i>Mecyna</i>	234-235
<i>albuginana</i> (Guen.), <i>Pammene</i>	210-211, 287	<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	275
<i>alcyonipennella</i> (Koll.), <i>Coleophora</i>	279	<i>atalanta</i> (L.), <i>Vanessa</i>	87, 231
<i>algae</i> (Fabr.), <i>Cryphia</i>	78, 160	<i>athalia</i> (Rott.), <i>Melitaea</i>	304-305
<i>algira</i> (L.), <i>Dysgonia</i>	82	<i>atricapitella</i> (Haw.), <i>Stigmella</i>	156, 269
<i>alismana</i> (Ragonot), <i>Gynnidomorpha</i>	284	<i>atriplicis</i> (L.), <i>Trachea</i>	78
<i>allisella</i> Stainton, <i>Exaeretia</i>	276	<i>atropos</i> (L.), <i>Acherontia</i>	57, 71, 95, 238
<i>amasina</i> (Draudt), <i>Nyctobria</i>	199, 202	<i>atropunctana</i> (Zett.), <i>Hedya</i>	285
<i>alnetella</i> (Stainton), <i>Stigmella</i>	157, 158, 268	<i>aurana</i> (Fab.), <i>Pammene</i>	287
<i>alni</i> (L.), <i>Acronicta</i>	15	<i>aurata</i> (Scop.), <i>Pyrausta</i>	288
<i>alnifoliae</i> Barasch, <i>Coleophora</i>	267, 279	<i>aurelia</i> (Nick.), <i>Melitaea</i>	304
<i>alopecuri</i> (Boisd.), <i>Mythimna</i>	203-204	<i>aurofasciana</i> (Haw.), <i>Celypha</i>	267, 285
<i>alpinella</i> (Hb.), <i>Platyles</i>	62, 289	<i>autumnaria</i> (Werneb.), <i>Ennomos</i>	70
<i>alstromeriana</i> (Clerck), <i>Agonopterix</i>	277	<i>autumnitella</i> Curtis, <i>Acrolepia</i>	275
<i>alternella</i> (D. & S.), <i>Tortricodes</i>	283	<i>aversata</i> (L.), <i>Idaea</i>	160, 165-168, 239
<i>amasina</i> (Draudt), <i>Nyctobrya</i>	9, 21, 26, 28, 202	<i>azaleella</i> (Brants), <i>Caloptilia</i>	272
<i>ambigua</i> (D. & S.), <i>Hoplodrina</i>	115, 116	<i>badia</i> (Hodges), <i>Anatrachyntis</i>	61, 277
<i>ambiguella</i> (Hb.), <i>Eupoecilia</i>	61, 284	<i>badiella</i> (Hb.), <i>Depressaria</i>	277
<i>ambusta</i> ([D. & S.]), <i>Atethmia</i>	203	<i>balcania</i> Rebel, <i>Eochorica</i>	189
<i>amplana</i> (Hb.), <i>Cydia</i>	62	<i>baliodactyla</i> (Zell.), <i>Merrifieldia</i>	209
<i>anachoreta</i> (D. & S.), <i>Clostera</i>	72	<i>balsamitae</i> Boisduval, <i>Cucullia</i>	16
		<i>bankiana</i> (Fab.), <i>Deltote</i>	81
		<i>barthae</i> Wagner, <i>Calophasia</i>	16

<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	278
<i>bechsteinella</i> (Bech. & Scharf), <i>Bucculatrix</i>	272
<i>betularia</i> (L.), <i>Biston</i>	243-244, 298
<i>betulella</i> (Curtis), <i>Acrolepiopsis</i>	275
<i>biatomella</i> (Stainton), <i>Elachista</i>	280
<i>biblis</i> (Fabr.), <i>Biblis</i>	255
<i>bidentata</i> (Clerck), <i>Odontopera</i>	296-298
<i>bifasciata</i> (Haw.), <i>Perizoma</i>	240
<i>bifasciana</i> (Haw.), <i>Piniphila</i>	285
<i>bifasciana</i> (Hb.), <i>Spatalistis</i>	283
<i>bifractella</i> (Dup.), <i>Apodia</i>	278
<i>bigramma</i> (Hb.), <i>Agrotis</i>	75
<i>bimaculata</i> (Fabr.), <i>Lomographa</i>	244
<i>binavevella</i> (Hb.), <i>Phyciodes</i>	288
<i>binderella</i> (Koll.), <i>Coleophora</i>	156, 279
<i>biriviata</i> (Bork.), <i>Xanthorhoe</i>	70
<i>bisselliella</i> Humm, <i>Tineola</i>	271
<i>bistriatella</i> (Hulst), <i>Apomyelois</i>	66
<i>bistriga</i> (Haw.), <i>Cryptoblabes</i>	288
<i>bisulcella</i> (Dup.), <i>Elachista</i>	280
<i>boeticus</i> (L.), <i>Lampides</i>	57, 67, 95
<i>bractea</i> (D. & S.), <i>Autographa</i>	15, 82
<i>bradleyi</i> Riedl, <i>Mompha</i>	281
<i>brassicae</i> (L.), <i>Pieris</i>	67
<i>breviculata</i> (Donzel), <i>Eupithecia</i>	9, 13, 19
<i>britannica</i> (Cockayne), <i>Apamea</i>	247
<i>britanniodactyla</i> (Gregson), <i>Capperia</i>	282
<i>brockeella</i> (Hb.), <i>Argyresthia</i>	213
<i>brumata</i> (L.), <i>Operophtera</i>	233
<i>brunnea</i> (H-S.), <i>Ephyriades</i>	262, 263
<i>brunnichana</i> (L.), <i>Epinotia</i>	286
<i>brunnichella</i> (L.), <i>Stephensia</i>	280
<i>brubastus</i> (Cramer), <i>Thecla</i>	256, 263
<i>bucephaloides</i> (Ochsenheimer), <i>Phalera</i>	195
<i>caesiella</i> (Hb.), <i>Swammerdamia</i>	274
<i>cagnagella</i> (Hb.), <i>Yponomeuta</i>	273
<i>caillino</i> (Lefebvre), <i>Drasteria</i>	201
<i>caliginearia</i> (Rambur), <i>Chemerina</i>	11
<i>caliginosa</i> (Hb.), <i>Acosmetia</i>	9, 21, 25
<i>calliphanes</i> Meyrick, <i>Argyresthia</i>	218
<i>candidula</i> (D. & S.), <i>Pseudeustrotia</i>	57, 81
<i>caniola</i> (Hb.), <i>Eilema</i>	73, 201
<i>capreolaria</i> (D. & S.), <i>Pungeleria</i>	95
<i>caprimulgella</i> (Stainton), <i>Triaxomasia</i>	271
<i>caradjai</i> Popescu-Gorj & Căpușe, <i>Oegoconia</i>	276
<i>carbonaria</i> f. <i>betularia</i> (L.), <i>Biston</i>	298
<i>cardamines</i> (L.), <i>Anthocharis</i>	227-229, 231
<i>cardui</i> (L.), <i>Cynthia</i>	255, 263
<i>cardui</i> (L.), <i>Vanessa</i>	87-88
<i>carduodactyla</i> (Hb.), <i>Hellinista</i>	282
<i>cassius</i> (Cramer), <i>Leptotes</i>	257
<i>casta</i> (Pallas), <i>Psyche</i>	271
<i>catalaunalis</i> (Dup.), <i>Antigastrea</i>	64
<i>caucasica</i> (Kolenati), <i>Drasteria</i>	15
<i>c-aureum</i> (Knoch), <i>Lamprotes</i>	15
<i>celerio</i> (L.), <i>Hippotion</i>	72
<i>cerasicolella</i> (H-S), <i>Phyllonorycter</i>	156, 272
<i>ceratoniae</i> (Zell.), <i>Apomyelois</i>	66

<i>cervago</i> (Eversmann), <i>Cervyna</i>	21
<i>cespitana</i> (Hb.), <i>Celypha</i>	285
<i>chadwicki</i> Comstock & Huntington, <i>Leptotes</i>	257
<i>chaerophylli</i> Zell., <i>Depressaria</i>	277
<i>chalcites</i> (Esp.), <i>Chrysodeixis</i>	81, 246
<i>chamomillae</i> (D. & S.), <i>Cucullia</i>	246
<i>charitoniana</i> (L.), <i>Heliconius</i>	256
<i>christopheranus</i> Hall, <i>Battus</i>	260
<i>chrysoprasaria</i> (Esper), <i>Hemistola</i>	226
<i>cicatricella</i> (Zett.), <i>Eriocrania</i>	156, 268
<i>cidarella</i> Zell., <i>Bucculatrix</i>	271
<i>ciliium</i> (Guen.), <i>Spodoptera</i>	79
<i>cinerella</i> (Clerck), <i>Acompisa</i>	277
<i>cinnamomeana</i> (Treits.), <i>Pandemis</i>	283
<i>circumvoluta</i> (Fourcroy), <i>Myelois</i>	288
<i>cirsiana</i> (Zell.), <i>Epiblema</i>	286
<i>citrana</i> (Hb.), <i>Thiodia</i>	285
<i>citrella</i> Stainton, <i>Phyllocnistis</i>	34, 273
<i>citri</i> (Mill.), <i>Prays</i>	276
<i>clorana</i> (L.), <i>Earias</i>	160
<i>cnicana</i> (Westw.), <i>Aethes</i>	284
<i>c-nigrum</i> (L.), <i>Xestia</i>	160
<i>cohaesa</i> (H.-S.), <i>Xestia</i>	204
<i>colquhounana</i> f. <i>penziana</i> (Thunberg), <i>Eana</i>	290
<i>complana</i> (L.), <i>Eilema</i>	201
<i>compositella</i> (Fabr.), <i>Grapholita</i>	287
<i>comstocki</i> Dillon, <i>Pieris</i>	258
<i>confinaria</i> (H.-S.), <i>Glossotrophia</i>	195
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	81
<i>confusalis</i> (H-S), <i>Nola</i>	13
<i>congelatella</i> (Clerck), <i>Exapate</i>	137, 283
<i>conicolana</i> (Heylaerts), <i>Cydia</i>	287
<i>consimilana</i> (Hb.), <i>Clepsis</i>	283
<i>consortana</i> Steph., <i>Dichrorampha</i>	286
<i>conspersaria</i> ([D. & S.]), <i>Dyscia</i>	191, 194, 198
<i>conspurcatella</i> (Zell.), <i>Banksia</i>	270
<i>constrictata</i> Guenée, <i>Eupithecia</i>	242-243
<i>contigua</i> (D. & S.), <i>Lacanobia</i>	248
<i>continuela</i> (Stainton), <i>Stigmella</i>	268
<i>conturbatella</i> (Hb.), <i>Mompha</i>	281
<i>convolvuli</i> (L.), <i>Agrius</i>	90, 142, 238
<i>cordigera</i> (Thunberg), <i>Coronarta</i>	23
<i>corollaria</i> (H.-S.), <i>Protorhoe</i>	189, 191, 194, 195, 198
<i>coronata</i> (Hufn.), <i>Anania</i>	288
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	273
<i>corylifoliella</i> (Hb.), <i>Phyllonorycter</i>	272
<i>cos</i> (Hb.), <i>Euxoa</i>	204
<i>cosmorphorana</i> (Treits.), <i>Cydia</i>	287
<i>cossus</i> (L.), <i>Cossus</i>	237
<i>craccae</i> (D. & S.), <i>Lygephila</i>	82
<i>crassalis</i> (Fab.), <i>Hypena</i>	245
<i>crassiuscula</i> (H.-S.), <i>Scythris</i>	282
<i>crataegana</i> (Hb.), <i>Archips</i>	283
<i>crataegi</i> (L.), <i>Aporia</i>	67
<i>cribrellum</i> (Evers.), <i>Muschampia</i>	17
<i>cristatella</i> (Zell.), <i>Bucculatrix</i>	271
<i>croceus</i> (Geoff.), <i>Colias</i>	86-87

<i>croesella</i> (Scop.), <i>Adela</i>	270
<i>culculla</i> (Hufn.), <i>Catarhoe</i>	160
<i>cuneatella</i> (Dougl.), <i>Gelechia</i>	278
<i>cuprella</i> ([D. & S.]), <i>Adela</i>	270
<i>cupressella</i> Walsingham, <i>Argyresthia</i>	275
<i>cupriacella</i> (Hb.), <i>Nemophora</i>	270
<i>cursoria</i> (Hufn.), <i>Euxoa</i>	75
<i>curvatula</i> (Borkh.), <i>Drepana</i>	68
<i>dalmatina</i> Wagner, <i>Nychiodes</i>	190
<i>daucella</i> ([D. & S.]), <i>Depressaria</i>	277
<i>deauratella</i> (H.-S.), <i>Oegoconia</i>	276,
<i>deauratella</i> L. & Z., <i>Coleophora</i>	279
<i>debiliata</i> (Hb.), <i>Pasiphila</i>	241
<i>declinans</i> (Stdgr.), <i>Erannis</i>	190
<i>degeneraria</i> (Hb.), <i>Idaea</i>	70
<i>delunella</i> (Stainton), <i>Eudonia</i>	62
<i>denticulella</i> (Thunberg), <i>Callisto</i>	272
<i>depressa</i> (Esp.), <i>Eilema</i>	245
<i>deserta</i> (Bartel), <i>Watsonarctia</i>	14
<i>detrita</i> (Esper), <i>Ocneria</i>	196
<i>dictynna</i> (Goodman & Salvin), <i>Polites</i>	263
<i>diffinis</i> (L.), <i>Cosmia</i>	209
<i>dilutella</i> (D. & S.), <i>Deplanqueia</i>	288
<i>dimidiata</i> (Hufn.), <i>Idaea</i>	239
<i>diminutalis</i> Snellen, <i>Parapoynx</i>	62
<i>dina</i> Poey, <i>Eurema</i>	258
<i>dispar</i> (L.), <i>Lycæna</i>	73
<i>dispar</i> (L.), <i>Lymantria</i>	245
<i>distinctaria</i> H.-S., <i>Eupithecia</i>	242-243
<i>distinctella</i> (Zell.), <i>Chionodes</i>	278
<i>docecella</i> (L.), <i>Exoteleia</i>	279
<i>dodeceea</i> (Haw.), <i>Ethmia</i>	61
<i>dodonaea</i> Stainton, <i>Tischeria</i>	270
<i>doneata</i> (Guenée), <i>Eupithecia</i>	242
<i>domestica</i> (Haw.), <i>Bryotropha</i>	278
<i>dominicensis</i> (Bell & Comstock), <i>Ephyriades</i>	262
<i>dorantes</i> (Stoll), <i>Urbanus</i>	261, 262
<i>dorlagella</i> Stainton, <i>Depressaria</i>	277
<i>drenowskii</i> (Rebel), <i>Hadena</i>	16
<i>drusilla</i> Cramer, <i>Pieris</i>	258
<i>dubitana</i> (Hb.), <i>Cochylis</i>	284
<i>dubitata</i> (L.), <i>Triphosa</i>	70, 168-172, 239
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	273
<i>dumetata</i> Treits., <i>Gnophos</i>	9, 11, 18
<i>duplaris</i> (L.), <i>Ochropacha</i>	10, 17
<i>duplicella</i> (Goeze), <i>Narycia</i>	156
<i>elatheæ</i> Cramer, <i>Eurema</i>	259, 263
<i>electa</i> (View.), <i>Catocala</i>	57, 82
<i>elegans</i> (Evers.), <i>Chersotis</i>	27, 29, 30, 189, 196, 200, 204
<i>eleochariella</i> (Stainton), <i>Elachista</i>	281
<i>elongella</i> (L.), <i>Caloptilia</i>	272
<i>elpenor</i> (L.), <i>Deilephila</i>	188, 293
<i>emanona</i> Dillon, <i>Eurema</i>	258
<i>emberizaepenella</i> (Bouché), <i>Phyllonorycter</i>	156, 209
<i>emortualis</i> (D. & S.), <i>Trisateles</i>	83, 226
<i>erxebella</i> (Fabr.), <i>Roeslerstammia</i>	271
<i>erythrocephala</i> (D. & S.), <i>Conistra</i>	78
<i>esperella</i> (Goeze), <i>Phyllonorycter</i>	156

<i>ethlius</i> (Stoll), <i>Calpodes</i>	262
<i>euphorbiae</i> (L.), <i>Hyles</i>	71
<i>euterpe</i> Ménétriés, <i>Eurema</i>	259
<i>evidens</i> Hb, <i>Sideridis</i>	23
<i>evonymella</i> (L.), <i>Yponomeuta</i>	60
<i>exclamationis</i> (L.), <i>Agrotis</i>	141, 160
<i>exigua</i> (Hb.), <i>Spodoptera</i>	93
<i>extimalis</i> (Scop.), <i>Evergestis</i>	63
<i>extrema</i> (Hb.), <i>Chortodes</i>	55, 78
<i>extrema</i> (Hb.), <i>Photodes</i>	55, 78
<i>fagivora</i> (Frey.), <i>Parornix</i>	272
<i>falsella</i> ([D. & S.]), <i>Catoptria</i>	289
<i>fasciolaria</i> (Hufn.), <i>Narraga</i>	11
<i>ferchaultella</i> (Stephens), <i>Luffia</i>	270
<i>ferrugalis</i> (Hb.), <i>Udea</i>	83, 84-85, 143, 231
<i>festaliella</i> (Hb.), <i>Schreckensteina</i>	282
<i>filicearia</i> (H.-S.), <i>Cleta</i>	12
<i>filicivora</i> (Meyr.), <i>Psychoides</i>	156, 271
<i>flammea</i> (Esp.), <i>Trigonophora</i>	77
<i>flavalis</i> ([D. & S.]), <i>Mecyna</i>	64
<i>flavimitrella</i> (Hb.), <i>Lampronia</i>	270
<i>flavirena</i> Guenée, <i>Caradrina</i>	202
<i>floslactella</i> (Haw.), <i>Stigmella</i>	268
<i>formosa</i> Rogenhofer, <i>Cucullia</i>	16, 24
<i>formosana</i> (Fröl.), <i>Lozotaeniodes</i>	302
<i>formosana</i> (Scop.), <i>Enarmonia</i>	285
<i>forsskalaena</i> (L.), <i>Acleris</i>	283
<i>forsterana</i> (Fabr.), <i>Lozotaenia</i>	283
<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	275
<i>fovealis</i> Zell., <i>Duponchelia</i>	64, 289
<i>fraternella</i> (Dougl.), <i>Caryocolum</i>	278
<i>fraxini</i> (L.), <i>Catocala</i>	82
<i>frequens</i> Hacker <i>Hadena</i>	23, 29
<i>freyerella</i> (Hb.), <i>Elachista</i>	281
<i>freyeri</i> (Frivaldszky), <i>Behouneкия</i>	20
<i>freyeri</i> (Frivaldszky), <i>Xylina</i>	20
<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	273
<i>fugitivella</i> (Zell.), <i>Carpatolechia</i>	279
<i>fulvalis</i> (Hb.), <i>Udea</i>	288
<i>fulvana</i> (Stephens), <i>Eucosma</i>	286
<i>fulvigutella</i> (Zell.), <i>Phaulernis</i>	282
<i>furcatella</i> (Zell.), <i>Caloptria</i>	289
<i>furva</i> ([D. & S.]), <i>Apamea</i>	247
<i>fuscata</i> (Tengst.), <i>Lampronia</i>	270
<i>fuscescens</i> (Haw.), <i>Borkhausenia</i>	276
<i>fuscocuprella</i> H.-S., <i>Coleophora</i>	279
<i>fusconebulosa</i> (de Geer), <i>Korscheltellus</i>	236
<i>gallii</i> (Rott.), <i>Hyles</i>	71-72
<i>gamma</i> (L.), <i>Autographa</i>	83, 94-95, 142, 160, 231
<i>gangabella</i> (Zell.), <i>Elachista</i>	280
<i>geminana</i> (Don.), <i>Ancylis</i>	285
<i>geminipuncta</i> (Haw.), <i>Lenisa</i>	115, 202-203
<i>geminipuncta</i> (Haw.), <i>Nonagria</i>	115, 202-203
<i>geniculea</i> (Haw.), <i>Agriphila</i>	289, 303
<i>germmana</i> (Hb.), <i>Pammene</i>	287
<i>gilvago</i> (D. & S.), <i>Xanthia</i>	78, 247
<i>gilvaria</i> ([D. & S.]), <i>Aspilates</i>	194
<i>gilvata</i> (Fab.), <i>Uresiphita</i>	57, 63
<i>glabratella</i> Zell., <i>Argyresthia</i>	125, 209, 275
<i>glaucata</i> (Scop.), <i>Cilix</i>	237-238

<i>glaucolella</i> Wood, <i>Coleophora</i>	280
<i>gleichnella</i> (Fabr.), <i>Elachista</i>	280
<i>glutinosa</i> (Stainton), <i>Stigmella</i>	156
<i>gniella</i> (Mill.), <i>Cryptoblabes</i>	65
<i>gnoma</i> (Fabr.), <i>Pheosia</i>	13, 19
<i>goedartella</i> (L.), <i>Argyresthia</i>	213-221
<i>gothica</i> (L.), <i>Orthosia</i>	160
gozmanyi G. Ronkay & L. Ronkay, <i>Shargacucullia</i>	9, 16, 25, 28, 31
<i>graecarius</i> (Stdgr.), <i>Lycia</i>	11
<i>grandaevana</i> (L. & Z.), <i>Epiblema</i>	286
<i>granella</i> (L.), <i>Nemapogon</i>	271
<i>grisella</i> (Fabr.), <i>Achroia</i>	179-186, 288
<i>guenei</i> (Stdgr.), <i>Hadena</i>	196, 199, 203
<i>gysselelliella</i> (Zell.), <i>Cedestis</i>	274
<i>halperi</i> f. <i>bidentata</i> (Clerck), <i>Odontopera</i>	296-298
<i>hammoniella</i> (Sorh.), <i>Heliozela</i>	156, 270
hanno (Stoll), <i>Hemiargus</i>	257, 261
<i>harouni</i> (Wiltshire), <i>Nola</i>	13
<i>haworthana</i> (Steph.), <i>Glyphipterix</i>	275
<i>haywardi</i> (Tams), <i>Divaena</i>	204
<i>hecta</i> (L.), <i>Phymatopus</i>	236
<i>hemerobiella</i> (Scop.), <i>Coleophora</i>	279
<i>hemidactylella</i> (D. & S.), <i>Caloptilia</i>	272
<i>heparana</i> ([D. & S.]), <i>Pandemis</i>	128
<i>hepariella</i> Stainton, <i>Zelleria</i>	274
<i>hepatica</i> (Clerck), <i>Lithophane</i>	247
<i>hercegovinensis</i> Schawerda, <i>Euxoa</i>	27, 30
<i>herculana</i> Popescu-Gorj & Căpușe, <i>Peridea</i>	195
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	269
<i>heringi</i> (Toll), <i>Ectoedemia</i>	270
<i>heydeniana</i> (H.-S.), <i>Cochylidia</i>	206, 207, 284
<i>hilarella</i> (Zett.), <i>Phyllonorycter</i>	273
<i>hippophaela</i> (Schrank), <i>Gelechia</i>	127-139
<i>hospes</i> (Frey.), <i>Proxenus</i>	79
<i>hostilis</i> (Steph.), <i>Sciota</i>	65
<i>hostis</i> Triberti, <i>Phyllonorycter</i>	272
<i>humidalis</i> (Doubl.), <i>Hypenodes</i>	246
<i>humilis</i> (Zell.), <i>Elachista</i>	280
<i>hyale</i> (L.), <i>Colias</i>	67
<i>hybridella</i> (Hb.), <i>Cochylis</i>	284
<i>hyperia</i> (Cramer), <i>Biblis</i>	255
<i>hyperici</i> (D. & S.), <i>Actinotia</i>	78
<i>ibipennella</i> Zell., <i>Coleophora</i>	157, 158, 279
<i>ignorata</i> (Kuzn.), <i>Pammene</i>	207, 208, 210-211, 287
<i>illutana</i> (H.-S.), <i>Cydia</i>	287
<i>ilyria</i> Frey., <i>Apamea</i>	22
<i>immistaria beshkovi</i> Gelbrecht & Hausmann, <i>Scopula</i>	13, 19
<i>implicitana</i> (Wocke), <i>Cochylidia</i>	284
<i>incanana</i> (Steph.), <i>Eana</i>	283
<i>incarnatella</i> (Steudel), <i>Rhigognostis</i>	274
<i>incognitella</i> (H.-S.), <i>Stigmella</i>	269
<i>incongruella</i> (Stainton), <i>Amphisbatis</i>	276
<i>indivisa</i> (Danilevsky), <i>Cydia</i>	140-141
<i>inirmaria</i> (Rambur), <i>Idaea</i>	12, 19
<i>innocentaria</i> (Christoph), <i>Dyscia</i>	12, 194

<i>innoxella</i> Gregersen & Karsholt, <i>Anarsia</i>	117-124, 277, 290
<i>inquinata</i> (Scop.), <i>Idaea</i>	58, 70
<i>inquinatana</i> (Hb.), <i>Cydia</i>	207, 209
<i>insectella</i> (Fabr.), <i>Haplotinea</i>	271
<i>insulana</i> (Boisd.), <i>Earias</i>	57, 58, 81
<i>insularis</i> v. <i>vanillae</i> (L.), <i>Agraulis</i>	256
<i>interjecta</i> Hb., <i>Noctua</i>	204
<i>interpunctella</i> (Hb.), <i>Plodia</i>	288
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	156, 158, 269
<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	83, 91-92
<i>irrorella</i> (Hb.), <i>Yponomeuta</i>	60
<i>irrorella</i> (L.), <i>Setina</i>	201
<i>isertana</i> (Fabr.), <i>Zeiraphera</i>	286
<i>italica</i> Balduzzione, <i>Metalampra</i>	60, 276
<i>ilulia</i> (Fabr.), <i>Dryas</i>	255
<i>jacobaeae</i> (L.), <i>Tyria</i>	245
<i>janthe</i> (Borkhausen), <i>Noctua</i>	27, 29, 31, 196, 204
<i>janthina</i> ([D. & S.]), <i>Noctua</i>	196, 204
<i>jatrophae</i> (L.), <i>Anartia</i>	254-255
<i>joannisi</i> Le Marchand, <i>Phyllonorycter</i>	156, 158
<i>josephinae</i> (Toll), <i>Agnoea</i>	276
<i>jubata</i> (Thunberg), <i>Aleis</i>	151-155
<i>juncicolella</i> (Stainton), <i>Coleophora</i>	279
<i>jurtina</i> (L.), <i>Maniola</i>	232
<i>juventina</i> (Stoll), <i>Calloptistria</i>	95
<i>kadenii</i> (Frey.), <i>Platyperigea</i>	79
<i>kleemannella</i> (Fabr.), <i>Phyllonorycter</i>	273
<i>kochiella</i> (Goeze), <i>Acleris</i>	284
<i>korbi</i> (Rebel), <i>Peridea</i>	13, 189, 192, 195
<i>kuehniella</i> Zell., <i>Ephesia</i>	66, 288
<i>labecula</i> (Esper), <i>Dryobota</i>	9, 22, 26
<i>laburnella</i> (Stainton), <i>Leucoptera</i>	275
<i>lacertinaria</i> (L.), <i>Falcaria</i>	10, 17
<i>lacteana</i> Caradja, <i>Bactra</i>	285
<i>lactearia</i> (L.), <i>Jodis</i>	226
<i>lacteella</i> (Steph.), <i>Mompha</i>	281
<i>lacticolella</i> Rebel, <i>Blastobasis</i>	281
<i>laetus</i> (Zell.), <i>Crombruggia</i>	66
<i>laevigatella</i> (Heyd.), <i>Argyresthia</i>	125
<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	157, 158, 270
<i>lambdella</i> (Don.), <i>Batia</i>	276
<i>lampra</i> (Schawerda), <i>Sideridis</i>	23, 26
<i>lanestris</i> (L.), <i>Eriogaster</i>	190
<i>langiella</i> (Hb.), <i>Mompha</i>	281
<i>lapidata</i> (Hb.), <i>Coenocalpe</i>	240
<i>lappella</i> (L.), <i>Metzneria</i>	278
<i>latefasciata</i> Wehrli, <i>Idaea</i> ab. of <i>aversata</i> (L.).....	167
<i>lateritta</i> (Hufn.), <i>Apamea</i>	78
<i>latistria</i> (Haw.), <i>Agriphila</i>	289
<i>latreillei</i> (Dup.), <i>Methorasa</i>	57, 78
<i>laudeti</i> (Boisduval), <i>Enterpia</i>	9, 23, 26
<i>lavinia</i> Cramer, <i>Junonia</i>	254
<i>leautieri</i> (Boisduval), <i>Lithophane</i>	247
<i>lemnata</i> (L.), <i>Cataclysta</i>	289
<i>leuce</i> Boisduval, <i>Eurema</i>	258
<i>leucodactyla</i> ([D. & S.]), <i>Merrifieldia</i>	209

<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	76	<i>marginana</i> (Haw.), <i>Endothenia</i>	285
<i>leucographa</i> (D. & S.),		<i>marginata</i> (L.), <i>Lomaspilis</i>	232
<i>Cerastis</i>	30, 300-302	<i>maritima</i> (Tauscher), <i>Chilodes</i>	115, 116, 172, 174-175, 246, 299
<i>leucographella</i> (Zell.), <i>Phyllonorycter</i>	272	<i>marshalli</i> Butler, <i>Cacyreus</i>	68
<i>leucogyne</i> Butler, f. of <i>megalippe</i> (Hb.),		<i>mayrella</i> (Hb.), <i>Coleophora</i>	279
<i>Danaus</i>	252	<i>megalippe</i> (Hb.), <i>Danaus</i>	252
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	62, 222, 287	<i>mellinata</i> (Fabr.), <i>Eulithis</i>	239
<i>leuwenhoekella</i> (L.), <i>Pancalia</i>	277	<i>mendica</i> (Clerck), <i>Diaphora</i>	200
<i>libatrix</i> L., <i>Scoliopteryx</i>	168-172	<i>mendica</i> (Fabr.), <i>Diarsia</i>	204
<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	71, 190, 245	<i>mercurella</i> (L.), <i>Eudonia</i>	289
<i>lichenella</i> (L.), <i>Dahlica</i>	270	<i>mesomella</i> (L.), <i>Cybosia</i>	200
<i>limbata</i> (L.), <i>Evergestis</i>	140	<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	272
<i>limbata</i> (Stdgr.), <i>Autophila</i>	189, 192, 199, 201	<i>messagingella</i> (F. v. R.), <i>Eidophasia</i>	274
<i>limbella</i> (Fabr.), <i>Scythris</i>	209	<i>meszarosi</i> , Varga & Ronkay	
<i>lineatella</i> Zell., <i>Anarsia</i>	61, 117-124, 290	<i>Conisania</i>	23, 26, 203
<i>lineolea</i> (Haw.), <i>Coleophora</i>	279	<i>metzneriella</i> (Stainton), <i>Metzneria</i>	278
<i>lipsiella</i> (D. & S.), <i>Diurnea</i>	276	<i>micalis</i> (Mann), <i>Tebenna</i>	283
<i>lisa</i> (Boisd. & Le Conte), <i>Eurema</i>	259	<i>microdactyla</i> (Hb.), <i>Adaina</i>	282
<i>litterella</i> (Haw.), f. of <i>goedartella</i> (L.),		<i>microgrammana</i> (Guen.), <i>Cydia</i>	287
<i>Argyresthia</i>	213-221	<i>microtheriella</i> (Stainton), <i>Stigmella</i>	268
<i>litorosa</i> (Haworth), <i>Litoligia</i>	203	<i>minimella</i> (D. & S.), <i>Nemophora</i>	270
<i>lithargyrinella</i> Zell., <i>Coleophora</i>	279	<i>minimella</i> (Zett.), <i>Ectoedemia</i>	156, 158
<i>littoralis</i> (Westwood & Humphreys),		<i>miniosa</i> (D. & S.), <i>Orthosia</i>	76
<i>Lobesia</i>	285	<i>minor</i> Hall, <i>Anaea</i>	252
<i>liturosa</i> (Haw.), <i>Agonopterix</i>	277	<i>minorata</i> (Boisd.), <i>Scopula</i>	57, 69
<i>livida</i> (D. & S.), <i>Amphipyra</i>	202	<i>minutella</i> (L.), <i>Borkhausenia</i>	276
<i>lixella</i> (Zell.), <i>Coleophora</i>	279	<i>miscella</i> (D. & S.), <i>Mompha</i>	281
<i>locupletella</i> (D. & S.), <i>Mompha</i>	281	<i>molesta</i> (Busck), <i>Grapholita</i>	62
<i>lodii</i> Vives, <i>Phereoeca</i>	267, 271	<i>molliculana</i> Zell., <i>Cochylis</i>	284
<i>logiana</i> (Cl.), <i>Acleris</i>	284	<i>monochroma</i> (Esper), <i>Dryobotodes</i>	203
<i>longana</i> (Haw.), <i>Cnephasia</i>	283	<i>monoglypha</i> (Hufn.), <i>Apamea</i>	160
<i>loreyi</i> (Dup.), <i>Mythimna</i>	77	<i>monuste</i> L. <i>Ascia</i>	257-258
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	158, 269	<i>moringae</i> Tams, <i>Noorda</i>	57, 65
<i>lucens</i> (Frey.), <i>Amphipoa</i>	78	<i>morrissii</i> (Morris), <i>Photodes</i>	21
<i>lucida</i> (Hufn.), <i>Acontia</i>	81	<i>muelleriella</i> (Zell.), <i>Phyllonorycter</i>	272
<i>lucidella</i> (Steph.), <i>Monochroa</i>	278	<i>mundana</i> (L.), <i>Nudaria</i>	73
<i>luctuata</i> (D. & S.), <i>Spargania</i>	70	<i>muscerda</i> (Hufn.), <i>Pelosa</i>	73
<i>luctuosa</i> (D. & S.), <i>Tyta</i>	5-8, 95	<i>muscosella</i> Zell., <i>Gelechia</i>	278
<i>lueneburgensis</i> (Frey.), <i>Aporophyla</i>	248	<i>musiva</i> (Hb.), <i>Albocosta</i>	9, 27, 30
<i>lumulina</i> (L.), <i>Grapholita</i>	140	<i>mutilata</i> (Stdgr.), <i>Charissa</i>	12
<i>lupulina</i> (L.), <i>Korscheltellus</i>	236	<i>mygindiana</i> (D. & S.), <i>Stichtia</i>	285
<i>lupulina</i> (L.), <i>Pharmacis</i>	10	<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	282, 290
<i>lusicomella</i> Zell., <i>Elachista</i>	280	<i>nana</i> (Haw.), <i>Cochylis</i>	284
<i>lutosa</i> (Hb.), <i>Rhizedra</i>	247	<i>nanatella</i> (Stainton), <i>Agonopterix</i>	277
<i>lutulentella</i> (Zell.), <i>Monochroa</i>	278	<i>napi</i> (L.), <i>Pieris</i>	231-232,
<i>maccana</i> (Treits.), <i>Acleris</i>	284	<i>nebulella</i> (Goeze), <i>Paraswammerdamia</i>	274
<i>macedonia</i> (Pinker), <i>Conistra</i>	22	<i>memoralis</i> (Scop.), <i>Agrotera</i>	65, 288
<i>machaon</i> (L.), <i>Papilio</i>	66	<i>nemorella</i> (L.), <i>Ypsolopa</i>	274
<i>maculicerusella</i> Bru., <i>Elachista</i>	281	<i>nerii</i> (L.), <i>Daphnis</i>	190, 191, 238
<i>maculosa</i> (D. & S.), <i>Chelis</i>	200	<i>ni</i> (Hb.), <i>Trichoplusia</i>	81
<i>maculosana</i> (Haw.), <i>Hysterothorax</i>	284	<i>nicellii</i> (Stainton), <i>Phyllonorycter</i>	273
<i>maerula</i> Fabr., <i>Anteos</i>	259, 263	<i>nigra</i> (Haw.), <i>Aporophyla</i>	161
<i>magdalenae</i> (Klim.), <i>Stigmella</i>	268	<i>nigra</i> f. <i>bidentata</i> (Clerck),	
<i>malella</i> (Stainton), <i>Stigmella</i>	268	<i>Odontopera</i>	296-298
<i>malvae</i> (L.), <i>Pyrgus</i>	5-6	<i>nigrescentella</i> (Logan), <i>Phyllonorycter</i>	273
<i>mansuetella</i> (Zell.), <i>Micropterix</i>	209	<i>nigricana</i> (Fabr.), <i>Cydia</i>	287
<i>manueli</i> Bell & Comstock,		<i>nigricans</i> (L.), <i>Euxoa</i>	249
<i>Polygonus</i>	260-261, 263	<i>nigricostana</i> (Haw.), <i>Endothenia</i>	285
<i>margarotana</i> (Hein.), <i>Gravitarmata</i>	62, 286	<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	69
		<i>nise emmanona</i> (Dillon), <i>Eurema</i>	258

<i>nitenella</i> (Fuchs), <i>Scrobipalpa</i>	278
<i>nitidalis</i> (Walk.), <i>Musotima</i>	290
<i>nitidulata</i> (Hufn.), <i>Nymphula</i>	290
<i>noctuella</i> (D. & S.), <i>Nomophila</i>	83, 85, 143, 231
<i>notata</i> (L.), <i>Macaria</i>	243
<i>novimundi</i> (Busck), <i>Oegoconia</i>	276
<i>nubilalis</i> (Hb.), <i>Ostrinia</i>	64
<i>nubilana</i> (Real), <i>Neosphaleroptera</i>	267, 283
<i>nyctelius</i> (Latr.), <i>Nyctelius</i>	262, 263
<i>nyctella</i> (Latr.), <i>Panoquina</i>	262
<i>obelisca</i> (Tutt), <i>Euxoa</i>	75, 249
<i>oblonga</i> (Haw.), <i>Apamea</i>	247
<i>obscurata</i> ([D. & S.]), <i>Charissa</i>	194, 244
<i>obscurus</i> (Hewitson), <i>Urbanus</i>	261
<i>obsitalis</i> (Hb.), <i>Hypena</i>	82
<i>obsoleta</i> (Hb.), <i>Leucania</i>	172-173
<i>obsoleta</i> (Hb.), <i>Mythimna</i>	299
<i>obstipata</i> (Fab.), <i>Orthonama</i>	89
<i>occulta</i> (L.), <i>Eurois</i>	76, 250
<i>ocellana</i> ([D. & S.]), <i>Spilonota</i>	134, 285
<i>ocellana</i> (Fab.), <i>Agonopterix</i>	277
<i>ocellaris</i> (Borkh.), <i>Xanthia</i>	78
<i>ocellea</i> (Haw.), <i>Euchromius</i>	62
<i>ochraceella</i> (Curt.), <i>Mompha</i>	267, 281
<i>ochraceella</i> (Turati), <i>Mesophleps</i>	277
<i>ochrodactyla</i> ([D. & S.]), <i>Gillmeria</i>	282
<i>ochsenheimeriana</i> (Lienig & Zeller), <i>Pammene</i>	287
<i>ochsi</i> (Boursin), <i>Cryphia</i>	202
<i>octogesimea</i> (Hb.), <i>Tethea</i>	238
<i>ocularis</i> (L.), <i>Tethea</i>	238
<i>oculea</i> (L.), <i>Amphipoea</i>	202
<i>oleus</i> (L.), <i>Pyrgus</i>	261
<i>oleae</i> (Bernard), <i>Prays</i>	275
<i>oleastrella</i> (Mill.), <i>Zelleria</i>	274, 298-299, 299-300
<i>omoscopa</i> (Meyrick), <i>Opogona</i>	271
<i>ononaria</i> (Fuessl.), <i>Aplasta</i>	68
<i>onustaria</i> (H-S.), <i>Charissa</i>	11, 194
<i>ophites</i> (Mabille), <i>Wallengrenia</i>	262
<i>opposita</i> (Lederer), <i>Cleonymia</i>	20
<i>oppositaria</i> (Mann), <i>Eumannia</i>	190, 191, 194, 198
<i>oppressana</i> (Treits.), <i>Gypsonoma</i>	286
<i>orbitella</i> Zell., <i>Coleophora</i>	157, 158
<i>orichalcea</i> (Frey.), <i>Thysanoplusia</i>	81
<i>orichalcea</i> Stainton, <i>Cosmopterix</i>	277
<i>orobana</i> Treits., <i>Grapholita</i>	140, 141
<i>osteodactylus</i> (Zell.), <i>Hellinsia</i>	282
<i>ostrina</i> (Hb.), <i>Eublemma</i>	80
<i>otho</i> (Abbot & Smith), <i>Wallengrenia</i>	262
<i>oxyacanthella</i> (Stainton), <i>Stigmella</i>	268
<i>pabulatricula</i> (Brahm), <i>Pabulatrix</i>	22
<i>paetolia</i> Meyr., <i>Dryadaula</i>	271
<i>paleacea</i> (Esp.), <i>Enargia</i>	22, 248
<i>palealis</i> ([D. & S.]), <i>Sitochroa</i>	63
<i>paleana</i> (Hufn.), <i>Aphelia</i>	283
<i>pallida</i> (Curt.), <i>Eudonia</i>	289
<i>pallifrons</i> Zeller <i>Eilema</i> ,.....	198, 201
<i>pallifrontana</i> (L. & Z.), <i>Grapholita</i>	207, 208-209
<i>pallustris</i> (Hb.), <i>Athetis</i>	3-4
<i>paludella</i> (Hb.), <i>Calamotropha</i>	289
<i>paludum</i> (Zell.), <i>Buckleria</i>	282
<i>paradoxa</i> (Frey), <i>Stigmella</i>	268
<i>parasitella</i> Stdgr., <i>Euphestia</i>	230
<i>parasitella</i> (Hb.), <i>Triaxomera</i>	271
<i>parenthesella</i> (L.), <i>Ypsolopha</i>	274
<i>paripennella</i> Zell., <i>Coleophora</i>	280
<i>paripunctella</i> (Thunberg), <i>Pseudotelphusa</i>	279
<i>parva</i> (Hb.), <i>Eublemma</i>	80
<i>pascuella</i> (L.), <i>Crambus</i>	290
<i>pasiana</i> (Hb.), <i>Cnephasia</i>	283
<i>pauperana</i> (Dup.), <i>Eucosma</i>	209
<i>pavonia</i> (L.), <i>Saturnia</i>	5-7
<i>pectinea</i> Haw., <i>Incurvaria</i>	292
<i>pedella</i> (L.), <i>Stathmopoda</i>	281
<i>peionella</i> L., <i>Tinea</i>	271
<i>pelops</i> (Drury), <i>Antillea</i>	255, 263
<i>peligera</i> (D. & S.), <i>Heliothis</i>	79-80
<i>pennella</i> ([D. & S.]), <i>Coleophora</i>	280
<i>pentadactyla</i> (L.), <i>Pterophorus</i>	282
<i>pentheri</i> (Rebel), <i>Charissa</i>	9, 11-12, 18, 27, 28, 29
<i>penziana</i> (Thunberg & Becklin), <i>Eana</i>	290
<i>peregrina</i> Agassiz, <i>Prays</i>	34, 176-178
<i>perieresalis</i> (Walk.), <i>Diplopeustis</i>	267, 288
<i>permixtaria</i> (H-S.), <i>Catarhoe</i>	12
<i>permutatellus</i> (H-S.), <i>Catoptria</i>	188
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	65, 230-231, 289
<i>petasitis</i> (Doubleday), <i>Hydraecia</i>	246-247
<i>petreus</i> (Cramer), <i>Marpesia</i>	254, 263
<i>phasianipenella</i> (Hb.), <i>Calybites</i>	272
<i>phragmitella</i> (Hb.), <i>Chilo</i>	289
<i>phylaeus</i> (Drury), <i>Hylephila</i>	262
<i>picaepennis</i> (Haw.), <i>Scythris</i>	282
<i>picarella</i> (Clerck), <i>Nemopogon</i>	271
<i>piercei</i> (Obr.), <i>Aethes</i>	284
<i>pilella</i> ([D. & S.]), <i>Nematopogon</i>	270
<i>pinella</i> (L.), <i>Catoptria</i>	188
<i>pinariella</i> Zell., <i>Ocnerosstoma</i>	274
<i>pityocampa</i> (D.&S.), <i>Thaumetopoea</i>	57, 72
<i>plagiata</i> (Guenée), <i>Aplocera</i>	243
<i>platyptera</i> (Esper), <i>Calophasia</i>	16
<i>plebejana</i> (Zell.), <i>Crocidosema</i>	61
<i>plexippus</i> (L.), <i>Danaus</i>	68, 252
<i>plumbagana</i> (Treits.), <i>Dichrorampha</i>	287
<i>plumbella</i> (D. & S.), <i>Yponomeuta</i>	274
<i>plumigeralis</i> (Hb.), <i>Pechipogo</i>	83
<i>podollica</i> Kremky, <i>Hadena</i>	203
<i>polychloros</i> (L.), <i>Nymphalis</i>	68
<i>polycommata</i> (D. & S.), <i>Trichopteryx</i>	70
<i>polydamus</i> (L.), <i>Battus</i>	260
<i>ponce</i> Comstock & Huntington <i>Thecla</i>	256
<i>populi</i> (L.), <i>Laothoe</i>	160
<i>porata</i> (L.), <i>Cyclophora</i>	69
<i>porrectella</i> (L.), <i>Plutella</i>	274
<i>posticana</i> (Zett.), <i>Pseudococcyx</i>	206-207

<i>postvittana</i> (Walker), <i>Epiphyas</i>	54, 114-116, 135, 283
<i>praecox</i> (L.), <i>Actebia</i>	76
<i>prenanthis</i> (Boisd.), <i>Shargacucullia</i>	202
<i>pretiosa</i> (Hein.), <i>Stigmella</i>	269
<i>proboscidata</i> (H-S.), <i>Orectis</i>	9, 14, 19
<i>processionea</i> (L.), <i>Thaumetopoea</i>	73
<i>profundana</i> (D. & S.), <i>Eudemis</i>	284
<i>prometheus</i> (Kollar), <i>Caligo</i>	96
<i>pronuba</i> (L.), <i>Noctua</i>	160
<i>proteus</i> (L.), <i>Urbanus</i>	261
<i>pruinata</i> (Hufn.), <i>Pseudoterpna</i>	245
<i>pruniella</i> (Clerck), <i>Argyresthia</i>	275
<i>pseudocomma</i> (Rebel & Zerny), <i>Mythimna</i>	30
<i>pseudocomplana</i> (Daniel), <i>Eilema</i>	192, 198, 200
<i>psi</i> (L.), <i>Acronicta</i>	223-224, 246
<i>pterodactyla</i> (L.), <i>Stenoptilia</i>	282
<i>putorina</i> (Stdgr.), <i>Eublemma</i>	9, 14, 19
<i>pulchella</i> (L.), <i>Utetheisa</i>	57, 74-75, 95
<i>pulverosella</i> (Stainton), <i>Bohemannia</i>	269
<i>punctatus</i> Hall, <i>Heliconius</i>	256
<i>punctiferalis</i> (Guen.), <i>Conogethes</i>	289
<i>puppillarum</i> (Hb.), <i>Cyclophora</i>	69
<i>purdeyi</i> (Durrant), <i>Clavigesta</i>	286
<i>purpura</i> (Hb.), <i>Pyrrhia</i>	20, 25
<i>purpurea</i> (Haw.), <i>Agonopterix</i>	277
<i>purpurina</i> (D. & S.), <i>Eublemma</i>	57, 80
<i>purpurina auct. nec Esper</i> , <i>Pyrrhia</i>	20
<i>pusaria</i> (L.), <i>Cabera</i>	244
<i>pustulata</i> Evers., <i>Cucullia</i>	16
<i>putridaria</i> (H-S.), <i>Catarhoe</i>	12, 194
<i>pygmaea</i> (Hb.), <i>Eupithecia</i>	241-242
<i>pygmaeola</i> (Doubleday), <i>Eilema</i>	198, 201
<i>pygra</i> (Hufn.), <i>Clostera</i>	195
<i>pyramidea</i> (L.), <i>Amphipyra</i>	246
<i>pyrella</i> (Villiers), <i>Swammerdamia</i>	274
<i>pyri</i> (D. & S.), <i>Saturnia</i>	190
<i>quadra</i> (L.), <i>Lithosia</i>	73-74, 160
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	61
<i>quadrinaculana</i> (Haw.), <i>Endothenia</i>	285
<i>quadripunctaria</i> (Poda), <i>Euplagia</i>	14, 74
<i>quercifoliella</i> (Zell.), <i>Phyllonorycter</i>	272
<i>ragusae</i> (Failla - Tedaldi), <i>Conistra</i>	22
<i>ramburialis</i> (Dup.), <i>Diasemiopsis</i>	64
<i>ramburiellus</i> (Dup.), <i>Euchromius</i>	95
<i>rapae</i> (L.), <i>Pieris</i>	67
<i>ratzeburgiana</i> (Saxesen), <i>Zeiraphera</i>	286
<i>raunaria</i> (Frey.), <i>Dyscia</i>	9, 12, 18, 28
<i>rectifasciana</i> Haw., <i>Isotrias</i>	283
<i>rectilinea</i> (Warren), <i>Bryophila</i>	193, 202
<i>recurvalis</i> (Fabr.), <i>Spoladea</i>	65
<i>regiella</i> (H.-S.), <i>Stigmella</i>	268
<i>regificella</i> (Sirc.), <i>Elachista</i>	280
<i>remutata f. aversata</i> (L.), <i>Idaea</i>	165, 167
<i>renalis</i> (Hb.), <i>Haemerusia</i>	189, 192, 201
<i>renati</i> Varga & Ronkay, <i>Conisania</i>	23, 26, 203
<i>renati Oberth.</i> , <i>Conisania</i>	9, 23
<i>repandalis</i> (D. & S.), <i>Paracorsia</i>	57, 63
<i>repandana</i> (Fabr.), <i>Acrobasis</i>	288

<i>resplendella</i> (Stainton), <i>Heliozela</i>	156, 158, 270
<i>reticularis</i> (L.), <i>Diasemia</i>	64
<i>rhedtiella</i> (Clerck), <i>Pammene</i>	287
<i>rhododactyla</i> (D. & S.), <i>Cnaemidophorus</i>	66
<i>roborella</i> (Johansson), <i>Stigmella</i>	269
<i>rorrella</i> (Hb.), <i>Yponomeuta</i>	60
<i>rosaecolana</i> (Doubl.), <i>Epiblema</i>	286
<i>rosana</i> (L.), <i>Archips</i>	135, 137, 283
<i>roscida</i> (D. & S.), <i>Setina</i>	201
<i>rubiginata</i> (Hufn.), <i>Scopula</i>	69
<i>rubiginea</i> (D. & S.), <i>Conistra</i>	160
<i>rubivora</i> (Wocke), <i>Ectoedemia</i>	157, 158
<i>rubraria</i> (Stdgr.), <i>Idaea</i>	167
<i>rufana</i> (Scop.), <i>Celypha</i>	285
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	157, 158, 269
<i>ruficeps</i> (Hein.), <i>Prays</i>	275
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	69
<i>rufifasciata</i> (Haw.), <i>Gymnoscelis</i>	114-116
<i>rupicola</i> (Curt.), <i>Cochylidia</i>	284
<i>sacraria</i> (L.), <i>Rhodometra</i>	57, 88-89
<i>sagitella</i> (Bjerk.), <i>Phyllonorycter</i>	273
<i>sakhalinella</i> Puplesis, <i>Stigmella</i>	157, 158
<i>saligna</i> (Zell.), <i>Phyllocnistis</i>	273
<i>salopiella</i> (Stainton), <i>Eriocrania</i>	268
<i>samiatella</i> (Zell.), <i>Stigmella</i>	156
<i>sangiella</i> (Stainton), <i>Syncopacma</i>	206
<i>sangii</i> (Wood), <i>Eriocrania</i>	156, 268
<i>santonici</i> (Hb.), <i>Cucullia</i>	16, 202
<i>saturatella</i> Stainton, <i>Coleophora</i>	279
<i>saucia</i> (Hb.), <i>Peridroma</i>	92, 143
<i>saxicola</i> (Vaughan), <i>Phycitodes</i>	288
<i>scabrella</i> (L.), <i>Ypsolopha</i>	274
<i>schalleriana</i> (L.), <i>Acleris</i>	284
<i>schoenicolella</i> (Boyd), <i>Glyphipterix</i>	275
<i>schulziana</i> , (Fabr.), <i>Phiaris</i>	285
<i>schumacherana</i> (Fabr.), <i>Olindia</i>	283
<i>scolopacina</i> (Esper), <i>Apamea</i>	247
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	277
<i>scopariella</i> (Zell.), <i>Phyllonorycter</i>	273
<i>scotinella</i> H.-S., <i>Gelechia</i>	278
<i>sedatana</i> Busck, <i>Dichrorampha</i>	286
<i>sedella</i> Treits., <i>Yponomeuta</i>	290
<i>selasella</i> (Hb.), <i>Agriphila</i>	289
<i>semicana</i> (Esper), <i>Aegle</i>	189, 192, 201
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	126
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	285
<i>semifulvella</i> Haw., <i>Tinea</i>	271
<i>semirubella</i> (Scop.), <i>Oncocera</i>	65, 288
<i>senex</i> (Hb.), <i>Thumatha</i>	160, 245
<i>senna contorta</i> (Rebel & Zerny), <i>Spaelotis</i>	16
<i>sennae</i> (L.), <i>Phoebis</i>	259, 260
<i>sepiaria</i> (Hufn.), <i>Tephronia</i>	194
<i>septembrella</i> (Stainton), <i>Ectoedemia</i>	269
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	274
<i>sericiella</i> (Haw.), <i>Heliozela</i>	156
<i>sericopeza</i> (Zell.), <i>Ectoedemia</i>	269
<i>servadeii</i> Parenzan, <i>Dryobotodes</i>	22
<i>sexguttella</i> (Thunberg), <i>Chrysoesthia</i>	277
<i>signatana</i> (Dougl.), <i>Epinotia</i>	286
<i>silaceata</i> (D. & S.), <i>Ecliptopera</i>	195

silenes (Hb.), *Hadena* 193, 203
simaeithis (Drury), *Chlorostrymon* 256, 263
similella (Hb.), *Denisa* 276
similella (Zinck.), *Elegia* 66
simplicella Hein., *Dioryctria* 288
smeathmanniana (Fabr.), *Aethes* 284
socia (Hufn.), *Lithophane* 247
solitariella Zell., *Coleophora* 280
sommulentella (Zell.), *Bedellia* 157, 158
sorbiella (Treits.), *Argyresthia* 275
sordidana (Hb.), *Epinotia* 286
sordidatella Tengst., *Depressaria* 277
sororculana (Zett.), *Apotomis* 285
spartiella (Schränk), *Anarsia* 118, 121, 277
splendens (Hb.), *Lacania* 76
splendida Reutti, f. of *goedartella* (L.),
Argyresthia 213-221
splendiddissimella (H-S.), *Stigmella* 268
sponsa (L.), *Catocala* 82
stabilella (Stainton), *Elachista* 281
stellatarum (L.), *Macroglossum* 83, 90-91,
160, 239, 292-293
stephensiana (Doubl.), *Cnephasia* 283
sternipennella (Zett.), *Coleophora* 290
sticticalis (L.), *Loxostege* 63, 95
stigmatella (Fabr.), *Caloptilia* 272
stigmatica (Hb.), *Xestia* 160
straminea (Treits.), *Mythimna* 172-174, 249
stratiotata (L.), *Parapoynx* 290
striana ([D. & S.]), *Celypha* 285
strigana (Fabr.), *Lathronympha* 287
strigosa (D. & S.), *Acronicta* 57, 78
strigulatella (L. & Z.), *Phyllonorycter* 156, 273
striolella (Matsumura), *Niditinea* 206
subailella (L.), *Cydia* 287
suava (Hb.), *Odice* 201
subalbidella Schläger, *Elachista* 280
subbimaculella (Haw.), *Ectoedemia* 269
subfasciella (Steph.), *Cedestis* 274
subfuscata (Haw.), *Eupithecia* 298
submutata (Treits.), *Scopula* 195, 198
subnitidella (Dup.), *Trifurcula* 269
subocellea (Steph.), *Elachista* 280
subochreella (Doubleday), *Pseudatemelia* 276
subtusa (D. & S.), *Ipimorpha* 248
subumbrata (D. & S.), *Eupithecia* 243
suscianja (von Mentzer), *Caradrina* 21
suspectana (L. & Z.), *Pammene* 210-212
svenssoni (Johansson), *Stigmella* 269
syvestrella (Ratz.), *Dioryctria* 288
sylvicola (H-S.), *Panoquina* 262
sylyna (L.), *Triodia* 237
syriaca (Kremky), *Hadena* 189, 193, 203
syriaca (Osthelder), *Apamea* 193, 199, 203
syringaria (L.), *Apeira* 243
talniata (Stephens), *Perizoma* 240
tallosi Kovac & Varga, *Apamea* 199, 203
tamarindi (Felder & Felder), *Opsiphanes* 96
templi (Thunberg), *Dasypteria* 248
tenebrosa (Esper), *Dryobotodes* 77
tenebrosa (Esper), *Dichonioxia* 9, 22, 26

tephrocharis (Boursin), *Bryophila* 193,
199, 202
terebrella (Zinck.), *Assara* 66
terminella (H. & W.), *Mompha* 281
terminella Fletch., *Ethmia* 61
tertia Mentzer, Moberg & Fibiger,
Noctua 196, 204
tesselum (Hb.), *Muschampsia* 10, 17
tessularia (Metz.), *Narraga* 9, 11, 18, 27
tessulatana (Stdgr.), *Pseudococcyx* 286
tetra (Fabr.), *Amphipyra* 202
thoracella (Thunberg), *Bucculatrix* 271
thraso (Hb.), *Achlodes* 261, 263
thrasonella (Scop.), *Glyphipterix* 274
thurneri Boursin, *Agrochola* 22
tiliae (Frey), *Stigmella* 268
tinctella (Hb.), *Crassa* 276
tirrenica Biebinger, *Noctua* 31
tityrus (L.), *Hemaris* 238
togatulalis (Hb.), *Meganola* 189, 191, 196
trapeziella (Stainton), *Elachista* 281
trapezina (L.), *Cosmia* 115, 116
trauniana ([D. & S.]), *Pammene* 207, 208,
267, 287
triannulella (Meyrick), *Helcystogramma* 57, 61
triatomea (Haw.), *Elachista* 280
tricolorella (Haw.), *Caryocolum* 279
trifasciata Stdgr., *Argyresthia* 275
trifolii (Curt.), *Coleophora* 279
trigonella (L.), *Epinotia* 286
tripoliana (Barr.), *Eucosma* 286
triquetra ([D. & S.]), *Gonospileia* 201
trite L., *Phoebis* 259, 260, 263
tritophus (D. & S.), *Notodonta* 72, 95
troglyodyta (Fabr.), *Anaea* 252, 263
truncata (Hufn.), *Dysstroma* 298
truncicolella (Stainton), *Eudonia* 289
trux (Hb.), *Agrotis* 75
tumidana (D. & S.), *Acrobasis* 65
turionella (L.), *Pseudococcyx* 286
typhae (Thunberg), *Nonagria* 115
ulicicolella (Stainton), *Phyllonorycter* 273
uliginosellus Zell., *Crambus* 289
ulmella Zell., *Bucculatrix* 272
ulmifoliella (Hb.), *Phyllonorycter* 273
ulmivora (Foligne), *Stigmella* 268
ulula (Borkhausen), *Dyspessa* 190
ulvae, Hb., *Senta* 116
umbellana (Fabr.), *Agonopterix* 277
umbrana (Hb.), *Acleris* 61
undalis (Fabr.), *Hellula* 63
unicata (Guenée), *Protorhoe* 195
unicolorella (Dup.), *Eulamprotes* 278
unicolorella Stdgr., *Ephestia* 230
unimaculella (Zett.), *Eriocrania* 268
unipuncta (Haw.), *Mythimna* 76-77, 160, 226
unipunctella (Steph.), *Phyllocnistis* 273
unitella (Hb.), *Crassa* 276
ustula (Freyer), *Epimecia* 9, 20, 25
ustonella (Frey), *Elachista* 267, 281
vacculella F. v. R., *Ochsenheimeria* 274

<i>vancouverana</i> McDunnough,	
<i>Dichrorampha</i>	287
<i>vanillae</i> (L.), <i>Agraulis</i>	256
<i>variabilis</i> (Piller & Mitterpacher),	
<i>Euchalcia</i>	15, 24
<i>vassilinninei</i> Bang-Haas, <i>Haemosia</i>	16, 24
<i>velutaria</i> (Hufn.), <i>Drymonia</i>	9, 13
<i>velocior</i> (Stdgr.), <i>Metachrostis</i>	9, 15, 24
<i>venusta</i> Boisd., <i>Eurema</i>	258
<i>verellus</i> (Zinck.), <i>Catoptria</i>	62
<i>verhuella</i> Bruand, <i>Psychoides</i>	271
<i>vespertalis</i> Hb., <i>Aegle</i>	189, 192, 201
<i>vetusta</i> (Hb.), <i>Xylena</i>	77
<i>vibex</i> (Geyer), <i>Polites</i>	263,
<i>vicinaria</i> (Dup.), <i>Scotopteryx</i>	194
<i>viminetorum</i> (Stainton), <i>Phyllonorycter</i>	273
<i>viminiella</i> (Sirc.), <i>Phyllonorycter</i>	273
<i>violacea</i> (Ström), <i>Coleophora</i>	157, 158
<i>viretata</i> (Hb.), <i>Acasis</i>	54-55, 294-295
<i>virginia</i> Godart, <i>Ascia</i>	257-258
<i>virginiensis</i> Drury, <i>Vanessa</i>	255
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	79
<i>vitella</i> (L.), <i>Ypsolopha</i>	274
<i>vitellina</i> (Hb.), <i>Mythimna</i>	92-93, 226
<i>vitrata</i> (Fabr.), <i>Maruca</i>	64, 289
<i>vitrealis</i> (Rossi), <i>Palpita</i>	57, 85-86, 142,
	226, 289
<i>vitta</i> (Esper), <i>Euxoa</i>	27, 30
<i>vittata</i> (Stdgr.), <i>Paradrymonia</i>	195
<i>vulgata</i> (Haw.), <i>Eupithecia</i>	298
<i>warneri</i> Hasll, <i>Dryas</i>	255
<i>watsoni</i> Brown, <i>Phoebis</i>	259
<i>weaverella</i> (Scott), <i>Monopis</i>	271
<i>wehrlii</i> Hacker, <i>Hadena</i>	23, 29
<i>wilkella</i> (L.), <i>Eulamprotes</i>	278
<i>woodiella</i> Richards & Thomson, <i>Ephestia</i>	230
<i>xenia</i> Hering, <i>Phyllocnistis</i>	158
<i>xylostella</i> (L.), <i>Plutella</i>	83, 84, 231
<i>zelleralis</i> (Wocke), <i>Zanthoclognatha</i>	196
<i>zestos</i> (Geyer), <i>Epargyreus</i>	263
<i>zinckenella</i> (Treits.), <i>Etiella</i>	57, 66, 225-226
<i>zonaria</i> (D. & S.), <i>Lycia</i>	224

ARACHNIDA: acari

<i>Ixodes</i> (<i>Exopalgiger</i>) <i>trianguliceps</i>	35-36,
	41, 42, 51

COLEOPTERA

<i>Leptinus testaceus</i> (as <i>Lepteneus</i>)	
(Leiodidae).....	42
<i>Rhagonychia</i> (Cantharidae).....	292
<i>Trachytetra rugulosa</i> (Broun)	
(Chrysomelidae).....	235

DIPTERA

<i>Eristalis tenax</i> (L.) (Syrphidae).....	311-312
--	---------

HYMENOPTERA: APIDAE

<i>Apis mellifera</i> (L.).....	311-312
<i>Bombus terrestris</i> L.....	311
<i>Trigona hypogaea</i> Silvestri.....	311

HYMENOPTERA: ICHNEUMONIDAE

<i>Lissonota subaciculata</i>	235
<i>Protapantels hirtariae</i> (Shaw).....	224

SIPHONAPTERA

<i>Amalaraeus penicilliger</i>	
<i>mustelae</i> (Dale).....	38, 40, 42, 46, 51
<i>Ctenophthalmus nobilis nobilis</i>	
(Rothschild).....	37-42, 44, 46, 50
<i>Ctenophthalmus nobilis nobilis</i>	
<i>ssp. vulgaris</i> (Smith).....	38, 42, 46, 50
<i>Doratopsylla dasyncema dasyncema</i>	
(Rothschild).....	35-41, 44, 46- 48, 51
<i>Hystriochopsylla talpae talpae</i>	
(Curtis).....	38-41, 43-48, 50
<i>Megabothris (Gebiella) turbidus</i>	
(Rothschild).....	35-39, 44, 46, 51
<i>Megabothris walkeri</i>	
(Rothschild).....	35-39, 43-45, 50
<i>Palaeopsylla soricis soricis</i>	
(Dale).....	38-41, 44, 46-47, 51
<i>Peromyscopsylla spectabilis</i>	
(Rothschild).....	35-40, 44-45, 50
<i>Radinosylla (Actenophthalmus)</i>	
<i>pentacantha</i> Fox.....	35-39, 46, 51

TRICHOPTERA

<i>Apatania auricula</i> (Forsslund)	
(Apataniidae).....	310
<i>Apatania muliebris</i> Mc Lachlan	
(Apataniidae).....	186-187
<i>Grammotaulis nigropunctatus</i> (Retzius)	
(Limnephilidae).....	52-54
<i>Grammotaulis nitidus</i> (Muller)	
(Limnephilidae).....	52-54
<i>Limnephilus borealis</i> (Zett.)	
(Limnephilidae).....	306-310
<i>Limnephilus lunatus</i> Curtis	
(Limnephilidae).....	306, 307
<i>Setodes argentipunctellus</i> McLachlan	
(Leptoceridae).....	310
<i>Tricholeiochiton fagesii</i> (Guinard)	
(Hydroptilidae).....	150
<i>Trichostegia minor</i> (Curtis)	
(Phryganeidae).....	147-150