

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 130 (2018)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entreco.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2018 is £30.
For institutional and overseas rates please visit the website at www.entreco.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpank1@ntlworld.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S.

Proof Reader: Graham Wenman

Special Index: Catherine Wellings and Graham Wenman

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. To comply with the new regulation authors will in future be asked to confirm that they are happy with this arrangement. The Editor will maintain a list of persons who have given such consent. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publications are also subject to the GDPR and must adhere to the published AES policy.

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

A contribution to knowledge of the Balkan Lepidoptera: new and rare Erebidae and Noctuidae for Albania, collected in 2016. *Stoyan Beshkov*, 155-172

A contribution to knowledge of the Balkan Lepidoptera: new and rare moths for Albania, collected in 2017. *Stoyan Beshkov & Ana Nahirnić*, 215-232

Additions and amendments to the Irish Microlepidoptera List since 2012. *Ken G. M. Bond*, 113-138

C

(The) case of the missing Lunar Thorns – a twenty-year study of altitudinal change amongst Yorkshire's moths. *Charles H. Fletcher*, 145-154

(A) contribution to knowledge of the Balkan Lepidoptera: new and rare Erebidae and Noctuidae for Albania, collected in 2016. *Stoyan Beshkov*, 155-172

(A) contribution to knowledge of the Balkan Lepidoptera: new and rare moths for Albania, collected in 2017. *Stoyan Beshkov & Ana Nahirnić*, 215-232

Contribution to the knowledge of Zygaena Fabricius, 1775 (Lepidoptera: Zygaenidae) of the Republic of Macedonia. *Nikola Micevski, Ana Nahirnić and Stoyan Beshkov*, 41-55

D

Depressaria villosae sp.nov., a new species from Portugal, Spain and Greece (Depressariidae). *Martin Corley and Peter Buchner*, 105-111

E

Eucosma tripoliana (Barrett, 1880) (Lep.: Tortricidae): variation in a Suffolk population and how this relates to the species' separation from *Eucosma*

Aemulana (Schläger, 1849). *Raymond A. Watson*, 177-187

I

Images of vertebrate heads in moth wing patterns. *J. R. Clive Craik*, 1-14

(The) immigration of Lepidoptera to the British Isles in 2014. *Sean P. Clancy*, 57-104

M

Microlepidoptera Review of 2017. *A. M. Davis and G. M. Tordoff*, 281-306

Monopis crocicapitella (Clemens, 1859) (Lep.: Tineidae): case-bearing larvae in England found feeding on bat droppings. *R. J. Heckford and S. D. Beavan*, 233-248

N

Natural history of Lepidoptera associated with bird nests in Mid-Wales. *D. H. Boyes*, 249-259

Netted Carpet *Eustroma reticulatum* (D. & S., 1775), (Lep.: Geometridae) as a commodity. *E. G. Hancock*, 123-138

(A) new species of the genus *Herrichia* Staudinger (Lepidoptera: Oecophoridae) from the island of Crete. *Ole Karsholt and Alexander Lvovsky*, 307-312

Q

Quantitative differences in catches made by two kinds of mercury-vapour bulbs used in Robinson moth traps. *Clive Craik and Andy Mcleod*, 200-213

S

(A) second contribution to the Lepidopteran fauna of Cyprus, presenting records for 48 taxa from 17 families. *Ian Barton*, 29-39

2: NOTES

A

2017 Highlights from my garden trap and the continued presence of Toadflax Brocade *Calophasia lunula* (Hufn., 1766), on my rock garden. *J. F. Burton*, 187-189

A first British record of a leaf-mine on *Photinia* Lindl. (Rosaceae). *A. G. Blunt and I. S. Thompson*, 271-272

A fourth British *Cydia interscindana* (Möschler, 1866) (Lep.: Tortricidae). *Graeme J. Smith*, 196

A new foodplant – but for what? *Graham Wenman*, 144

A note on the recognition of *Argyresthia retinella* (Zeller, 1839) (Lep.: Argyresthiidae). *Andrew King*, 121

A striking aberrant form of *Catoptria falsella* (D. & S., 1775) (Lep.: Crambidae) and a comment on published drawings of female genitalia. *František Kosorín*, 314-315

An aberrant form of *Scopula decorata* (Alphéraky, 1876) (Lep.: Geometridae) from northern Spain. *Steve J. Petty, Teresa Farino and Colin W. Plant*, 192-193

An unusual aberrant female of *Pseudeochazara mniszechii* (Brown, 1980), (Lep.: Nymphalidae: Satyrinae). *Lazaros N. Pamperis*, 138

An unusual colour of pupa in the Juniper Carpet *Thera juniperata* (Linn.) (Lep.: Geometridae). *Mark Young*, 122

An unusual pairing, in the wild, between a Meadow Brown *Maniola jurtina* (L. 1758) and a Ringlet *Aphantopus hyperantus* (L. 1758) (Nymphalidae, Satyrinae). *Barry Dickerson*, 270-271

Apodia bifractella (Duponchel, [1843]) (Lep.: Gelechiidae) new to Ireland. *Tony Bryant*, 268

B

Bee Moth *Aphomia sociella* (Linnaeus, 1758) (Lep.: Pyralidae) lekking. *Tony Bryant*, 268

C

Ceutolopha isidis (Zeller, 1867) (Lep.: Pyralidae) in Murcia, Spain and a discussion of its status in Europe. *J. Girdley, J. J. Guerredo, R. M. Rubio, M. Garre and A. S. Ortiz*, 322-324

Cinnabar *Tyria jacobaeae* (L.) (Lep.: Erebidae, Arctiinae) larvae feeding on Coltsfoot *Tussilago farfara* L. *Mark R. Shaw*, 317-318

(The) correct name for the Tyneside *Vitula* (Lep.: Pyralidae). *T. J. Tams*, 324-327

Corrigenda, 328

D

Dialectica imperialella (Zeller, 1847) (Lep.: Gracillariidae) in VC28; new to Suffolk. *Ian Barton*, 24-28

Double Line *Mythimna turca* (L.), second record for Shropshire. *Graham Wenman and Mike Shurmer*, 269-270

E

Eucosma conterminana (Guenée, 1845) (Lep.: Tortricidae) new to Ireland. *Tony Bryant and K. G. M. Bond*, 15

Extra-seasonal UK Lepidoptera Records from Autumn 2017. *Robert Homan*, 15-24

F

First Shropshire record of *Schiffermuellerina grandis* (Desvignes, 1842) (Lep. Oecophoridae).
Mike P. Shurmer, 318-319

(The) Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.), the Emperor Moth *Saturnia pavonia* (L.) and the Oak Eggar *Lasiocampa quercus* (L.) at Werrington Brook Drain, Peterborough, in 2017. *Paul Waring*, 259-265

Further records of unseasonal moth flights in 2017. *Keith Palmer*, 189-191

H

Heart & Dart *Agrotis exclamationis* (Linnaeus, 1758) (Lep.: Noctuidae), a green-scaled aberrant.
Tony Bryant, 199

Hydroptila simulans Mosely, 1920 (Trich.: Hydroptilidae), a caddisfly new to Northern Ireland.
James P. O'Connor and Kenneth G. M. Bond, 193-194

L

Larva of *Epiphyas postvittana* (Walker, 1863) (Lep.: Tortricidae) feeding on catkins of Hazel *Corylus avellana*. *R. J. Heckford*, 120

M

Megalomus hirtus (L., 1761) (Neur.: Hemerobiidae) rediscovered in Aberdeenshire and investigation of a old record. *Nick A. Littlewood*, 274-276

N

Noteworthy records of second brood moths in the Isle of Wight during autumn 2017. *Sam Knill-Jones*, 28

O

(The) occurrence of *Garella muscularia* (Erschov, 1874) (Lep.: Nolidae) in eastern Bulgaria.
Harry E. Beaumont, 315-316

P

Pale Brindled Beauty *Phigalia pilosaria* (D. & S.) (Lep.: Geometridae) male sitting out bad weather. *Roy Leverton*, 214

Phyllonorycter pastorella (Zeller, 1846) (Lep.: Gracillariidae) in Kent. *Robert Homan*, 266-267

Pieris napi (L.) and *P. rapae* (L.) (Lep.: Pieridae) mud-puddling in Baden-Württemberg, Germany. *J. F. Burton*, 112

R

(The) rapid spread of *Stigmella aceris* (Frey, 1857) (Lep.: Nepticulidae) in four English Vice-counties. *Andy Banthorpe*, 139-143

Request for loan of high-wattage MV bulbs for research. *Clive Craik*, 172

S

Silver-ground Carpet *Xanthorhoe montanata* (D. & S.) (Lep.: Geometridae) male with everted coremata during wing drying. *Roy Leverton*, 195

Small Copper *Lycaena phlaeas* (L.) (Lep.: Lycaenidae) male refound 23 days later. *Roy Leverton*, 313-314

Small Phoenix *Ecliptopera silaceata* (D. & S.) Lep.: Geometridae: A striking variant from Mid Perthshire (VC 88). *David Bryant*, 273

Surge of dispersing rare and common Lepidoptera in South Cambridgeshire during the hot summer of 2018. *Chris Tyler-Smith and Yali Xue*, 320-322

Sympherobius klapaleki Zeleny (Neur.: Hemerobiidae) in Milton Keynes. *Mark G. Telfer*, 197-198

T

The correct name for the Tyneside *Vitula* (Lep.: Pyralidae). *T. J. Tams*, 324-327

The Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.), the Emperor Moth *Saturnia pavonia* (L.) and the Oak Eggar *Lasiocampa quercus* (L.) at Werrington Brook Drain, Peterborough, in 2017. *Paul Waring*, 259-265

The occurrence of *Garella muscularia* (Erschov, 1874) (Lep.: Nolidae) in eastern Bulgaria. *Harry E. Beaumont*, 315-316

The rapid spread of *Stigmella aceris* (Frey, 1857) (Lep.: Nepticulidae) in four English Vice-counties. *Andy Banthorpe*, 139-143

Toadflax Brocade *Calophasia lunula* (Hufn.) (Lep.: Noctuidae) at March, Cambridgeshire. *Paul Waring*, 189

W

Webb's Wainscot *Globia sparganii* (Esp.) (Lep.: Noctuidae) – new sites in Northamptonshire, Bedfordshire and Lincolnshire. *Paul Waring & Dee Shore*, 277-278

3: BOOK REVIEWS

Amazing Arachnids, 279

Butterflies of Hertfordshire and Middlesex, 55-56

Butterfly Gardening: The North American Butterfly Association Guide, 279

Field Guide to the Smaller Moths of Great Britain and Ireland, 328

Garden Insects of North America, 56

Leaf Beetles, 176

Pug Moths of North-west England: A Guide on Identification and Distribution in Cheshire, Lancashire and Cumbria, 174-175

4: OBITUARIES

Cedric William Nelson **Holmes**, 173

5: ADDENDA & CORRIGENDA

Corrigenda, 328

6: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Bantherope, Andy.....	139-143
Barton, Ian.....	29-39 ; 24-28
Beaumont, Harry E.	315-316
Beavan, S. D.	233-248
Beshkov, Stoyan... 41-55 , 155-172 , 215-232	
Blunt, A. G.	271-272
Bond, Ken G. M. <i>15</i> , 113-138, 193-194	
Boyes, D. H.	249-259
Bryant, Tony.....	15, 199, 268,
Bryant, David	273
Buchner, Peter	105-111
Burton, J. F.	112, 187-189
Clancy, Sean P.	57-104
Corley, Martin	105-111
Craik, J. R. Clive..... 1-14 , 172, 200-213	
Davis, A. M.	281-306
Dickerson, Barry.....	270-271
Farino, Teresa	192-193
Fletcher, Charles H.	145-154
Garre, M.	322-324
Girdley, J.	322-324
Guerredo, J. J.	322-324
Hancock, E. G.	123-138
Heckford, R. J.	120, 233-248
Homan, Robert.....	15-24, 266-267
Karsholt, Ole	307-312
King, Andrew	121
Knill-Jones, Sam.....	28
Kosorín, František	314-315
Leverton, Roy	195, 214, 313-314
Littlewood, Nick A.	274-276
Lvovsky, Alexander	307-312
Mcleod, Andy	200-213
Micevski, Nikola	41-55
Nahirnić, Ana	41-55 , 215-232
O'Connor, James P.	193-194
Ortiz, A. S.	322-324
Palmer, Keith	189-191
Pamperis, Lazaros N.	138
Petty, Steve J.	192-193
Plant, Colin W.	192-193
Rubio, R. M.	322-324
Shaw, Mark R.	317-318
Shore, Dee.....	277-278
Shurmer, Mike.....	269-270 , 318-319
Smith, Graeme J.	196
Tams, T. J.	324-327
Telfer, Mark G.	197-198
Thompson, I. S.	271-272
Tordoff, G. M.	281-306
Tyler-Smith, Chris	320-322
Waring, Paul.....	189, 259-265, 277-278
Watson, Raymond A.	177-187
Wenman, Graham	144, 269-270
Xue, Yali.....	320-322
Young, Mark.....	122

NEW INDEXER REQUIRED

We are looking for a new person to compile the Special Index from the 2019 volume onwards. An in-depth taxonomic expertise is not necessary, as the Editor will give instructions, but you will need access to a computer and an e-mail address and be available to deliver and discuss the Index, approximately in the gap between Christmas and the New Year. The indexer's sole task is to compile the alphabetical list of species that is the "SPECIAL INDEX"; the "Contents" section, comprising the first seven pages of this document, are produced by the Editor. The task is voluntary, though you do get a free subscription to the journal. Please contact the Editor direct at cpauk1@ntlworld.com, giving a telephone number for him to call you on.

SPECIAL INDEX

Compiled by Catherine Wellings & Graham Wenman

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first
in this volume are denoted by an asterisk.

	Page	Page	
LEPIDOPTERA			
<i>abdominalis</i> Zell., <i>Argyresthia</i>	115	<i>alstromeriana</i> (Clerck), <i>Agonopterix</i>	292
<i>abietana</i> (Hb.), <i>Acleris</i>	297	<i>amasina</i> (Draudt), <i>Nyctobrya</i>	224, 226, 230
<i>ablutellus</i> (Zell.), <i>Raphimetopus</i>	38	<i>ambigua</i> (D. & S.), <i>Hoplodrina</i>	153
<i>absoluta</i> (Meyrick), <i>Tuta</i>	62, 116, 293	<i>ambiguella</i> (Hb.), <i>Eupoecilia</i>	63
<i>accentifera</i> (Lefebvre), <i>Ctenoplusia</i>	58, 59, 78	<i>Amphipoea</i> spp.	203
<i>accentifera</i> (Palisot de Beauvoir), <i>Nephela</i>	57, 72	<i>amplana</i> (Hb.), <i>Cydia</i>	86-87
<i>aceris</i> (Frey), <i>Stigmella</i>	139-143, 284	<i>anatolica</i> (Draudt), <i>Chersotis</i>	231
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	115, 282, 291, 306	<i>anatolica</i> (Gozmány), <i>Lecithocera</i>	36
<i>acuminatus</i> (Staud.), <i>Dichomeris</i>	282, 293	<i>anceps</i> ([D. & S.]), <i>Apamea</i>	22
<i>acuta</i> (Walk.), <i>Chrysodeixis</i>	59, 79	<i>angelicea</i> Ochs, <i>Zygaena</i>	41, 46, 52
<i>acutellus</i> (Evers.), <i>Sclerocona</i>	67	<i>angelicella</i> (Hb.), <i>Agonopterix</i>	110, 292
<i>adriana</i> (Schawerda), <i>Hadena</i>	163, 166, 170	<i>angustea</i> (Curtis), <i>Eudonia</i>	306
<i>adscitella</i> (Staint.), <i>Elachista</i>	295	<i>angustella</i> (Zell.), <i>Nephopterix</i>	302
<i>adusta</i> (Esper), <i>Mniotype</i>	148, 149	<i>angustiorana</i> (Haw.), <i>Ditula</i>	297
<i>adustata</i> ([D. & S.]), <i>Ligdia</i>	191	<i>annularia</i> (Fabr.), <i>Cyclophora</i>	17
<i>advenaria</i> (Hb.), <i>Cephis</i>	19, 75	<i>annulatella</i> (Curt.), <i>Rhigognostis</i>	289
<i>aemulana</i> (Schläger), <i>Eucosma</i>	116, 177-183	<i>antiopa</i> (L.), <i>Nymphalis</i>	64
<i>aeneana</i> (Hb.), <i>Commophila</i>	298	<i>antiqua</i> (L.), <i>Orygia</i>	4
<i>aeratana</i> (P. & M.), <i>Dichrorampha</i>	300	<i>apfelbecki</i> Rebel, <i>Zygaena</i>	42
<i>aeriferana</i> (H.-S.), <i>Ptycholomoides</i>	297	<i>apicipuncella</i> Staint., <i>Elachista</i>	295
<i>aeruginea</i> (Hb.), <i>Dichonia</i>	228, 229	<i>aprilina</i> (L.), <i>Dichonia</i>	4-5, 11
<i>aerugula</i> (Hb.), <i>Nola</i>	85, 100	<i>arcuatella</i> (H.-S.), <i>Ectoedemia</i>	285
<i>aestimaria</i> (Hb.), <i>Chiasmia</i>	75	<i>argentimaculella</i> (Staint.), <i>Infurcitinea</i>	286
<i>agatha</i> (Staud.), <i>Aegle</i>	222, 223	<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	285
<i>agathina</i> (Dup.), <i>Xestia</i>	149	<i>arion</i> (L.), <i>Maculinea</i>	130
<i>agestis</i> (D. & S.), <i>Aricia</i>	320-322	<i>armigera</i> (Hb.), <i>Helicoverpa</i>	96-97, 188
<i>ahenella</i> ([D. & S.]), <i>Hypochalcia</i>	302	<i>artemisiella</i> Bruand, <i>Coleophora</i>	294
<i>ahenella</i> Heinemann, <i>Coleophora</i>	116	<i>artemisiella</i> (Treits.), <i>Scrobipalpa</i>	293
<i>albicillata</i> (L.), <i>Mesoleuca</i>	18	<i>asbolaea</i> (Meyr.), <i>Barea</i>	291
<i>albidella</i> ([D. & S.]), <i>Coleophora</i>	294	<i>asiatica</i> (O. Bang-Haas), <i>Cilix</i>	219, 220
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	285	<i>asseclana</i> ([D. & S.]), <i>Cnephasia</i>	297
<i>albifrontella</i> (Hb.), <i>Elachista</i>	295	<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	115, 289
<i>albimacula</i> (Borkhausen), <i>Hadena</i>	129, 163, 166, 137	<i>assimilella</i> (Zell.), <i>Stigmella</i>	284
<i>albimaculea</i> (Haw.), <i>Denisia</i>	291	<i>asteris</i> (Mühlig), <i>Coleophora</i>	294
<i>albipuncta</i> (D. & S.), <i>Mythimna</i>	83, 128, 136, 137	<i>astrantiae</i> (Hein.), <i>Agonopterix</i>	292
<i>albipunctella</i> (D. & S.), <i>Depressaria</i>	36	<i>atalanta</i> (L.), <i>Vanessa</i>	88, 138, 320-322
<i>albula</i> (D. & S.), <i>Meganola</i>	85	<i>atra</i> (L.), <i>Acanthopsyche</i>	286
<i>albuncullella</i> (Staud.), <i>Epischidia</i>	35, 38	<i>atratra</i> (L.), <i>Odezia</i>	152
<i>albuncullella</i> (Staud.), <i>Prorophora</i>	35, 38	<i>atricomella</i> Staint., <i>Elachista</i>	306
<i>alcyonipennella</i> (Koll.), <i>Coleophora</i>	294	<i>atriplicis</i> (L.), <i>Trachea</i>	81
<i>algae</i> (Esper.), <i>Globia</i>	128, 137	<i>atropos</i> (L.), <i>Acherontia</i>	2, 5-6, 11, 71
<i>algae</i> (Fabr.), <i>Cryphia</i>	80, 320-322	<i>augur</i> (Fabr.), <i>Graphiphora</i>	150
<i>alismana</i> (Ragonot), <i>Gynnidomorpha</i>	298	<i>auriciliella</i> (Joannis), <i>Bohemannia</i>	285
<i>allisella</i> Staint., <i>Exaeretia</i>	291	<i>aurita</i> Raz., <i>Pammene</i>	117, 302
<i>alnetella</i> (Staint.), <i>Stigmella</i>	118	<i>aurofasciana</i> (Haw.), <i>Celypha</i>	299
<i>alni</i> (L.), <i>Acronicta</i>	149, 207	<i>aurulentella</i> Staint., <i>Argyresthia</i>	122
<i>alpinana</i> (Treits.), <i>Dichrorampha</i>	300	<i>autumnaria</i> (Wernb.), <i>Ennomos</i>	75
<i>alpinella</i> (Hb.), <i>Platytes</i>	304	<i>aversata</i> (L.), <i>Idaea</i>	17, 190
		<i>badiana</i> ([D. & S.]), <i>Ancylis</i>	305
		<i>badiella</i> (Hb.), <i>Depressaria</i>	36
		<i>baja</i> (D. & S.), <i>Xestia</i>	150
		<i>bajularia</i> (D. & S.), <i>Comibaena</i>	20
		<i>balcanica</i> Hacker, <i>Hadena</i>	167, 169, 171

- baliodactylus* (Zell.), *Merrifieldia* 296
balsamitae Boisduval, *Cucullia* 223, 226
bankiana (Fab.), *Deltote* 80
bantiella (Rocci), *Depressaria* 108-109
basigutella (Hein.), *Stigmella* 31
batis (L.), *Thyatira* 10, 17
bechsteinella (Bech. & Scharf.),
 Bucculatrix 118
betulae (Staint.), *Parornix* 288
betulella (Curtis), *Acrolepiopsis* 115, 289
biangulata (Haw.), *Euphyia* 18
biatomella (Staint.), *Elachista* 295
bicolorana (Fuess.), *Bena* 320-322
bicostella (Clerck), *Pleurota* 291
bicuspis (Bork.), *Furcula* 130, 137
bifasciana (Hb.), *Spatialis* 297
bifractella (Dup.), *Apodia* 268, 293
bigramma (Hb.), *Agrotis* 84
bimaculata (Fabr.), *Lomographa* 20
binaevella (Hb.), *Phycitodes* 306
bipartita (H.-S.), *Pseudozarba* 156, 164
bipunctiactyla (Scop.), *Stenoptilia* 296
biren (Goeze), *Papestra* 149
biselata (Hufn.), *Idaea* 17
bisselliella (Hummel), *Tineola* 249, 287
bistratiella (Hulst), *Apomyelois* 66
bisulcella (Dup.), *Elachista* 295
biviella (Zell.), *Vitula* 303
blancardella (Fabr.), *Phyllonorycter* 288
blandella (Dougl.), *Caryocolum* 294
blandella (Fabr.), *Brachmia* 37
boeticus (L.), *Lampides* 65, 99
bombylicolella Amsel, *Moodna* 324-327
bonnetella (L.), *Argyresthia* 290, 304
boreella (Dougl.), *Brytrophia* 293
bractea (D. & S.), *Autographa* 8-9, 11, 80,
 136, 137, 148, 149
bradleyi Riedl, *Mompha* 295
brassicae (L.), *Pieris* 64, 189, 264
brevilinea (Fenn), *Chortodes* 129, 137
briseis (L.), *Chazara* 138
brizae (Esper), *Zygaena* 41, 46-47
brockeella (Hb.), *Argyresthia* 290
brongniardella (Fabr.), *Acrocercops* 287
brunnea (D. & S.), *Diarisa* 150
bulgariata Millière, *Catarhoe* 219, 221
caecana (Schläger), *Grapholita* 301
caecimacula ([D. & S.]), *Ammoconia* 228, 231
caenosia (Hb.), *Laelia* 137
caeruleocephala (L.), *Diloba* 148, 149
caesiata ([D. & S.]), *Entephria* 149, 150
caja (L.), *Arctia* 148, 149, 150
caledoniana (Steph.), *Acleris* 297
cambrica (Curt.), *Venusia* 19
cambridgei (Zell.), *Euchromius* 58, 70
caniola (Hb.), *Eilema* 21
capitella (Cl.), *Lampronia* 286
capreolaria (D. & S.), *Pungeleria* 57, 75, 100
caprimulgella (Staint.), *Triaxomasia* 287
capituncula (Treits.), *Photedes* 154
cararia (Hb.), *Stegania* 58, 75
carduella (Hb.), *Agonopterix* 291
cardui (L.), *Vanessa* 88-89, 320-322
carniolica (Scop.), *Zygaena* 41, 46, 49, 53
carphodactyla (Hb.), *Hellinsia* 296
casta (Esper), *Watsonarctia* 222
casta (Pallas), *Psyche* 286
catalaunalis (Dup.), *Antigastra* 69, 303
celerio (L.), *Hippotion* 73
cerasi (Fabr.), *Orthosia* 202
cespitalis (Hb.), *Celypha* 299
chaerophyllea (Goeze), *Epermenia* 144
chaerophylli Zell., *Depressaria* 292
chalceites (Esp.), *Chrysodeixis* 58, 78-79
chi (L.), *Antitype* 148, 149
chlorochalis (Dufay), *Euchalcia* 156, 164
chrysitis (L.), *Diachrysia* 3, 10
chryson (Esper), *Diachrysia* 21
cicatricalis (Treits.), *Nola* 222
cicatricella (Zett.), *Eriocrania* 284
cilium (Guen.), *Spodoptera* 59, 81, 163, 165
cinerella (Clerck), *Acompsia* 293
cinerosella (Zell.), *Euzophera* 302
cinnamomella (Dup.), *Ancyclosis* 57, 66
circellaris (Hufn.), *Sunira* 215
circumvoluta (Fourcroy), *Myelois* 38, 302
cistifoliella Groschke, *Triberta* 32
citrella Staint., *Phylloconistis* 61
citri (Mill.), *Prays* 290
clerkella (L.), *Lyonetia* 271-272
cloacella (Haw.), *Nemapogon* 251, 253, 256
cloraria (Hb.), *Chlorissa* 57, 75
cnicana (Westw.), *Aethes* 298
c-nigrum (L.), *Xestia* 191
coenosa (Hb.), *Laelia* 130
columbariella Martini, *Tinea* 237
comae (Schmidt), *Timandra* 190
comariana (L. & Z.), *Acleris* 304
combinella (Hb.), *Pseudoswammerdamia* 289
comes (Hb.), *Noctua* 191
comma (L.), *Leucania* 23
comparella (Dup.), *Phyllonorycter* 282, 288
complana (L.), *Eilema* 28, 153
compositella (Fabr.), *Grapholita* 301
confusa (Meyrick), *Stomphastis* 30, 32
confusa (Steph.), *Macdunnoughia* 79-80, 100
confusalis (H.-S.), *Nola* 191
confusella Staud., *Catoptria* 314-315
congruata Zell., *Scopula* 192-193
coniferana (Saxesen), *Cydia* 301
conjugella Zell., *Argyresthia* 290
consanguis Guen., *Mythimna* 169
consociella (Hb.), *Acrobasis* 37
consortana Steph., *Dichrorampha* 300
consortella Staint., *Elachista* 295
conspicua Zell., *Coleophora* 294
conspurcatella (Zell.), *Banksia* 114
conterminana (Guen.), *Eucosma* 15, 116, 300
conterminella (Zell.), *Agonopterix* 291
contorta (Rebel & Zerny), *Spaelotis* 229, 231
convergens ([D. & S.]), *Dichonia* 215
convolvuli (L.), *Agrius* 6-7, 11, 13,
 91-92, 320-322
conwagana (Fabr.), *Pseudargyrotoza* 17
corfiella Lovsky, *Cacochroa* 36
coridon (Poda), *Polyommatus* 138

- corticella (L.), *Lampronia* 286
 coryli (B.), *Colocasia* 4, 5, 11
corylifoliella (Hb.), *Phyllonorycter* 32
cosmophorana (Treits.), *Cydia* 301
costastrigalis (Stephens), *Schrankia* 24
costalis (Fabr.), *Hypsopygia* 17
costivittella Ragonot, *Euzophera* 282, 302
craccae (D. & S.), *Lygephila* 129, 137
crassalis (Fabr.), *Hypena* 153
crassiuscula (H.-S.), *Scythris* 296
crataegella (L.), *Scythropia* 190, 291
crataegi (L.), *Trichiura* 148, 149, 153
crataegi (Zell.), *Bucculatrix* 118
cremoricosta (Ragonot), *Peoria* 39
crenata (Esp.), *Glaphisia* 58, 75, 130,
 136, 137
cibraria (L.), *Coscinia* 76
crinanensis (Burr.), *Amphipoea* 203
cristana ([D. & S.]), *Acleris* 298
croceus (Geoff.), *Colias* 87-88, 138
crocipitella (Clemens), *Monopis* 233-248
croesella (Scop.), *Adela* 286
cruda (D. & S.), *Orthosia* 191, 216
cuculipennella (Hb.), *Caloptilia* 287
cunea (Drury), *Hyphantria* 57, 76
cuprella ([D. & S.]), *Adela* 286
cursoria (Hufn.), *Euxoa* 84
curtula (L.), *Clostera* 21, 191
curvatala (Borkh.), *Drepana* 58, 70-71
curvella (L.), *Argyresthia* 121, 290
curvipunctosa (Haworth), *Agonopterix* 36
curvistrigana Staint., *Phalonidia* 116
cyaneimarmorella (Millière),
 Stenoptinea 32-33
cynobatella (L.), *Notocelia* 306
cytisella (Curt.), *Monochroa* 293
dardouini (Boisd.), *Metachrostis* 222
daubei (Boisd.), *Thysanoplusia* 57, 78
daucella ([D. & S.]), *Depressaria* 292
dealbana (Fröl.), *Gypsonoma* 306
deaurana (Peyerimhoff), *Aethes* 281, 298
deauratella L. & Z., *Coleophora* 294
decidua Wocke, *Tischeria* 32
decorata (Alphéráky), *Scopula* 192-193, 328
degeneraria (Hb.), *Idea* 73
dentosella Ragonot, *Vitula* 324-327
depressa (Esp.), *Eilema* 21, 28
derivata, ([D. & S.]) *Anticlea* 191
deserta (Bartel.), *Watsonarcta* 221, 222
deserta Piskunov, *Monochroa* 34, 37
designata (Hufn.), *Xanthorhoe* 18
despicata (Scop.), *Pyrausta* 305
diaphana Staud., *Zygaena* 46, 47
didyma (Esp.), *Mesapamea* 203
didymata (L.), *Mesotype* 150
diffinis (Haw.), *Teleiopsis* 294
dilecta (Hb.), *Catocala* 222, 223
dictella Zell., *Argyresthia* 289
diluta ([D. & S.]), *Cyatoptrima* 219
dionysia (Zell.), *Faveria* 37
dispar (L.), *Lycaena* 75-76
distigmatella (Erschoff), *Ethmia* 32-33
divisella H.-S., *Mompha* 295
docecella (L.), *Exoteleia* 305
dodecea (Haw.), *Ethmia* 62, 292
dolosalis Heydenreich, *Millieria* 35, 37
domestica (Haw.), *Bryotropha* 304
drurella (Fabr.), *Chrysostethia* 293
dubiella Staint., *Tinea* 241, 304
dubitana (Hb.), *Cochylis* 304
dubitata (L.), *Triphosa* 74
dumetorum (Geyer), *Heterophysa* 163, 165
dumicola (Zell.), *Clepsis* 63
duplaris (L.), *Ochropacha* 150
dysodea (D. & S.), *Hecatera* 22, 153
ecephaea (Hampson), *Araeopteron* 39
edmandsii (Packard), *Nephopteryx* 324-327
edmandsii (Packard), *Vitula* 324-327
effractana (Hb.), *Acleris* 297
ekebladella (Bjerk.), *Tischeria* 286
elegans (Evers.), *Chersotis* 229, 230, 231
emortalis (D. & S.), *Trisateles* 77
ephialtes (L.), *Zygaena* 41, 46, 51-52
Epirrita spp. 203, 208
epomidion (Haw.), *Apamea* 227
eremita (Fabr.), *Dryobotodes* 215, 228, 229
ericella (Hb.), *Crambus* 305
erythrocephala (D. & S.), *Conistra* 82,
 129, 137
esperella (Goeze), *Phyllonorycter* 288
euphorbiae (L.), *Hyles* 72
excelsella Staud., *Herrichia* 307, 310-311
exclamationis (L.), *Agrotis* 23, 199
exigua (Hb.), *Spodoptera* 97
extimalis (Scop.), *Evergestis* 70
extrema (Hb.), *Photodes* 81
exulans (Hohenwarth), *Zygaena* 42, 46
exulis (Treits.), *Apamea* 137
fabriciana (L.), *Anthophila* 190
fagaria (Thunberg), *Dyscia* 149, 150
fagi (Scop.), *Hipparchia* 138
fagiglandana (Zell.), *Cydia* 301
falcataria (L.), *Drepana* 3, 4, 11
falconipennella (Hb.), *Caloptilia* 287
fallouella Ragonot, *Acrobasis* 30, 37
falsella ([D. & S.]), *Catoptria* 314-315
farinalis (L.), *Pyralis* 190
fascelinella (Hb.), *Pediasia* 70
fasciana (L.), *Pammene* 305
fasciaria (L.), *Hylaea* 190
fenestratella (Heyden), *Monopis* 257
ferchaultella (Stephens), *Luffia* 286
ferrugalis (Hb.), *Udea* 85, 89, 305
ferruginella (Hb.), *Tinea* 234
festucae (L.), *Plusia* 191, 203, 320-322
filicivora (Meyr.), *Psychoides* 287
filipendulae (L.), *Zygaena* 46, 52, 152
filipendulae (Wocke), *Stigmella* 284
flammea (Curtis), *Senta* 84
flammea (Esp.), *Trigonophora* 82
flammealis (D. & S.), *Endotricha* 117, 190
flavalis ([D. & S.]), *Mecyna* 67
flavicaput (Haw.), *Spuleria* 295
flavicinctata (Hb.), *Entephria* 153
flavidorsana Knaggs, *Dichrorampha* 300
flexula ([D. & S.]), *Laspeyria* 21, 153

<i>floslactella</i> (Haw.), <i>Stigmella</i>	284
<i>fluxa</i> (Hb.), <i>Photedes</i>	81
<i>formicaeformis</i> (Esper), <i>Synanthoned</i> 128, 137	
<i>formosa</i> Rogenhofer, <i>Cucullia</i>	222, 223
<i>formosana</i> (Fröl.), <i>Lozotaeniodes</i>	17, 117, 282, 297
<i>forsterella</i> (Fabr.), <i>Glyphipterus</i>	289
<i>fovealis</i> (Zell.), <i>Duponchelia</i>	68, 303, 306
<i>fraternana</i> (Haw.), <i>Epinotia</i>	299
<i>fraxinella</i> (Bjerkander), <i>Prays</i>	290, 306
<i>fraxini</i> (L.), <i>Catocala</i>	77-78
<i>friesei</i> Svensson, <i>Ocnerostoma</i>	289
<i>frischella</i> (L.), <i>Coleophora</i>	294
<i>fuliginaria</i> (L.), <i>Parascotia</i>	77, 128, 129, 137
<i>fuliginosa</i> (L.), <i>Phragmatobia</i>	21
<i>fulvalis</i> (Hb.), <i>Udea</i>	67
<i>funesta</i> (Esp.), <i>Aedia</i>	57, 80
<i>fuscalis</i> ([D. & S.]), <i>Anania</i>	303
<i>fuscantaria</i> (Haw.), <i>Ennomos</i>	149
<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	114
<i>fuscella</i> (L.), <i>Niditinea</i>	256
<i>fuscescens</i> (Haw.), <i>Borkhausenia</i>	16
<i>fusconebulosa</i> (de Geer), <i>Korscheltellus</i>	149
<i>galathea</i> (L.), <i>Melanargia</i>	138, 320-322
<i>galiata</i> (D. & S.), <i>Epiphrohoe</i>	110
<i>gallii</i> (Rott.), <i>Hyles</i>	72-73
<i>gamma</i> (L.), <i>Autographa</i>	85, 95, 100, 191, 320-322
<i>gangabella</i> (Zell.), <i>Elachista</i>	295
<i>geminana</i> (Don.), <i>Ancylis</i>	299
<i>gemmella</i> (L.), <i>Stenolechia</i>	294
<i>geniculea</i> (Haw.), <i>Agriphila</i>	305
<i>genistella</i> (Dup.), <i>Pempelia</i>	302
<i>gerningana</i> ([D. & S.]), <i>Philedone</i>	297
<i>giganteana</i> (Peyer), <i>Pammene</i>	301
<i>gilva</i> (Donzel), <i>Caradrina</i>	226
<i>gilvata</i> (Fab.), <i>Uresiphita</i>	66
<i>gilvella</i> (Ragonot), <i>Bazaria</i>	38
<i>gilvella</i> (Ragonot), <i>Gymnancyla</i>	38
<i>glabratella</i> (Zell.), <i>Argyresthia</i>	115, 289
<i>glareella</i> Turati, <i>Acrobasis</i>	30
<i>glaucella</i> Staud., <i>Acrobasis</i>	30
<i>glaucicolella</i> Wood, <i>Coleophora</i>	305
<i>glauca</i> (Esper), <i>Episema</i>	224, 227, 230
<i>glaucinalis</i> (L.), <i>Hypsopygia</i>	17, 190
<i>glutinosae</i> (Staint.), <i>Stigmella</i>	118, 284
<i>glyphica</i> (L.), <i>Euclidia</i>	152, 261
<i>gnaphaliu</i> (Hb.), <i>Cucullia</i>	130, 137
<i>gonodactyla</i> ([D. & S.]), <i>Platyptilia</i>	296, 304
<i>gorganus</i> (Fruhs.), <i>Papilio</i>	63-64, 99
<i>graminis</i> (L.), <i>Cerapteryx</i>	150
<i>grandella</i> (Zell.), <i>Hypsipyla</i>	282, 302
<i>grandis</i> (Desvignes), <i>Schiffermuelleria</i>	318-319
<i>grisealis</i> ([D. & S.]), <i>Herminia</i>	21
<i>grisella</i> (Fabr.), <i>Achroia</i>	302
<i>gueneei</i> (Staud.), <i>Hadena</i>	163, 166, 170
<i>gysseleniella</i> (Zell.), <i>Cedestis</i>	289, 306
<i>hamana</i> (L.), <i>Agapeta</i>	304
<i>haywardi</i> (Tams), <i>Divaena</i>	168-169
<i>headleyella</i> (Stainton), <i>Trifurcula</i>	282, 285
<i>heegeriella</i> (Zell.), <i>Phyllonorycter</i>	288
<i>hellenica</i> (Staud.), <i>Ancylosis</i>	38
<i>helotella</i> (Staud.), <i>Eulamprotes</i>	37
<i>helvola</i> (L.), <i>Agrochola</i>	148, 149
<i>hemidactylella</i> (D. & S.), <i>Caloptilia</i>	287
<i>heparana</i> ([D. & S.]), <i>Pandemis</i>	297
<i>hepatica</i> (Clerck), <i>Polia</i>	207
<i>hera</i> (L.), <i>Callimorpha</i>	128
<i>heracliana</i> (L.), <i>Agonopterix</i>	253, 255, 256
<i>hercegovinensis</i> Schwärda, <i>Euxoa</i>	281, 231
<i>heringi</i> Walsingham, <i>Blabophanes</i>	234
<i>Herrichia</i> spp.	307-312
<i>hilarella</i> (Zett.), <i>Phyllonorycter</i>	288
<i>hirtaria</i> (Clerck), <i>Lycia</i>	149
<i>hohenwartiana</i> ([D. & S.]), <i>Eucosma</i>	306
<i>hospes</i> (Frey.), <i>Athetis</i>	81
<i>humilis</i> ([D. & S.]), <i>Anchoscelis</i>	215, 227
<i>humuli</i> (L.), <i>Hepialus</i>	16, 268
<i>hungaricella</i> Gozmány, <i>Stomopteryx</i>	35, 37
<i>hybridella</i> (Hb.), <i>Cochylis</i>	298
<i>hyemana</i> (Haw.), <i>Acleris</i>	298
<i>hyperantus</i> (L.), <i>Aphantopus</i>	270-271
<i>hyperici</i> (D. & S.), <i>Actinotia</i>	81
<i>icarus</i> (Rott.), <i>Polyommatus</i>	320-322
<i>icterata</i> (Villers), <i>Eupithecia</i>	149
<i>icterogastra</i> (Zell.), <i>Monopis</i>	246
<i>ignorata</i> (Kuzn.), <i>Pammene</i>	117, 301
<i>imella</i> (Hb.), <i>Monopis</i>	287
<i>immundella</i> (Zell.), <i>Trifurcula</i>	285, 305
<i>imperialella</i> (Zell.), <i>Dialectica</i>	24-28, 287
<i>implicitana</i> (Wocke), <i>Cochylidia</i>	116
<i>incarnatana</i> (Hb.), <i>Notocelia</i>	300
<i>incerta</i> (Hufn.), <i>Orthosia</i>	207
<i>incognitella</i> (H. -S.), <i>Stigmella</i>	114, 285
<i>inconditella</i> (Lucas), <i>Nemapogon</i>	286
<i>indivisa</i> (Danil.), <i>Cydia</i>	100
<i>innoxiella</i> Gregersen & Karsholt,	
<i>Anarsia</i>	282, 293
<i>inopinata</i> (Bigot & Picard), <i>Stenoptilia</i>	100
<i>inornatella</i> (Douglas), <i>Brachmia</i>	293
<i>inquinatana</i> (Hb.), <i>Cydia</i>	63, 301
<i>insulata</i> Haworth, <i>Ecliptopera</i>	273
<i>interrogationis</i> (L.), <i>Syntrapha</i>	58, 80
<i>interscindana</i> (M schler), <i>Cydia</i>	196, 282, 300
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	285
<i>intricata</i> (Zett.), <i>Eupithecia</i>	137
<i>io</i> (L.), <i>Inachis</i>	1- 2, 11, 64
<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	85, 99
<i>iris</i> (L.), <i>Apatura</i>	271
<i>irrorata</i> (Staud.), <i>Agonopterix</i>	33, 36
<i>irrorella</i> (Hb.), <i>Yponomeuta</i>	100
<i>isidis</i> (Zell.), <i>Ceutholopha</i>	322-324
<i>isodactylus</i> (Zell.), <i>Platyptilia</i>	296
<i>istoki</i> Silber Nagel, <i>Zygæna</i>	52
<i>italica</i> Baldizzone, <i>Metalampra</i>	291
<i>ivella</i> (Haw.), <i>Argyresthia</i>	304
<i>jacobaeae</i> (L.), <i>Tyria</i>	317-318
<i>janthe</i> (Borkhausen), <i>Noctua</i>	191
<i>joannisi</i> (Le Marchand), <i>Phyllonorycter</i>	114
<i>juncicolella</i> (Staint.), <i>Coleophora</i>	294
<i>juniperata</i> (L.), <i>Thera</i>	122, 151
<i>jurassicella</i> (Frey), <i>Mompha</i>	295
<i>juritina</i> (L.), <i>Maniola</i>	270-271
<i>kadenii</i> (Frey.), <i>Caradrina</i>	81
<i>kindermannii</i> (Fischer von R slerstamm), <i>Anchosceles</i>	225, 227

koenigi Câpuse, <i>Nemapogon</i>	114, 249, 286
kuznetzovi Lvovsky, <i>Agonopteryx</i>	292
labcucella (Ragonot), <i>Ancylosis</i>	38
lacteana (Caradja), <i>Bactra</i>	116, 299
lacteella (Rothschild), <i>Phycitodes</i>	38
lacustrata (Panz.), <i>Eudonia</i>	17, 190
laeta (Hb.), <i>Zygaena</i>	41, 46, 48
laetus (Zell.), <i>Crombrugghia</i>	62, 296
laevigatella (H.-S.), <i>Argyresthia</i>	289
laevigella ([D. & S.]), <i>Monopis</i>	16, 253, 256-258
laevis (Hb.), <i>Propenista</i>	215, 225, 227
laichartingella (Goeze), <i>Diplodoma</i>	286
l-album (L.), <i>Mythimna</i>	320-322
lancealis ([D. & S.]), <i>Anania</i>	303
languida (Walker), <i>Mythimna</i>	168-169
lapidea (Hb.), <i>Lithophane</i>	225, 227
lapponica (Wocke), <i>Stigmella</i>	284
laricella (Hb.), <i>Coleophora</i>	294
larseniella Gozzi., <i>Syncopacma</i>	293
lathonia (L.), <i>Issoria</i>	99, 138
lathyrifoliella (Staint.), <i>Leucoptera</i>	118
latruncula ([D. & S.]), <i>Oligia</i>	203
lautella (Zell.), <i>Phyllonorycter</i>	288
lentiginosella (Zell.), <i>Mirificarma</i>	293
leucapennella (Steph.), <i>Caloptilia</i>	287, 305
leucographa (D. & S.), <i>Cerastis</i>	84
leucographella (Zell.), <i>Phyllonorycter</i>	288
leucostigma (Hb.), <i>Helotropha</i>	224, 226, 230
leucotreta (Meyr.), <i>Thaumatotibia</i>	118
leucotreta (Meyr.), <i>Cryptophlebia</i>	118
levana (L.), <i>Araschnia</i>	65
libanotidella Schläger, <i>Depressaria</i>	105-111
licarisialis (Walk.), <i>Herpetogramma</i>	59, 70, 303
lichenaria (Hufn.), <i>Cleorodes</i>	20, 75
lichenella (L.), <i>Dahllica</i>	286
ligustri ([D. & S.]), <i>Craniophora</i>	4-5, 11
limbirena (Guen.), <i>Ctenoplusia</i>	59, 78
linearia (Hb.), <i>Cyclophora</i>	17
lineatella Zell., <i>Anarsia</i>	282, 293
livornica (Esp.), <i>Hyles</i>	73
lixella (Zell.), <i>Coleophora</i>	294
jungiana (Thunb.), <i>Argyrotaenia</i>	297
lobarzewski (Nowicki), <i>Grapholita</i>	301
locupletella ([D. & S.]), <i>Mompha</i>	16, 296
lodli Vives, <i>Phereoeca</i>	113, 114
loeflingiana (L.), <i>Aleimma</i>	305
logaea Durr., <i>Rhyacionia</i>	300
loganella (Staint.), <i>Parornix</i>	287
logiana (Cl.), <i>Acleris</i>	298
lombardica Hering , <i>Blabophanes</i>	236
longana (Haw.), <i>Cnephasia</i>	116
longella (Walker), <i>Monopis</i>	246
lonicerae (Scheven), <i>Zygaena</i>	41, 46, 52, 152, 261
loreyi (Dup.), <i>Leucania</i>	84
loti ([D. & S.]), <i>Zygaena</i>	46, 50
louisella (Sirc.), <i>Ectoedemia</i>	285
lucens(Frey.), <i>Amphipoea</i>	203
lucida (Hufn.), <i>Acontia</i>	100
lucipeta ([D. & S.]), <i>Rhyacia</i>	229, 231
luctuosa ([D. & S.]), <i>Tyta</i>	259-265
lunaki (Boursin), <i>Teinoptera</i>	162, 164, 168
lunifera (Warren), <i>Xylena</i>	225, 229
lunula (Hufn.), <i>Calophasia</i>	22, 187-189, 320-322
lumulana (D. & S.), <i>Cydia</i>	37
lunularia (Hb.), <i>Selenia</i>	75, 145-154, 191
lurideola (Zincken), <i>Eilema</i>	190, 207
lusoria (L.), <i>Lygephila</i>	156, 164
lutea (Hufn.), <i>Spilosoma</i>	21, 190
luteocincta (Rambur), <i>Hadena</i>	169
luteolata (L.), <i>Opisthograptis</i>	3-4, 11, 191
lutipennella (Zell.), <i>Coleophora</i>	294
lutisignella (Mann), <i>Euzopherodes</i>	[38], 328
lutistrigella (Mann), <i>Euzopherodes</i>	38, 328
lutosa (Hb.), <i>Rhizedra</i>	224, 227
luzella (Hb.), <i>Lampronia</i>	286
lychnitis (Rambur), <i>Shargacucullia</i>	224, 226
maccana (Treits.), <i>Acleris</i>	63
machoana (L.), <i>Papilio</i>	63-64, 99
macilenta (Hb.), <i>Leptolopia</i>	215, 225, 227
maestingella (Müll.), <i>Phyllonorycter</i>	288
magna (Zell.), <i>Nematopogon</i>	118
malinellus Zell., <i>Yponomeuta</i>	288
malvae (L.), <i>Pyrgus</i>	259-265
malvella (Hb.), <i>Pexicopia</i>	293
mansuetella (Zell.), <i>Micropterix</i>	284
margaritata (L.), <i>Campaaea</i>	20
margaritella ([D. & S.]), <i>Catoptria</i>	70
margarotana (Hein.), <i>Gravitarmata</i>	63
marginata (L.), <i>Lomaspilis</i>	191
marginea (Haw.), <i>Coptotricha</i>	286
marmorata (Zett.), <i>Apamea</i>	137
maroccanella Amsel, <i>Blastobasis</i>	115
martia Godart, <i>Caligo</i>	13
masculella ([D. & S.]), <i>Incurvaria</i>	286
matura (Hufn.), <i>Thalpophila</i>	22
mayrella (Hb.), <i>Coleophora</i>	306
medinella (Staud.), <i>Eretmocera</i>	34, 36
megea (L.), <i>Lasiommata</i>	138
melanoptera (van Nieukerken & Puplesis), <i>Glaucocles</i>	31
mendica (Clerck), <i>Diaphora</i>	191
Mesapamea spp.....	203
metallicana(Hb.), <i>Phiaris</i>	299
meticulosa (L.), <i>Phlogophora</i>	8-9, 11
metzneriana (Treits.), <i>Eucosma</i>	300
mi (L.), <i>Euclidia</i>	152, 261
miata (L.), <i>Chloroclysta</i>	148, 149, 208
micalis (Mann), <i>Tebenna</i>	62-63
milhauseri (Fabr.), <i>Harpyia</i>	100
millieridactyla (Bruand), <i>Stenoptilia</i>	296
miniata (Forst.), <i>Miltochrista</i>	21, 190
minimana (Caradja), <i>Gynnidiomorpha</i>	298
minimella ([D. & S.]), <i>Nemophora</i>	285
miniosa (D. & S.), <i>Orthosia</i>	82, 137
minorata (Treits.), <i>Perizoma</i>	153
minos ([D. & S.]), <i>Zygaena</i>	46-47
minutella (L.), <i>Borkhausenia</i>	291
mirificaria Lederer, <i>Celenoptera</i>	219, 221
mniszechii (Brown), <i>Pseudochazara</i>	138
moldavicola (H.-S.), <i>Acontiola</i>	222, 223
molesta (Busck), <i>Grapholita</i>	63
molliculana Zell., <i>Cochylis</i>	298

<i>monacha</i> (L.), <i>Lymantria</i>	216
<i>moneta</i> (Fabr.), <i>Polychrysia</i>	149
<i>monodactyla</i> (L.), <i>Emmelina</i>	296, 304
<i>monoglypha</i> (Hufn.), <i>Apamea</i>	22, 191
<i>montanata</i> (D. & S.), <i>Xanthorhoe</i>	195
<i>morosa</i> (Zell.), <i>Lampronia</i>	286
<i>morpheus</i> (Hufn.), <i>Caradrina</i>	22
<i>multistrigaria</i> (Haw.), <i>Colostygia</i>	148, 150
<i>munda</i> (D. & S.), <i>Anorthoa</i>	150
<i>mundana</i> (L.), <i>Nudaria</i>	76
<i>murana</i> (Curt.), <i>Eudonia</i>	303
<i>muscerda</i> (Hufn.), <i>Pelosia</i>	76
<i>musculana</i> (Erschov), <i>Garella</i>	315-316
<i>mutica</i> Christoph, <i>Heterophysa</i>	163
<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	297
<i>myrillana</i> (H. & W.), <i>Rhopobota</i>	299
<i>naevana</i> (Hb.), <i>Rhopobota</i>	299
<i>nana</i> (Haw.), <i>Cochylis</i>	298
<i>nanata</i> (Hb.), <i>Eupithecia</i>	149, 150
<i>napi</i> (L.), <i>Pieris</i>	112
<i>nebulella</i> (D. & S.), <i>Homoeosoma</i>	303
<i>nebulosa</i> (Hufn.), <i>Polia</i>	9-10, 11
<i>nemorana</i> (Hb.), <i>Choreutis</i>	63
<i>nerii</i> (L.), <i>Daphnis</i>	58, 72
<i>nervosa</i> ([D. & S.]), <i>Smyra</i>	222, 223
<i>nervosa</i> (Haw.), <i>Agonopterix</i>	292
<i>nevadensis</i> Rambur, <i>Zygaena</i>	41, 46, 50-51
<i>ni</i> (Hb.), <i>Trichoplusia</i>	78
<i>nicellii</i> (Staint.), <i>Phyllonorycter</i>	288, 306
<i>nigra</i> (Haw.), <i>Gelechia</i>	293
<i>nigricostana</i> (Haw.), <i>Endothenia</i>	116, 299
<i>nigrofusca</i> (Esper), <i>Euxoa</i>	229, 231
<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	73
<i>noctuella</i> (D. & S.), <i>Nomophila</i>	85, 90-91
<i>notana</i> (Don.), <i>Acleris</i>	298
<i>nubeculosa</i> (Esper.), <i>Brachionycha</i>	129,
	130, 137
<i>nubigera</i> (H.-S.), <i>Heliothis</i>	80
<i>nubilalis</i> (Hb.), <i>Ostrinia</i>	67, 303
<i>nyctymeridis</i> Toulechhoff, <i>Rhyacia</i>	168, 169
<i>nylandriella</i> (Tengst.), <i>Stigmella</i>	284
<i>nymphagoga</i> (Esp.), <i>Catocala</i>	77
<i>obliquella</i> (Hein.), <i>Stigmella</i>	305
<i>obscurana</i> (Steph.), <i>Pammene</i>	301
<i>obsoleta</i> (Hb.), <i>Mythimna</i>	128
<i>obstipata</i> (Fab.), <i>Nycterosa</i>	94-95
<i>obtusana</i> (Haw.), <i>Ancylis</i>	299
<i>obumbratana</i> (L. & Z.), <i>Eucosma</i>	300
<i>obviella</i> ([D. & S.]), <i>Monopis</i>	234
<i>occulta</i> (L.), <i>Eurois</i>	85
<i>ocellana</i> (Fab.), <i>Agonopterix</i>	291
<i>ocellaris</i> (Borkh.), <i>Cirrhia</i>	81
<i>ocellata</i> (L.), <i>Smerinthus</i>	1-2, 11
<i>ocellea</i> (Haw.), <i>Euchromius</i>	70
<i>ochracella</i> (Turati), <i>Mesophleps</i>	113, 116
<i>ochrata</i> (Scop.), <i>Idaea</i>	73
<i>ochrida</i> Holik, <i>Zygaena</i>	47
<i>ochrodactyla</i> ([D. & S.]), <i>Gillmeria</i>	296
<i>oculea</i> (L.), <i>Amphipoea</i>	203
<i>Oegoconia</i> sp.....	190
<i>oehlmanniella</i> (Hb.), <i>Incurvaria</i>	305
<i>ohridella</i> Deschka & Dimic, <i>Cameraria</i>	115
<i>oleae</i> (Bernard), <i>Prays</i>	290
<i>oleastrella</i> (Mill.), <i>Zelleria</i>	289
<i>Oligia</i> spp.....	203
<i>ophiogramma</i> (Esper), <i>Lateroligia</i>	150
<i>oppressana</i> (Treits.), <i>Gypsonoma</i>	300
<i>orana</i> (F. v R.), <i>Adoxophyes</i>	297
<i>orbona</i> (Hufn.), <i>Noctua</i>	153
<i>orichalcea</i> (Frey.), <i>Thysanoplusia</i>	58, 78
<i>ornitopus</i> (Hufn.), <i>Lithophane</i>	153, 215
<i>orobi</i> (Staint.), <i>Leucoptera</i>	115, 118
<i>osteodactylus</i> (Zell.), <i>Hellinsia</i>	116
<i>osterodenisi</i> Reiss, <i>Zygaena</i>	41, 46, 50-51
<i>ostrina</i> (Hb.), <i>Eublemma</i>	77
<i>ostrinalis</i> (Hb.), <i>Pyrausta</i>	306
<i>otregiata</i> (Metcalfe), <i>Lampropteryx</i>	153
<i>paleacea</i> (Esp.), <i>Enargia</i>	82
<i>palealis</i> ([D. & S.]), <i>Sitochroa</i>	67, 303
<i>pallens</i> (L.), <i>Mythimna</i>	228, 231
<i>pallescerala</i> (Staint.), <i>Tinea</i>	236, 287
<i>pallida</i> (Curt.), <i>Eudonia</i>	306
<i>pallidata</i> (Hufn.), <i>Evergestis</i>	303, 306
<i>palpina</i> (Clerk), <i>Pterostoma</i>	191
<i>paludella</i> (Hb.), <i>Calamotropha</i>	117
<i>paludum</i> (Zell.), <i>Buckleria</i>	296
<i>palumbella</i> (D. & S.), <i>Pempelia</i>	302
<i>pamphilus</i> (L.), <i>Coenonympha</i>	24, 320-322
<i>panonica</i> Holik, <i>Zygaena</i>	52
<i>paphia</i> (L.), <i>Argynnis</i>	138
<i>paradoxaria</i> (Staud.), <i>Celenoptera</i>	219, 221
<i>paraselinii</i> Buchner, <i>Agonopterix</i>	110
<i>pariana</i> (Clerck), <i>Choreutis</i>	297
<i>parthenoides</i> (Kefer.), <i>Melitaea</i>	65
<i>parva</i> (Hb.), <i>Eublemma</i>	77, 191
<i>pasiuana</i> (Hb.), <i>Cnephasia</i>	297
<i>pastinum</i> (Treits.), <i>Lygephila</i>	153, 221,
	222, 230
<i>pastorella</i> (Zell.), <i>Phyllonorycter</i>	266-267
<i>paupella</i> (Zell.), <i>Ptocheuusa</i>	293
<i>pavonia</i> (L.), <i>Saturnia</i> ...1-2, 11, 207, 259-265	
<i>pectinataria</i> (Knoch), <i>Colostygia</i>	18, 23
<i>pedella</i> (L.), <i>Stathmopoda</i>	296
<i>pellionella</i> L., <i>Tinea</i>	235-240, 256
<i>peltigera</i> (D. & S.), <i>Heliothis</i>	95-96, 101,
	129, 130, 137
<i>pentadactyla</i> (L.), <i>Pterophorus</i>	296, 304, 306
<i>penthinana</i> (Guen), <i>Pristerognatha</i>	137
<i>peregrina</i> Agassiz, <i>Prays</i>	290
<i>peribenanderi</i> Toll, <i>Coleophora</i>	295
<i>perieresalis</i> (Walk.), <i>Diplopseustis</i>	67, 117
<i>perlella</i> (Scop.), <i>Crambus</i>	304
<i>perlucidalis</i> (Hb.), <i>Anania</i>	303
<i>permixtana</i> ([D. & S.]), <i>Gynnidomorpha</i>	298
<i>permixtaria</i> (H.-S.), <i>Catarhoe</i>	219, 221
<i>permutatella</i> (H.-S.), <i>Catoptria</i>	304
<i>perplexa</i> ([D. & S.]), <i>Hadena</i>	149
<i>persimilis</i> Hacker, <i>Hadena</i>	167, 169, 171
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	69, 99, 118,
	188, 280, 282, 303, 306, 322
<i>petasis</i> (Doubl.), <i>Hydraecia</i>	149
<i>petiverella</i> (L.), <i>Dichrorampha</i>	300
<i>phlaeas</i> (L.), <i>Lycaea</i>	24, 313-314
<i>phragmitella</i> (Hb.), <i>Chilo</i>	304
<i>picaepennis</i> (Haw.), <i>Scythris</i>	292

- pilella* ([D. & S.]), *Nematopogon* 118, 286
pilosaria ([D. & S.]), *Phigalia* 214
pimpinellae Zell., *Depressaria* 105-111, 292
pieni (L.), *Dendrolimus* 71
pinicolana (Doubld.), *Rhyacionia* 300
pinicolella (Zell.), *Batrachedra* 294
pinivorana (L. & Z.), *Rhyacionia* 300
pisi (L.), *Ceramica* 149, 150
pityocampa (D. & S.), *Thaumetopoea* 100
plebejana (Zell.), *Crocisosema* 118, 300
plecta (L.), *Ochropleura* 23
plexippus (L.), *Danaus* 64
plumbagana (Treits.), *Dichrorampha* 300
plumbella ([D. & S.]), *Yponomeuta* 288
plumigera (D. & S.), *Ptilophora* 136, 137
plumigeral (Hb.), *Pechipogo* 77, 100
Plusia spp. 203
poae Staint., *Elachista* 295
podalirius (L.), *Iphiclides* 138
polychloros (L.), *Nymphalis* 64
polycommata (D. & S.), *Trichopteryx* 74
polygrammata (Borkh.), *Costaconvexa* 129,
 130, 137
populana (Fabr.), *Pammene* 301
populata (L.), *Eulithis* 150
populetorum (Zell.), *Caloptilia* 287
porphyrea (D. & S.), *Lycophotia* 150, 151
posticana (Zett.), *Pseudococcyx* 300
postvittana (Walker), *Epiphysa* 120, 144, 297
potatoria (L.), *Euthrix* 8-9, 11
praecox (L.), *Actebia* 84
prasinaria (L.), *Hylaea* 190
Prays spp. 312
proboscinalis (L.), *Hypena* 23
procerella (D. & S.), *Bisigna* 291
processionea (L.), *Thaumetopoea* 75
prominens (Walker), *Mythimna* 167, 169
pronuba (L.), *Noctua* 85, 191
propinquella (Staint.), *Mompha* 295
propinquella (Treits.), *Agonopterix* 292
proximella (Hb.), *Carpatolechia* 306
prunalis ([D. & S.]), *Udea* 303
pruni (L.), *Odonestris* 57, 71
pruniella (Clerck), *Argyresthia* 290
prunifoliae Doets, *Coleophora* 282, 294
prunifoliella (Hb.), *Lyonezia* 290
pseudospretella (Staint.), *Hofmannophila* 242,
 253, 255, 257
pterodactyla (L.), *Stenoptilia* 17
pulchella (L.), *Utetheisa* 76
pulchrinella Chambers, *Cosmopterix* 292
pulchrina (Haw.), *Autographa* 8-9, 320-322
pulla ([D. & S.]), *Scotochrosta* 229
pulveralis (Hb.), *Psammotis* 67
pulveraria (L.), *Plagodis* 150
pulverosella (Staint.), *Bohemannia* 285
punctidactyla (Haw.), *Amblyptilia* 296, 306
punctulata (D. & S.), *Aethalura* 150
punctum Ochsenheimer, *Zygaena* 41, 46, 49
puppillaria (Hb.), *Cyclophora* 74
purpuralis (Brünnich), *Zygaena* 41, 42, 46-48
purpurea (Haw.), *Agonopterix* 291
purpurina (D. & S.), *Eublemma* 77
pusillidactylus (Walker), *Lantanophaga* 35, 37
putnami (Grote), *Plusia* 203
putridaria (H.-S.), *Catarhoe* 219, 221, 230
putris (L.), *Axylia* 23, 191
pygarga (Hufn.), *Protodeltote* 21
pygmaea (Hb.), *Epinotia* 299
pyri (D. & S.), *Saturnia* 71
pyritooides (Hufn.), *Habrosyne* 17
quadra (L.), *Lithosia* 28, 76-77, 190
quadrillella (Goeze), *Ethmia* 62, 292
quadrimaculana (Haw.), *Endothenia* 299
quadripuncta (Haw.), *Oegoconia* 291
quadripunctaria (Poda), *Euplagia* 137,
 320-322
queranca (Fabr.), *Carcina* 16, 190
quercus (L.), *Lasiocampa* 6-7, 11, 259-265
quinquella (Bedell), *Ectoedemia* 114
ramburialis (Dup.), *Diasemiopsis* 67-68, 99
ramella (L.), *Epinotia* 299
rancidella (H.-S.), *Athrips* 293
rapae (L.), *Pieris* 112
raptricula (D. & S.), *Bryophila* 226
raptricula (D. & S.), *Cryphia* 81
ratzeburgiana (Saxesen), *Zeiraphera* 300
ravula (Hb.), *Bryophila* 162
reaumurella (L.), *Adela* 304
rectifasciana Haw., *Isotrias* 297
rectilinea (Warren), *Bryophila* 162, 165, 170
recursivalis (Fabr.), *Spoladea* 58, 68-69, 117
regilla (H.-S.), *Stigmella* 284
regina Staud., *Eumeria* 221, 222
remutata f. *aversata* (L.), *Idaea* 190
repandalis (D. & S.), *Paracorsia* 58, 66
repandaria (Hufn.), *Epione* 190, 320-322
repandata (L.), *Alcis* 20
reticulatum (D. & S.), *Eustroma* 123-138
retinella Zell., *Argyresthia* 121
rhediella (Clerck), *Pammene* 301
rhombidarius (D. & S.), *Peribatodes* 19-20
rileyi (Walsingham), *Anatrachyntis* 34, 37
rimicola ([D. & S.]), *Eriogaster* 219, 220
rivulalis (Dup.), *Elophila* 281, 304
rivulana (Scop.), *Celypha* 306
roborella (Johansson), *Stigmella* 114, 285
rorrella (Hb.), *Yponomeuta* 61, 115, 288
rosea (Hb.), *Eublemma* 156, 164
roseana (Haw.), *Cochylis* 298
rubigana (Treits.), *Aethes* 304
rubiginata (D. & S.), *Plemyria* 149
rubiginata (Hufn.), *Scopula* 73
rubiginea (D. & S.), *Conistra* 129, 215
rubiginosa (Scop.), *Conistra* 81
rubiginosana (H.-S.), *Epinotia* 299
rubricosa (D. & S.), *Cerastis* 149
rufa (Haw.), *Coenobia* 150
ruficeps (Hein.), *Prays* 115, 290
ruficiliaria (H.-S.), *Cyclophora* 74
rufifasciata (Haw.), *Gymnoscelis* 19, 190
runicis (L.), *Acronicta* 191
rupicola (Curt.), *Cochylidia* 298
ruralis (Scop.), *Pleuroptya* 303
ruricolella (Staint.), *Nemapogon* 287
rusticata (D. & S.), *Idaea* 17, 73

<i>sacraaria</i> (L.), <i>Rhodometra</i>	93-94
<i>sagitella</i> (Bjerk.), <i>Phyllonorycter</i>	288
<i>sakhalinella</i> Puplesis, <i>Stigmella</i>	114, 284
<i>salaciella</i> (Treits.), <i>Opostega</i>	285
<i>salicella</i> (L.), <i>Hedya</i>	299
<i>salicis</i> (L.), <i>Leucoma</i>	149
<i>saligna</i> (Zell.), <i>Phylloclastis</i>	288
<i>salopiella</i> (Staint.), <i>Eriocrania</i>	305
<i>sambucaria</i> (L.), <i>Ourapteryx</i>	15, 28, 19, 190
<i>samiatella</i> (Zell.), <i>Stigmella</i>	285
<i>sangiella</i> (Staint.), <i>Syncopacma</i>	292
<i>santolinella</i> (Amsel), <i>Metzneria</i>	37
<i>santonici</i> (Hb.), <i>Cucullia</i>	226
<i>sarcitrella</i> (L.), <i>Endrosis</i>	253, 257
<i>saturatella</i> Staint., <i>Coleophora</i>	294
<i>saucia</i> (Hb.), <i>Peridroma</i>	98-99
<i>scalariella</i> (Zeller), <i>Dialectica</i>	32-33
<i>schreiberiana</i> (Fr l.), <i>Phtheochroa</i>	298
<i>schuetzella</i> Fuchs, <i>Diorystria</i>	302
<i>schulziana</i> , (Fabr.), <i>Phiaris</i>	299
<i>schumacherana</i> (Fabr.), <i>Olindia</i>	297
<i>schwarzella</i> (Fabr.), <i>Pancalia</i>	292
<i>scirpi</i> Staint., <i>Elachista</i>	295
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	116
<i>scribaiella</i> Zell., <i>Cosmopterix</i>	292
<i>scutosa</i> (D. & S.), <i>Schinia</i>	58, 80
<i>secalis</i> (L.), <i>Mesapamea</i>	203
<i>sehestediana</i> (Fabr.), <i>Prochoreutis</i>	297
<i>selasella</i> (Hb.), <i>Agriphila</i>	305
<i>semibrunnea</i> (Haw.), <i>Lithophane</i>	128
<i>semiffulvella</i> Haw., <i>Tinea</i>	251, 253
<i>semifusca</i> (Haw.), <i>Argyresthia</i>	305
<i>semirosellula</i> (Ragonot) <i>Lymira</i>	38
<i>semirosellula</i> (Ragonot), <i>Peoria</i>	38
<i>semirubella</i> (Scop.), <i>Oncocera</i>	65, 320-322
<i>senex</i> (Geyer), <i>Ammoconia</i>	228, 231
<i>senna</i> (Freyer), <i>Spaelotis</i>	229, 231
<i>sequax</i> (Haw.), <i>Teleiodes</i>	304
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	289
<i>sericealis</i> (Scop.), <i>Rivula</i>	21, 190
<i>sericepeza</i> (Zell.), <i>Ectoedemia</i>	285
<i>serratilineella</i> Ragonot, <i>Vitula</i>	324-327
<i>servadeii</i> Parenzan, <i>Dryobotodes</i>	231
<i>servillana</i> (Dup.), <i>Cydia</i>	301
<i>sexguttella</i> (Thunb.), <i>Chrysoesthia</i>	293
<i>shepherdana</i> (Steph.), <i>Acleris</i>	298
<i>silacea</i> ([D. & S.]), <i>Ecliptopera</i>	273
<i>similella</i> (Zinck.), <i>Elegia</i>	302
<i>similis</i> (Fuessly), <i>Euproctis</i>	21
<i>similis</i> (Staint.), <i>Bryotropha</i>	293
<i>simplicella</i> Hein., <i>Diorystria</i>	117
<i>sinapis</i> (L.), <i>Leptidea</i>	138
<i>sociana</i> (Haw.), <i>Gypsonoma</i>	300
<i>sociella</i> (L.), <i>Aphomia</i>	253, 256, 268
<i>soffneri</i> (Riedl), <i>Gnorimoschema</i>	34, 37
<i>sommulenta</i> (Zell.), <i>Bedellia</i>	290
<i>sorbi</i> (Staint.), <i>Stigmella</i>	284
<i>sordidatella</i> Tengst., <i>Depressaria</i>	292
<i>sororcula</i> (Hufn.), <i>Eilema</i>	153
<i>sororculana</i> (Zett.), <i>Apotomis</i>	298
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	289
<i>sparganii</i> (Esp.), <i>Globia</i>	277-278
<i>sparrmannella</i> (Bosc.), <i>Eriocrania</i>	284
<i>spartifoliella</i> (Hb.), <i>Leucoptera</i>	306
<i>speciosa</i> (Frey), <i>Stigmella</i>	114, 139-141, 285
<i>spiniana</i> (Dup.), <i>Pammene</i>	302
<i>spinosella</i> (Joannis), <i>Ectoedemia</i>	114
<i>splendana</i> (Hb.), <i>Cydia</i>	63
<i>splendens</i> (Hb.), <i>Lacanobia</i>	28, 82-83, 100
<i>sponsa</i> (L.), <i>Catocala</i>	78
<i>stagnana</i> ([D. & S.]), <i>Rhopobota</i>	299
<i>stavroitiacus</i> Touleichkoff, <i>Rhyacia</i>	168-169
<i>stellatarum</i> (L.), <i>Macroglossum</i>	85, 92-93, 269-270
<i>stephensi</i> (Staint.), <i>Dystebenna</i>	295
<i>sticticalis</i> (L.), <i>Loxostege</i>	66
<i>stix</i> H.-S., <i>Amphyipyra</i>	224, 226
<i>straminea</i> (Treits.), <i>Mythimna</i>	153
<i>straminella</i> (Staud.), <i>Agonopterix</i>	32
<i>strigilis</i> (L.), <i>Oligia</i>	203
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	116, 301, 305
<i>strigulatella</i> (L. & Z.), <i>Phyllonorycter</i>	114
<i>stroilella</i> (Matsumura), <i>Niditinea</i>	251, 253, 257, 287
<i>strobilella</i> (L.), <i>Cydia</i>	116, 301
<i>styracicolella</i> (Klimesch), <i>Stigmella</i>	31
<i>subaquelea</i> (Staint.), <i>Denisia</i>	291
<i>subervora</i> (Staint.), <i>Stigmella</i>	285
<i>subfasciella</i> (Steph.), <i>Cedestis</i>	289
<i>subfuscata</i> Haw., <i>Scoparia</i>	305
<i>subochreella</i> (Doubld.), <i>Pseudatemelia</i>	291
<i>suffumata</i> (D. & S.), <i>Lampropteryx</i>	18-19
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	36
<i>spectacula</i> (L. & Z.), <i>Pammene</i>	301
<i>svenssoni</i> (Johansson), <i>Stigmella</i>	285
<i>swammerdamella</i> (L.), <i>Nematopogon</i>	118
<i>sylvanus</i> (Esper), <i>Ochlodes</i>	261
<i>sylvata</i> (Scop.), <i>Abraxas</i>	19, 74, 150
<i>sylvestrella</i> (Ratz.), <i>Diorystria</i>	65, 302
<i>syringaria</i> (L.), <i>Apieira</i>	19
<i>taeniata</i> (Stephens), <i>Martania</i>	153
<i>taeniata</i> (Stephens), <i>Perizoma</i>	130
<i>taeniopennella</i> H.-S., <i>Coleophora</i>	294
<i>tamesis</i> Waters, <i>Coleophora</i>	294
<i>tedella</i> (Clerck), <i>Epinotia</i>	305
<i>tenebrata</i> (Scop.), <i>Panemera</i>	152
<i>tenebricosa</i> Zeller, <i>Depressaria</i>	36
<i>tenebrosa</i> (Esper), <i>Dryobotodes</i>	231
<i>tenerella</i> (Joan.), <i>Phyllonorycter</i>	288
<i>tenuivitella</i> (Stainton), <i>Scythris</i>	36
<i>tephradactyla</i> (Hb.), <i>Hellinsia</i>	296
<i>tephrocharis</i> (Boursin), <i>Bryophila</i>	162-163, 165, 170
<i>terebrella</i> (Zinck.), <i>Assara</i>	17, 66, 302
<i>tersata</i> ([D. & S.]), <i>Horisme</i>	19
<i>testata</i> (L.), <i>Eulithis</i>	149
<i>tetralunaria</i> (Hufn.), <i>Selenia</i>	191
<i>tetraptunctella</i> (Thunb.), <i>Athrips</i>	293
<i>thalassina</i> Hufn., <i>Lacanobia</i>	149, 150
<i>thapsiella</i> (Zeller), <i>Agonopterix</i>	32
<i>thoracella</i> (Thunberg), <i>Bucculatrix</i>	114
<i>thurneri</i> Boursin, <i>Anchoscelis</i>	225, 227
<i>tiliae</i> (Frey), <i>Stigmella</i>	284
<i>timozzaria</i> (Constant), <i>Epirrhoe</i>	110
<i>itisiphone</i> (Brown), <i>Pseudochazara</i>	138
<i>titania</i> (Esper.), <i>Acontia</i>	222

<i>torquillella</i> (Zell.), <i>Parornix</i>	288
<i>tragopoginis</i> (Clerck), <i>Amphyipyra</i>	149
<i>trapeziella</i> (Staint.), <i>Elachista</i>	295
<i>trauniana</i> ([D. & S.J.]), <i>Pammene</i>	302
<i>triatomaea</i> (Haw.), <i>Elachista</i>	295
<i>tridactyla</i> (L.), <i>Merrifieldia</i>	296
<i>tridens</i> (Cockayne), <i>Calamia</i>	57, 58, 81
<i>trifasciata</i> Staud., <i>Argyresthia</i>	289
<i>triflorella</i> (Peyerimhoff), <i>Phyllonorycter</i>	32
<i>trifolii</i> (Hufn.), <i>Anarta</i>	149
<i>trigeminata</i> (Haw.), <i>Idaea</i>	17, 190
<i>trigeminella</i> Fuchs, <i>Coleophora</i>	294
<i>trimaculana</i> (Haw.), <i>Notocelia</i>	300
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	284
<i>trinotella</i> Thunberg, <i>Tinea</i>	251, 253
<i>tripartita</i> (Hufn.), <i>Abrostola</i>	3, 11
<i>triplasia</i> (L.), <i>Abrostola</i>	149
<i>tripoliana</i> (Barr.), <i>Eucosma</i>	15, 177-187
<i>tripuncta</i> (Haw.), <i>Telechrysis</i>	116
<i>tripunctaria</i> (H.-S.), <i>Eupithecia</i>	19, 190
<i>tritici</i> (L.), <i>Euxoa</i>	231
<i>truncata</i> (Hufn.), <i>Dysstroma</i>	18
<i>truncicolella</i> (Staint.), <i>Eudonia</i>	303
<i>trux</i> (Hb.), <i>Agrotis</i>	84
<i>tumidana</i> (D. & S.), <i>Acrobasis</i>	66
<i>turbidana</i> (Hb.), <i>Apotomis</i>	304
<i>turca</i> (L.), <i>Mythimna</i>	23, 269-270
<i>typhae</i> (Thunberg), <i>Nonagria</i>	227
<i>typica</i> (L.), <i>Naenia</i>	149
<i>ulceratalis</i> Lederer, <i>Cornifrons</i>	117
<i>uliginosella</i> Zell., <i>Crambus</i>	304
<i>ulmella</i> Zell., <i>Bucculatrix</i>	287
<i>ulmivora</i> (Folgone), <i>Stigmella</i>	284
<i>umbellana</i> (Fabr.), <i>Agonopterix</i>	292
<i>umbrana</i> (Hb.), <i>Acleris</i>	298
<i>uncella</i> ([D. & S.J.]), <i>Ancylis</i>	299, 305
<i>uncula</i> (Cl.), <i>Deltote</i>	8-9, 13
<i>undalis</i> (Fabr.), <i>Hellula</i>	70
<i>undulana</i> ([D. & S.J.]), <i>Orthotaenia</i>	298
<i>unimaculata</i> (Zett.), <i>Eriocrania</i>	284, 305
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	83
<i>unitana</i> (Hb.), <i>Aphelia</i>	297
<i>upupana</i> (Treits.), <i>Ancylis</i>	299
<i>urania</i> Frivaldszky, <i>Acontia</i>	222
<i>uromovi</i> , <i>Hadena</i>	166-168, 171
<i>urticæ</i> (L.), <i>Aglais</i>	64
<i>ustulana</i> (Haw.), <i>Endothenia</i>	299
<i>utonella</i> Frey, <i>Elachista</i>	295
<i>vaccinii</i> (L.), <i>Conistra</i>	207
<i>v-ata</i> (Haw.), <i>Chloroclystis</i>	19, 190
<i>velox</i> Staud., <i>Depressaria</i>	108-109
<i>verellus</i> (Zinck.), <i>Catoptria</i>	70, 100
<i>versicolor</i> (Borkh.), <i>Oligia</i>	203
<i>vesperella</i> (Zell.), <i>Acrolepiopsis</i>	32
<i>vetusta</i> (Hb.), <i>Xylena</i>	9-10, 82, 148, 149
<i>viciae</i> ([D. & S.J.]), <i>Zygaena</i>	41, 46, 49-50
<i>vilhelmseniella</i> Karsholt & Lvovsky, sp. nov., <i>Herrickia</i>	307-312
<i>villosae</i> Corley & Buchner, sp. nov.	
Depressaria	105-111
<i>viminalis</i> (Fabr.), <i>Brachylomia</i>	149, 150
<i>vinula</i> (L.), <i>Cerura</i>	149
<i>viretata</i> (Hb.), <i>Acasis</i>	191
<i>virgaurea</i> Doubleday, <i>Eupithecia</i>	19
<i>virgo</i> (Treits.), <i>Eucarta</i>	57, 58, 80
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	80
<i>vitellina</i> (Hb.), <i>Mythimna</i>	97-98
<i>vitrealis</i> (Rossi), <i>Palpita</i>	57, 89-90, 303
<i>vitta</i> (Esper), <i>Euxoa</i>	228, 231
<i>vittata</i> (Woll.), <i>Blastobasis</i>	115
<i>vittella</i> (L.), <i>Ypsolopha</i>	289
<i>vulcanica</i> (Drenowski), <i>Hadena</i>	166-168, 171
<i>vulgata</i> (Haw.), <i>Eupithecia</i>	253, 256
<i>wagneri</i> (Boursin), <i>Ammoconia</i>	231
<i>wauaria</i> (L.), <i>Macaria</i>	148 -151
<i>weaverella</i> (Scott), <i>Monopis</i>	256
<i>weirana</i> (Dougl.), <i>Strophedra</i>	302
<i>wilkella</i> (L.), <i>Eulamprotes</i>	293
<i>wolfschlageri</i> (Boursin), <i>Anchoscelis</i>	227
<i>woodiella</i> Richards & Thomson, <i>Ephesia</i>	117, 282, 303
<i>xanthomelas</i> ([D. & S.J.]), <i>Nymphalis</i>	58, 65
<i>xanthomista</i> (Hb.), <i>Polymixis</i>	130, 137
<i>xeranthemi</i> Boisd., <i>Cucullia</i>	156, 164
<i>xylostella</i> (L.), <i>Plutella</i>	85, 86, 191
<i>yeatiana</i> (Fabr.), <i>Agonopterix</i>	292
<i>Ypsolopha</i> Latreille	312
<i>zizcac</i> (L.), <i>Notodonta</i>	6-7, 11
<i>zinckenella</i> (Treits.), <i>Etiella</i>	15, 117, 282, 302
<i>Zygaena</i> spp.	41-55, 151

HYMENOPTERA: PARASITICA

<i>Charitopes</i> <i>gastricus</i> (Holmgren).....	238
<i>Hemiteles</i> <i>flavigaster</i> Schmiedeknecht = <i>Charitopes</i> <i>gastricus</i> (Holmgren).....	238

HYMENOPTERA: ACULEATA

<i>Vespa</i> <i>mandarinia</i> Smith.....	5
---	---

NEUROPTERA

<i>Megalomus</i> <i>hirtus</i> (L.).....	274-276
<i>Symppherobius</i> <i>klapaleki</i> Zeleny	197-198

TRICHOPTERA

<i>Hydroptilia</i> <i>simulans</i> Mosely	193-194
<i>Limnephilus</i> <i>borealis</i> (Zett.)	193