

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 134 (2022)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2022 is £30.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: colinwplant@gmail.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S.

Proof Reader: Vacant

Indexer: Mark A. Yeates F.L.S., F.R.E.S.

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue pdf files in place of paper reprints. These are sent automatically to the first named author of Papers and Notes. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publications are also subject to the GDPR and must adhere to the published AES policy.

Nothris congressariella (Bruand, 1858): Gelechiidae. Bred ex *Scrophularia scorodonia*, 3.iv.2009, Upton Towans, Cornwall. Photograph copyright © R. J. Heckford

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

- Amyl acetate increases macromoth catches in light traps. *Chris Tyler-Smith & Yali Xue*, 316-322
- An annotated list of the Lepidoptera of Shetland. *M. G. Pennington and P. V. Harvey*, 157-209
- An example of the species diversity and abundance of butterflies of the forest edge in the vicinity of Jagodina (Serbia). *Boban Stanković*, 46-51
- Anania coronata* (Hufnagel, 1767) and *Anania hortulata* (Linnaeus, 1758) (Lep.: Crambidae): larvae of both feeding on Hedge Bindweed *Calystegia sepium* (L.) R. Br. in Devon, England, an overlooked foodplant of the former and a rarely recorded one of the latter in the British Isles and consideration of the voltinism of *A. coronata*. *R. J. Heckford*, 59-67

B

- Batrachedra confusella* Berggren, Aarvik, Huemer, Lee & Mutanen, 2022 (Lep.: Batrachedridae) in Britain. *Peter Hall & Colin W. Plant*, 53-57
- British *Blastobasis maroccanella* Amsel, 1952 are *B. vittata* (Wollaston, 1858). *Richard Dickson, John R. Langmaid and Ian Thirlwell*, 116-120

E

- Epiblema graphana* (Treitschke, 1835) (Lep.: Tortricidae) new to the British Isles. *Raymond A. Watson*, 213-214
- Eublemma cochylioides* (Guenée, 1852) (Lep.: Erebidae) in Hertfordshire – new to Great Britain. *David H. Hatton, John E. Chainey & Jennifer M. Spence*, 282-286

F

- Fifth update to *A Checklist of the Lepidoptera of the British Isles*, 2013 on account of subsequently published data. *David J. L. Agassiz, S. D. Beavan & R. J. Heckford*, 1-15

H

- Homoeosoma nimbella* (Duponchel, 1837) (Lep.: Pyralidae) breeding in Dorset (VC9), with comments on the distribution at the site. *Jack W. Oughton*, 18-20

I

- (The) immigration of Lepidoptera to the British Isles in 2018. *Sean P. Clancy*, 230-269
- Isophrictis anthemidella* (Wocke, 1871) (Lep.: Gelechiidae), new for Great Britain. *Mark J. Sterling, Klaus Sattler and David C. Lees*, 7-15

L

- Larval ecology of the Forester *Adscita statices* (L., 1758) (Lep.: Zygaenidae) at a site in Glamorgan, South Wales. *G. M. Tordoff*, 137-142
- Loryma egregialis* (Herrich-Schäffer, 1838) (Lep.: Pyralidae) new to Britain and Northern Europe. *Robin Knill-Jones*, 278-281

M

- Microlepidoptera Review of 2021. *A. M. Davis & G. M. Tordoff*, 287-314

N

- Noctua tertia* Mentzer, Moberg & Fibiger, 1991 (Lep.: Noctuidae) in Britain. *Brian Elliott & David Wilson*, 215-219

O

- Observations on the reliability of external characteristics to distinguish adults of the British Copper Underwing species *Amphipyra pyramidea* (L.) and *A. berbera* Rungs (Lep.: Noctuidae). *L. J. Evans-Hill*, 123-136
- On the occurrence of *Oecophora bractella* (Linnaeus, 1758) (Lep.: Oecophoridae) in the Norfolk Broads, England. *M. A. Court, S. D. Beavan and R. J. Heckford*, 98-103

R

- Recent rediscovery of Dusky Clearwing *Paranthrene tabaniformis* (Rottenburg, 1775) (Lep.: Sesiidae) in Britain. *M. S. Botham, S. Falk, K. Howell, S. Phillips, M. McCracken, G. M. Tordoff and J. T. Staley*, 210-212
- Recording invertebrates – the importance of accuracy. *Martin Albertini, Jon Cole, Les Evans-Hill, Keith Lugg, Ian Masters, Ian Sims and Adrian Spalding*, 69-80

S

- (The) status of *Caloptilia honoratella* (Rebel, 1914) and *C. hemidactylella* ([Denis & Schiffermüller], 1774) in Britain with a note on two similar additional *Acer*-feeding *Caloptilia* that might appear in Britain (Lep.: Gracillariidae). *Colin W. Plant*, 21-39

2: NOTES

A

- A comparison of macromoth catches by Robinson and Moonlander light-traps. *Chris Tyler-Smith and Yali Xue*, 92-97
- A further record of larval feeding by *Anania coronata* (Hufnagel, 1767) (Crambidae) on Hedge Bindweed *Calystegia sepium* (L.). *Ben Smart*, 152
- A much belated record of *Cydia interscindana* (Möschler) from Kent (Lep.: Tortricidae). *Colin W. Plant*, 153
- A record of *Xystophora pulveratella* (Herrich-Schäffer, 1854) (Lep.: Gelechiidae) in Northumberland – the first in England for 109 years. *Ian Fisher*, 67-68
- A very late account of breeding *Eana argentana* (Clerck, 1759) from Andorra. *Robin Knill-Jones*, 314-315
- Athrips rancidella* (Herrich-Schäffer, 1854) (Lep.: Gelechiidae) new to Northamptonshire (VC32) and a significant distance from previously known distribution. *Mark Hammond*, 82-84

B

- Barea asbolaea* (Meyrick, 1833) (Lep.: Oecophoridae) discovered in Sussex. *Michael Whiteside*, 6

C

- Caloptilia fidella* (Reutti, 1853) (Lep.: Gracillariidae): Further studies in East Suffolk. *Raymond A. Watson and Helen McClellon-Warnock*, 40-42
- Celypha rufana* (Scopoli, 1763) (Lep.: Tortricidae): First record for Scotland. *Michael Taylor & Genevieve Tompkins*, 220-221
- Cydia servillana* (Dup. 1836) (Lep.: Tortricidae) recorded new to Scotland. *B. Higgins & M.R. Young*, 223-224

D

- DNA bar-coding reveals unusual female form of *Epischidia fulvostrigella* (Eversmann, 1844) (Lepidoptera: Pyralidae) in Spain. *John Girdley, Manuel Garre, R. M. Rubio, J. J. Guerrero and A. S. Ortiz*, 88-90

E

- Ectoedemia heringella* (Mariani) (Lep.: Nepticulidae) –the first records for North Wales. *Melissa G. Banthorpe*, 327-328
- Epermenia insecurella* (Stainton, 1849) (Lep.: Epermeniidae) population monitoring at its Gloucestershire site. *Guy H. J. Meredith*, 322-326
- Epinotia granitana* (Herrich-Schäffer, 1851) (Lep.: Tortricidae): Third record for the British Isles. *Andy King*, 16-17

F

- First observation of Channel Islands Pug *Eupithecia ultimaria* (Boisduval, 1840) (Lep.: Geometridae) in Berkshire. *Gareth Scourfield & Alex Scourfield*, 222-223
- Further additions to the Lepidoptera recorded in Huntingdonshire, vice-county 31, with notes on some other unusual species recorded during 2021. *Barry Dickerson*, 143-147
- Further records of *Megalomus hirtus* (L., 1761) (Neur.: Hemerobiidae) including discovery in East Sutherland. *Nick A. Littlewood*, 225-227

L

- Larva of Forester *Adscita statices* (L., 1758) (Lep.: Zygaenidae) found in spring. *Paul Waring*, 326-327

Larvae mining Spindle berries – a cautionary tale. *Rob Edmunds*, 44-45

Larvae of Flame Brocade *Trigonophora flammea* (Esper), White Point *Mythimna albipuncta* (D.&S.) and Dark Sword-grass *Agrotis ipsilon* (Hufn.) found in the wild in the UK (Lep.: Noctuidae). *B. P. Henwood, P. H. Sterling and D. Foot*, 150-151

Larval colour and marking polymorphism in the Eyed and Poplar Hawk-moths *Smerinthus ocellata* (L.) and *Laothoe populi* (L.) (Lep.: Sphingidae): Some observations on crypsis. *Mark Noble*, 85-8

Late-flying moths in Yorkshire in 2021. *Charles Fletcher*, 148-149

Leucoptera spartifoliella (Hübner, [1813]0 (Lep.: Lyonetiidae) egg cases visible at start of larval mines. *Nigel G. J. Richards*, 58

M

Migration of the African Monarch Butterfly *Danaus chrysippis* (L.) (Lep.: Danainae. Nymphalidae) on the coast of the Gambia, West Africa, in 1984. *John F. Burton*, 42-43

Moth dispersal as observed at light traps. *Paul Waring and Dee Shore*, 120-122

R

Recolonization of Werrington Brook Drain, Peterborough by the Four-spotted Moth *Tyta luctuosa* (D.&S.) and other day-flying Lepidoptera in 2021. *Paul Waring*, 153-155

T

The first record of Fetcher's or Pauper Pug *Eupithecia egenaria* (Herrich-Schäffer, 1848) (Lep.: Geometridae) in Scotland. *Steve J. Petty*, 80-81

The occurrence of species of *Oligia* (Heinicke, 1959) and *Mesapamea* (Hübner, [1921]) (Lep.: Noctuidae) in the west of Scotland. *Steve J. Petty*, 91

U

Unusual colour form of *Caloptilia stigmatella* (Fabr., 1781) (Lep.: Gracillariidae). *Nigel G. J. Richards*, 224-225

W

Western Gorse *Ulex gallii* Planch: A previously unrecorded foodplant of *Phyllonorycter ulicicolella* (Stainton) (Gracillariidae). *B. P. Henwood*, 115

3: BOOK REVIEWS

Pterophoridae Fauna of Balkan Peninsula (Lepidoptera): Distribution, Biology, Identification by Imre Fazekas, 5

Why nature conservation isn't working by Adrian Spalding, 52

The Gelechiidae of North-west Europe, 227-228

Butterflies of Cyprus: a Field Guide and Distribution Atlas, 228-229

4. ANNOUNCEMENTS

John Langmaid, 104

Appeal for Lacewing specimens from light traps, 156

2023 cover photograph, 286

Indexer needed for this journal, 277

5. CORRIGENDA

Corrigenda, 328

6. OBITUARIES

John Rendle **Langmaid**, 105-115

Barry **Goater**, 270-276

7: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Agassiz David J. L.	1-15	Masters, Ian	69-80
Albertini, Martin.....	69-80	McClennon-Warnock, Helen.....	40-42
Banthorpe, Melissa G.	327-328	McCracken, M.	210-212
Beavan, S. D.	<i>1-15, 98-103</i>	Meredith, Guy H. J.	322-326
Botham, M. S.	210-212	Noble, Mark	85-8
Burton, John F.	42-43	Ortiz, A. S.	88-90
Chainey, John E.	282-286	Oughton, Jack W.	18-20
Clancy, Sean P.	230-269	Pennington, M. G.	157-209
Cole, Jon.....	69-80	Petty, Steve J.	80-81, 91
Court, M. A.	98-103	Phillips, S.	210-212
Davis, A. M.	287-314	Plant, Colin W.	21-39, 53-57, 153
Dickerson, Barry	143-147	Richards, Nigel G. J.	58, 224-225
Dickson, Richard	116-120	Rubio, R. M.	88-90
Edmunds, Rob	44-45	Sattler, Klaus	7-15
Elliott, Brian	215-219	Scourfield, Alex	222-223
Evans-Hill, L. J.	69-80, 123-136	Scourfield, Gareth	222-223
Falk, S.	210-212	Shore, Dee	120-122
Fisher, Ian	67-68	Sims, Ian.....	69-80
Fletcher, Charles.....	148-149	Smart, Ben	152
Foot, D.....	150-151	Spalding, Adrian.....	69-80
Garre, Manuel.....	88-90	Spence, Jennifer M.	282-286
Girdley, John	88-90	Staley, J. T.	210-212
Guerrero, J. J.	88-90	Stanković, Boban	46-51
Hall, Peter	53-57	Sterling, Mark J.	7-15
Hammond, Mark	82-84	Sterling, P. H.	150-151
Harvey, P. V.	157-209	Taylor, Michael.....	220-221
Hatton, David H.	282-286	Thirlwell, Ian	116-120
Heckford, R. J.	<i>1-15, 59-67, 98-103</i>	Tompkins, Genevieve.....	220-221
Henwood, B. P.	115, 150-151	Tordoff, G. M.	137-142, 210-212, 287-314
Higgins, B.	223-224	Tyler-Smith, Chris.....	92-97, 316-322
Howell, K.	210-212	Waring, Paul	120-122, 153-155, 326-327
King, Andy	16-17	Watson, Raymond A.	40-42, 213-214
Knill-Jones, Robin	278-281, 314-315	Whiteside, Michael.....	6
Langmaid, John R.(†)	116-120	Wilson, David.....	215-219
Lees, David C.	7-15	Xue, Yali	92-97, 316-322
Littlewood, Nick. A.	225-227	Young, M. R.	223-224
Lugg, Keith	69-80		

SPECIAL INDEX

Compiled by Mark Yeates

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are indicated by an asterisk*.

	Page	Page
LEPIDOPTERA		
<i>abietana</i> (Hübner), <i>Acleris</i>	2, 312	
<i>abietaria</i> (Goeze), <i>Eupithecia</i>	183, 242	
<i>abietella</i> ([D. & S.]), <i>Dioryctria</i>	176	
<i>abscisana</i> (Doubl.), <i>Lobesia</i>	170, 305	
<i>absinthia</i> (Linn.), <i>Cucullia</i>	187, 202	
<i>absoluta</i> (Meyrick), <i>Tuta</i>	234, 299	
<i>acanthadactyla</i> (Hübner), <i>Amblyptilia</i>	302	
<i>aceris</i> (Frey), <i>Stigmella</i>	289	
<i>acerivorella</i> (Kuznetsov), <i>Caloptilia</i>	26	
<i>acetosae</i> (Staint.), <i>Enteucha</i>	289	
<i>acroxantha</i> (Meyrick), <i>Tachystola</i>	297	
<i>acuminatana</i> (Lien. & Zell.), <i>Dichrorampha</i>	207, 306	
<i>acuminatella</i> (Sirc.), <i>Scrobipalpa</i>	165	
<i>acuminatus</i> (Stdgr), <i>Dichomeris</i>	234	
<i>acuta</i> Bradley, <i>Blastobasis</i>	119	
<i>acutellus</i> (Evers.), <i>Sclerocona</i>	146, 309	
Adelidae Bruand	2	
Adelinae	2	
Adeloidea	2	
<i>adrianae</i> Asselbergs, <i>Bradyrrhoa</i>	90	
<i>adscitella</i> Staint., <i>Elachista</i>	301	
<i>adusta</i> (Esp.), <i>Mniotype</i>	193	
<i>adusta</i> f. <i>virgata</i> , <i>Mniotype</i>	193	
<i>adustella</i> Wals., <i>Blastobasis</i>	116, 117, 313	
<i>advenella</i> (Zinck.), <i>Acrobasis</i>	175	
<i>aegeria</i> (Linn.), <i>Pararge</i>	49, 154	
as 'Speckled Wood', <i>aeneana</i> (Hübner), <i>Commophila</i>	153, 155	
as 'Orange Conch' <i>aerugula</i> (Hübner), <i>Nola</i>	231, 253	
<i>aestimaria</i> (Hübner), <i>Chiasmia</i>	231, 242	
<i>affinis</i> (Haw.), <i>Bryotropha</i>	165, 298	
<i>affinitata</i> (Steph.), <i>Perizoma</i>	208	
<i>agathina</i> (Dup.), <i>Xestia</i>	198, 201	
<i>Agrochola</i> Hübner	2, 3	
<i>Agrotis</i> sp.	150	
<i>alacella</i> (Zell.), <i>Dichomeris</i>	298	
<i>albedinella</i> (Zell.), <i>Bucculatrix</i>	147	
<i>albidella</i> ([D. & S.]), <i>Coleophora</i>	300	
<i>albidella</i> Nylander, <i>Elachista</i>	167, 207	
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	291	
<i>albinaculea</i> (Haw.), <i>Denisia</i>	296	
<i>albipuncta</i> ([D. & S.]), <i>Mythimna</i>	150, 150 (photo), 151	
<i>albipunctata</i> (Hufn.), <i>Cyclophora</i>	180	
<i>albovenosa</i> (Goeze), <i>Simyra</i>	187, 202	
<i>albuginana</i> (Guen.), <i>Pammene</i>	308	
<i>albula</i> ([D. & S.]), <i>Meganola</i>	144	
<i>albulata</i> ([D. & S.]), <i>Perizoma</i>	183, 201	
<i>albulata</i> ssp. <i>subfasciaria</i> , <i>Perizoma</i>	183, 200	
<i>alburnella</i> (Zell.), <i>Carpatolechia</i>	299	
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	311	
<i>alchymista</i> ([D. & S.]), <i>Catephia</i>	230, 247, 266	
<i>alcyonipennella</i> (Kollar), <i>Coleophora</i>	300	
<i>algae</i> (Fabr.), <i>Cryphia</i>	148, 249	
<i>algira</i> (Linn.), <i>Dysgonia</i>	231, 247, 279	
<i>allisella</i> Staint., <i>Exaeritia</i>	164	
<i>alnetella</i> (Staint.), <i>Stigmella</i>	289	
<i>alpestrana</i> ([Zell.]), <i>Dichrorampha</i>	1	
<i>alpicola</i> (Zett.), <i>Xestia</i>	198, 201	
<i>alpina</i> (Curtis), <i>Eudonia</i>	177, 201	
<i>alpinana</i> (Treits.), <i>Dichrorampha</i>	306	
<i>alpinella</i> Staint., <i>Elachista</i>	166	
<i>alpinella</i> (Hübner), <i>Platytes</i>	179, 208	
<i>alsinella</i> (Zell.), <i>Caryocolum</i>	299	
<i>alstromeriana</i> (Clerck), <i>Agonopterix</i>	164	
<i>alternata</i> (Müll.), <i>Epirrhoe</i>	181	
<i>alticolella</i> Zell., <i>Coleophora</i>	166	
<i>amani</i> Svens., <i>Zimmermannia</i>	290	
<i>ambigua</i> ([D. & S.]), <i>Hoplodrina</i>	150	
<i>ambigualis</i> (Treits.), <i>Scoparia</i>	177	
<i>ambigualis</i> f. <i>atomalis</i> (Treits.), <i>Scoparia</i>	177	
<i>ambigualis</i> f. <i>atomaria</i> , <i>Scoparia</i>	208	
<i>ambovombealis</i> Leraut, <i>Loryma</i>	280	
<i>Amphipoea</i> sp.	71 as 'Ear moths', 189	
<i>amplana</i> (Hübner), <i>Cydia</i>	254, 255, 307	
<i>anachoreta</i> ([D. & S.]), <i>Clostera</i>	243	
<i>anceps</i> ([D. & S.]), <i>Apamea</i>	209	
<i>Anchoscelis</i>	2	
<i>ancipitella</i> (La Harpe), <i>Scoparia</i>	310	
<i>anella</i> ([D. & S.]), <i>Lamoria</i>	230, 231, 236	
<i>angustana</i> (Hübner), <i>Eupoecilia</i>	170	
<i>angustana</i> ssp. <i>thuleana</i> , <i>Eupoecilia</i>	170, 200	
<i>angustea</i> (Curtis), <i>Eudonia</i>	177	
<i>angustella</i> (Hübner), <i>Nephtopterix</i>	44, 45, 308	
<i>angustiorana</i> (Haw.), <i>Ditula</i>	303	
<i>annulatella</i> (Curtis), <i>Rhigognostis</i>	163, 296	
<i>anthemidella</i> (Wocke), <i>Isophrictis</i>	7, 8, 9, 10, 10 (photo), 11, 12 (photo), 13 (photo), 14, 15, 287, 312	

<i>anthyllidella</i> (Hübner), <i>Aproaerema</i>	298
<i>antiopa</i> (Linn.), <i>Nymphalis</i>	49, 175, 235
<i>antiqua</i> (Linn.), <i>Orgyia</i>	186
<i>Apamea</i> sp.	209
<i>apicipunctella</i> Staint., <i>Elachista</i>	166
<i>apiformis</i> (Clerck), <i>Sesia</i>	212
<i>apparella</i> (H.-S.), <i>Phyllonorycter</i>	162, 202
<i>arbutella</i> (Linn.), <i>Argyroproce</i>	170, 201, 305
<i>arcania</i> (Linn.), <i>Coenonympha</i>	49
<i>arcuatella</i> (H.-S.), <i>Ectoedemia</i>	291
<i>arenella</i> ([D.& S.]), <i>Agonopterix</i>	164, 311
<i>argentana</i> (Clerck), <i>Eana</i>	314, 315
<i>argentella</i> (Clerck), <i>Elachista</i>	166
<i>argentimaculella</i> (Staint.), <i>Infurcitinea</i>	292
<i>argentina</i> (Steph.), <i>Coleophora</i>	313
<i>argiades</i> (Pall.), <i>Cupido</i>	48
<i>argiolus</i> (Linn.), <i>Celastrina</i>	48
<i>argus</i> (Linn.), <i>Plebejus</i>	48
<i>argyrana</i> (Hübner), <i>Pammene</i>	307
<i>argyrognomon</i> (Bergsträsser), <i>Plebejus</i>	48
<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	290
<i>aridella</i> (Thunb.), <i>Pediasia</i>	178, 179
<i>arion</i> (Linn.), <i>Phengaris</i>	69
as ‘Large Blue’,.....	70 as ‘Large Blue’
<i>armigera</i> (Hübner), <i>Helicoverpa</i>	188, 262
<i>artaxerxes</i> (Fabr.), <i>Aricia</i>	207
<i>artemiscolella</i> Bruand, <i>Coleophora</i>	300
<i>aruncella</i> (Scop.), <i>Micropterix</i>	161
<i>asbolaea</i> (Meyrick), <i>Barea</i>	6, 6 (photo), 297
<i>aspersana</i> (Hübner), <i>Acleris</i>	169
<i>asseclana</i> ([D.& S.]), <i>Cnephasia</i>	325
<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	163, 296
<i>assimilata</i> Doubl., <i>Eupithecia</i>	184
<i>assimilella</i> (Zell.), <i>Stigmella</i>	290
<i>assimilis</i> Doubl., <i>Hadena</i>	200, 201
<i>assimilis</i> (Doubl.), <i>Apamea</i>	201
<i>asteris</i> Mühlig, <i>Coleophora</i>	166
<i>astrantiae</i> (Hein.), <i>Agonopterix</i>	297
<i>atalanta</i> (Linn.), <i>Vanessa</i>	155, 174, 255
<i>atomaria</i> (Linn.), <i>Ematurga</i>	153, 155
as ‘Common Heath’,.....	185
<i>atrata</i> (Linn.), <i>Odezia</i>	143
<i>atricapitana</i> (Steph.), <i>Cochylichroa</i>	304
<i>atrifrontella</i> (Staint.), <i>Zimmermannia</i>	290
<i>atriplicella</i> (F.v.R.), <i>Scrobipalpa</i>	165
<i>atriplicis</i> (Linn.), <i>Trachea</i>	250
<i>atropos</i> (Linn.), <i>Acherontia</i>	88, 159, 179, 240, 266
<i>augur</i> (Fabr.), <i>Graphiphora</i>	198
<i>aurantiara</i> (Hübner), <i>Agriopis</i>	184
<i>aurata</i> (Scop.), <i>Pyrausta</i>	309
<i>aureatella</i> (Scop.), <i>Micropterix</i>	289
<i>auritella</i> (Hübner), <i>Pseudopostega</i>	311
<i>auroguttella</i> Steph., <i>Euspilapteryx</i>	293
<i>autumnata</i> (Borkh.), <i>Epirrita</i>	182
<i>autumnitella</i> Curtis, <i>Acrolepia</i>	311
<i>azaleella</i> (Brants), <i>Caloptilia</i>	293
<i>badiella</i> (Hübner), <i>Depressaria</i>	165
<i>baja</i> ([D.& S.]), <i>Xestia</i>	198
<i>baliodactylus</i> (Zell.), <i>Merrifieldia</i>	302
<i>bankiana</i> (Fabr.), <i>Deltote</i>	249
<i>barrygoateri</i> Ronkay & Ronkay, <i>Armada</i>	274
<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	2
<i>basiguttella</i> (Hein.), <i>Stigmella</i>	290
<i>batis</i> (Linn.), <i>Thyatira</i>	148
<i>beatricella</i> (Walsingham), <i>Aethes</i>	2
<i>berbera</i> Rungs, <i>Amphipyra</i>	123, 124 (photo), 125, 126, 126 (dist. map), 127, 128, 129, 129 (photo), 130, 130 (photo), 131, 131 (photo), 132, 132 (photo), 133, 133 (photo), 134, 134 (photo), 135, 188
<i>berbera svenssoni</i> Fletcher, <i>Amphipyra</i>	125 (photo)
<i>betulae</i> (Linn.), <i>Thecla</i>	48
<i>betulicola</i> (Hering), <i>Caloptilia</i>	23, 33, 35 (photo), 36 (photo), 293
<i>betulicola</i> (Staint.), <i>Stigmella</i>	73 (photo)
<i>biatomella</i> (Staint.), <i>Elachista</i>	301
<i>bicruris</i> (Hufn.), <i>Hadena</i>	194, 209
<i>bidentata</i> (Clerck), <i>Odontopera</i>	208
<i>bifaciata</i> (Haw.), <i>Perizoma</i>	183
<i>bifasciana</i> (Haw.), <i>Piniphila</i>	305
<i>bifida</i> (Brahm), <i>Furcula</i>	148
<i>bilbaensis</i> (Rössler), <i>Aethes</i>	235
<i>bilineata</i> (Linn.), <i>Camptogramma</i>	180
<i>bilineata</i> ssp. <i>atlantica</i> , <i>Camptogramma</i>	181, 200
<i>bilunana</i> (Haw.), <i>Epinotia</i>	305
<i>bimaculosa</i> (Linn.), <i>Meganephrina</i>	105
<i>binaevella</i> (Hübner), <i>Phycitodes</i>	207, 308
<i>binderella</i> (Kollar), <i>Coleophora</i>	300
<i>bipunctaria</i> ([D.& S.]), <i>Scotopteryx</i>	149
<i>bipunctidactyla</i> (Scop.), <i>Stenoptilia</i>	167, 207, 302
<i>biren</i> (Goeze), <i>Papestra</i>	194
<i>biselata</i> (Hufn.), <i>Idaea</i>	208
<i>bistriatella</i> (Hulst), <i>Apomyeloides</i>	308
<i>bisulcella</i> (Dup.), <i>Elachista</i>	301
<i>biviella</i> (Zell.), <i>Vitula</i>	147, 309
<i>blanda</i> ([D.& S.]), <i>Hoplodrina</i>	188
<i>blandiata</i> ([D.& S.]), <i>Perizoma</i>	183
<i>Blastobasis</i> sp.	115, 118
<i>boeticus</i> (Linn.), <i>Lampides</i>	175, 236
<i>boisduvaliella</i> (Guen.), <i>Pima</i>	175
<i>boreella</i> (Dougl.), <i>Bryotropha</i>	298
<i>botrana</i> ([D.& S.]), <i>Lobesia</i>	312
<i>bractea</i> ([D.& S.]), <i>Autographa</i>	187, 248
<i>bractella</i> (Linn.), <i>Oecophora</i>	98, 98 (photo), 99, 100, 101 (photo), 102, 297
<i>brassicae</i> (Linn.), <i>Mamestra</i>	194
<i>brassicae</i> (Linn.), <i>Pieris</i>	48, 173
<i>britanniodactylus</i> (Gregson), <i>Capperia</i>	302

brongniardella (Fabr.), *Acrocercops*.....293, 313
brumata (Linn.), *Operophtera*.....145, 182
brunnea ([D.& S.]), *Diarsia*196
brunnichana (Linn.), *Epinotia*.....305
buettneri (Hering), *Sedina*250
caesiata ([D.& S.]), *Entephria*148, 181, 199
caesiata f. *atrata*, *Entephria*.....181
caesiata ssp. *hethlandicaria*, *Entephria*181
cagnagella (Hübner), *Yponomeuta*162
caja (Linn.), *Arctia*143, 186
c-album (Linn.), *Polygonia*47, 48
caledoniana (Steph.), *Acleris*207
calendulae Treits., *Cucullia*.....230, 232, 249
Callistege Hübn.1
Caloptilia sp.21, 26, 31, 33, 37, 41
campoliliana ([D.& S.]), *Eucosma*.....172, 306
cana (Haw.), *Eucosma*.....172
candidula ([D.& S.]), *Pseudeustrotia*.....278, 279
as 'Shining Marbled'
caniola (Hübner), *Eilema*244
caprana (Fabr.), *Epinotia*171, 305
capreolaria ([D.& S.]), *Pungeleria* ..230, 231, 242
caprimulgella (Staint.), *Triaxomasia* 147, 292, 311
cardamines (Linn.), *Anthocharis*.....48, 155
cardui (Linn.), *Vanessa*.....48, 174, 256
carphodactyla (Hübner), *Hellinsia*.....302
carpinata (Borkh.), *Trichopteryx*.....208
carpinella (Frey), *Parornix*294
castanea (Esp.), *Xestia*148
catalaunalis (Dup.), *Antigastra*231, 238
celerio (Linn.), *Hippotion*.....241
celsicola ssp. *goateri*, *Yigoga*274
celtis (Laicharting), *Libythea*.....229
centaureata ([D.& S.]), *Eupithecia*184
centrafricalis (Leraut), *Loryma*280
cerisy (Godart), *Zerynthia*48
cespitana (Hübner), *Ceypha*304
cespitis ([D.& S.]), *Tholera*209
chalcites (Esp.), *Chrysodeixis*231, 247
chi (Linn.), *Antitype*251
choragella ([D.& S.]), *Morphaga*.....292
chrysippus (Linn.), *Danaus*42, 43, 235
chrysippus f. *alcippoides*, *Danaus*.....43
chrysippus ssp. *alcippus*, *Danaus*.....42, 43
chrysippus ssp. *chrysippus*, *Danaus*43
chrysitis (Linn.), *Diachrysia*.....187
chrysolepidella (Zell.), *Paracrania*289
cidarella (Zell.), *Bucculatrix*293
ciliella (Staint.), *Agonopterix*164
cilium Guen., *Spodoptera*249
cinctella (Clerck), *Proaerema*2
cinereana (Haw.), *Epinotia*.....207
cinerosella (Zell.), *Euzophera*146
cinnamomeana (Treits.), *Pandemis*303
circellaris (Hufn.), *Sunira*145

circellaris (Hufn.), *Agrochola*192, 202
circumvoluta (Fourcroy), *Myelois*176, 202
cirrigerella (Zinck), *Eurhodope*270
citrata (Linn.), *Dysstroma*182
citrata ssp. *pythonissata*, *Dysstroma*182, 200
citrella Staint., *Phyllocnistis* ..74, 74 (photo), 288
citrinalis (Scop.), *Hypercallia*297
clavipalpis (Scop.), *Caradrina*188
clavis (Hufn.), *Agrotis*150
cloacella (Haw.), *Nemapogon*292
cnicana (Westw.), *Aethes*.....170
c-nigrum (Linn.), *Xestia*198
cochylitoides (Guen.)*, *Eublemma*.....282, 283,
283 (photo), 284 (photo), 285, 286,
286 as 'Pink-barred Eublemma',
286 as 'Pink-barred Marbled'
cognata (Thunb.), *Thera*.....181
Coleophora sp.113
columbariella Wocke, *Tinea*292
comae Schmidt, *Timandra*150, 180
comes Hübn., *Noctua*197, 209
comitata (Linn.), *Pelurga*181
commoda ssp. *goateri* Fibiger, *Rhiza*274
comparella (Dup.), *Phyllonorycter*.....147
compositella (Fabr.), *Grapholita*312
compunctella H.-S., *Swammerdamia*.....295
confusa (Hufn.), *Hadena*194, 199
confusa (Steph.), *Macdunnoughia*.121, 122, 187,
202, 248
confusa f. *obliterae*, *Hadena*195
confusella Berggren et al.*, *Batrachedra*53,
54 (photo), 55, 55 (photo), 56, 56 (photo), 57
congelatella (Clerck), *Exapate*304
conicolana (Heyl.), *Cydia*306
coniferana (Saxesen), *Cydia*.....2
conigera ([D.& S.]), *Mythimna*209
conjugella Zell., *Argyresthia*164
consortana Steph., *Dichrorampha*207
conspicuellata Zell., *Coleophora*.....145 (photo),
147, 300
conspurcatella (Zell.), *Bankesia*291
conterminella (Zell.), *Agonopterix*297
contritella (Walk.), *Trachypepla*146, 234
convolvuli (Linn.), *Agrius*.....179, 208, 257, 258
conwagana (Fabr.), *Pseudargyrotoza*170
Coranarta Beck2
cordigera (Thunb.), *Coranarta*.....209
cordigera (Thunb.), *Anarta*201
coridon (Poda), *Polyommatus*282
coronata (Hufn.), *Anania*59, 60, 61, 62,
63 (photo), 64, 65, 66, 152
coryli (Linn.), *Colocasia*148
coryli (Nic.), *Phyllonorycter*.....311
cosmophorana (Treits.), *Cydia*307
costaeirigalis (Steph.), *Schranksia*186

<i>costalis</i> (Fabr.), <i>Hypsopygia</i>	280	<i>dispar</i> (Linn.), <i>Lymantria</i>	145, 244
<i>costella</i> (Hump. & Westw.), <i>Scrobipalpa</i>	299	<i>dispar</i> (Haw.), <i>Lycaena</i>	48
<i>crassalis</i> (Fabr.), <i>Hypena</i>	148, 244	<i>distans</i> (Zell.), <i>Oxyptilus</i>	302
<i>crassiflavella</i> Bruand, <i>Cephimallota</i>	287, 292	<i>distentella</i> (Zell.), <i>Phyllonorycter</i>	295
<i>crataegana</i> (Hübner.), <i>Archips</i>	303	<i>dodecea</i> (Haw.), <i>Ethmia</i>	234, 297
<i>crenata</i> (Esp.), <i>Gluphisia</i>	230, 243	<i>dodecella</i> (Linn.), <i>Exoteleia</i>	299
<i>crenata</i> (Hufn.), <i>Apamea</i>	190, 209	<i>domestica</i> (Haw.), <i>Bryotropha</i>	312
<i>crenata</i> f. <i>combusta</i> , <i>Apamea</i>	190	<i>dominula</i> (Linn.), <i>Callimorpha</i>	143, 150
<i>crenata</i> f. <i>typica</i> , <i>Apamea</i>	190	Drepanidae Meyrick	96
<i>crinanensis</i> (Burrows), <i>Amphipoea</i>	189	<i>dryas</i> (Scop.), <i>Minois</i>	49
<i>crocea</i> (Geoff.), <i>Colias</i>	48	<i>dubitana</i> (Hübner.), <i>Cochylys</i>	170
<i>crocealis</i> (Hübner.), <i>Anania</i>	309	<i>dubitana</i> (Hübner.), <i>Neocochylys</i>	304
<i>croceus</i> (Geoff.), <i>Colias</i>	174, 255, 282	<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	294
<i>cruciana</i> (Linn.), <i>Epinotia</i>	171	<i>dumicolana</i> (Zell.), <i>Clepsis</i>	303
<i>cuclulata</i> (Hufn.), <i>Catarhoe</i>	242	<i>duplaris</i> (Linn.), <i>Ochropacha</i>	208
<i>cuclulipennella</i> (Hübner.), <i>Caloptilia</i>	293	<i>duplicella</i> (Goeze), <i>Narycia</i>	311
<i>culmella</i> (Linn.), <i>Chrysoteuchia</i>	178	<i>Ectropis</i> Hübner	3
<i>cuprella</i> ([D. & S.]), <i>Adela</i>	291	<i>edusa</i> (Fabr.), <i>Pontia</i>	48
<i>cupressata</i> (Geyer), <i>Thera</i>	144	<i>effractana</i> (Hübner.), <i>Acleris</i>	169, 207, 304
<i>cupressella</i> Wals., <i>Argyresthia</i>	296	<i>effractella</i> Zell., <i>Eccopisa</i>	230, 231, 237
<i>cursoria</i> (Hufn.), <i>Euxoa</i>	195, 201	<i>egea</i> (Cramer), <i>Polygonia</i>	229
<i>curvatula</i> (Borkh.), <i>Drepana</i>	239	<i>egenaria</i> H.-S., <i>Eupithecia</i>	80, 80 (photo), 81
<i>cyaneimarmorella</i> (Mill.), <i>Stenoptinea</i>	292	<i>egregialis</i> (H.-S.)*, <i>Loryma</i> 278, 278 (photo), 279,	
<i>cynosbatella</i> (Linn.), <i>Notocelia</i>	173	279 as <i>Ulotrichia egregialis</i> , 280, 281	
<i>dahlia</i> (Hübner.), <i>Diarsia</i>	209	<i>ekebladella</i> (Bjerk.), <i>Tischeria</i>	291
<i>daphne</i> (Bergsträsser), <i>Brenthis</i>	48	<i>electa</i> (View.), <i>Catocala</i>	231, 246
<i>daucella</i> ([D. & S.]), <i>Depressaria</i>	297	<i>eleochariella</i> Staint., <i>Elachista</i>	207
<i>dealbana</i> (Fröhl.), <i>Gypsonoma</i>	306	<i>elongella</i> (Linn.), <i>Caloptilia</i>	23, 162, 293
<i>deauratella</i> Lien. & Zell., <i>Coleophora</i>	312	<i>elpenor</i> (Linn.), <i>Deilephila</i>	88
<i>decentella</i> (H.-S.), <i>Etainia</i>	290	<i>elutella</i> (Hübner.), <i>Ephestia</i>	176
<i>deceptorata</i> (Scop.), <i>Deltote</i>	230, 249	<i>emargana</i> (Fabr.), <i>Acleris</i>	207, 304
<i>decoloraria</i> (Esp.), <i>Xanthorhoe</i>	180, 201	<i>emarginata</i> (Linn.), <i>Idaea</i>	148
<i>decoloraria</i> ssp. <i>hethlandica</i> ,		<i>emortualis</i> ([D. & S.]), <i>Trisateles</i>	245
<i>Xanthorhoe</i>	180, 200	<i>ephemerella</i> ([D. & S.]), <i>Acrotia</i>	310
<i>decorella</i> (Haw.), <i>Carpatolechia</i>	299	<i>epilobiella</i> ([D. & S.]), <i>Mompha</i>	301
<i>defoliaria</i> (Clerck), <i>Erannis</i>	185, 201	<i>epomidion</i> (Haw.), <i>Apamea</i>	209
<i>Deltote</i> Reichenbach	2, 3	Erebidae (Leach)	96
<i>delunella</i> (Staint.), <i>Eudonia</i>	214, 310	<i>eremita</i> (Fabr.), <i>Dryobotodes</i>	193
<i>demaryella</i> (Dup.), <i>Bucculatrix</i>	293	<i>ericella</i> (Hübner.), <i>Crambus</i>	310
<i>demoleus</i> Esp., <i>Papilio</i>	228	<i>ericetana</i> (Hump. & Westw.), <i>Endothenia</i>	171
<i>dentella</i> (Zell.), <i>Phaulernis</i>	303	<i>ericetella</i> (Geyer), <i>Neofaculta</i>	165
<i>dentella</i> (Fabr.), <i>Ypsolopa</i>	163, 295	<i>eriphia</i> (Fabr.), <i>Antichloris</i>	186
<i>denticulella</i> (Thunb.), <i>Callisto</i>	293	<i>erosaria</i> ([D. & S.]), <i>Ennomos</i>	149
<i>desertella</i> (Dougl.), <i>Bryotropha</i>	207	<i>erxebella</i> (Fabr.), <i>Roeslerstammia</i>	293
<i>deshaiana</i> (Lucas), <i>Cydia</i>	235	<i>erythrocephala</i> ([D. & S.]), <i>Conistra</i>	232, 250
<i>designata</i> (Hufn.), <i>Xanthorhoe</i>	180, 282	<i>Eublemma</i> sp.	283
<i>despicata</i> (Scop.), <i>Pyrausta</i>	176	<i>Euclidia</i> Ochs.	1
<i>didyma</i> (Esp.), <i>Mesapamea</i>	91, 191	<i>Euclidiini</i>	3
<i>didymata</i> (Linn.), <i>Mesotype</i>	182, 208	<i>euphorbiae</i> ([D. & S.]), <i>Acronicta</i>	209
<i>didymata</i> ssp. <i>hethlandica</i> , <i>Mesotype</i>	182, 200	<i>euphorbiae</i> (Linn.), <i>Hyles</i>	240
<i>diffinis</i> (Linn.), <i>Cosmia</i>	121, 282	<i>euphrosyne</i> (Linn.), <i>Boloria</i>	270
<i>diffinis</i> (Haw.), <i>Teleiopsis</i>	299	<i>Eupithecia</i> sp.	208
<i>dilectella</i> Zell., <i>Argyresthia</i>	296	<i>eurema</i> (Tutt), <i>Trifurcula</i>	311
<i>diminutana</i> (Haw.), <i>Ancylis</i>	312	<i>Euxoa</i> sp.	150
<i>discordella</i> Zell., <i>Coleophora</i>	166	<i>Euzopherodes</i> Hampson	2

<i>evonymella</i> (Linn.), <i>Yponomeuta</i>	162	<i>fluxa</i> (Hüb.), <i>Photedes</i>	250
<i>exclamationis</i> (Linn.), <i>Agrotis</i>	150, 196	<i>foenella</i> (Linn.), <i>Epiblema</i>	173, 306
<i>exigua</i> (Hüb.), <i>Spodoptera</i>	188, 262, 263	<i>forficella</i> (Thunb.), <i>Donacaula</i>	310
<i>exsoleta</i> (Linn.), <i>Xylena</i>	192, 201, 232, 250	<i>forficella</i> (Scop.), <i>Harpella</i>	234
<i>extimalis</i> (Scop.), <i>Evergestis</i>	3, 177	<i>formosa</i> (Haw.), <i>Rhodophaea</i>	312
<i>extrema</i> (Hüb.), <i>Photedes</i>	250	<i>formosana</i> (Scop.), <i>Enarmonia</i>	305
<i>exulans</i> (Hohenwarth), <i>Zygaena</i>	207	<i>formosana</i> (Fröl.), <i>Lozotaeniodes</i>	303
<i>exulis</i> (Lefebvre), <i>Apamea</i>	157, 159, 191, 201	<i>fovealis</i> Zell., <i>Duponchelia</i>	177, 237, 309
<i>exulis</i> Lefebvre, <i>Hadena</i>	200, 201	<i>fraternana</i> (Haw.), <i>Epinotia</i>	305
as <i>Cryomodes exulis</i>		<i>fraxini</i> (Linn.), <i>Catocala</i>	144, 186, 246
<i>exulis</i> ssp. <i>jenskieldi</i> , <i>Apamea</i>	201	<i>fribergensis</i> (Fritzsche), <i>Caloptilia</i>	21, 31,
<i>exulis</i> ssp. <i>marmorata</i> , <i>Apamea</i>	191	32 (photo), 33, 35 (photo), 36 (photo), 37	
<i>fabriciana</i> (Linn.), <i>Anthophila</i>	168	<i>frischella</i> (Linn.), <i>Coleophora</i>	2
<i>fagella</i> ([D. & S.]), <i>Diurnea</i>	297	<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	295
<i>fagi</i> (Linn.), <i>Stauropus</i>	143	<i>fucosa</i> (Frey.), <i>Amphipoea</i>	189
<i>fagiglandana</i> (Zell.), <i>Cydia</i>	307	<i>fuliginaria</i> (Linn.), <i>Parascotia</i>	245
<i>falcataria</i> (Linn.), <i>Drepana</i>	149	<i>fulvana</i> Steph., <i>Eucosma</i>	172
<i>falciformis</i> (Haw.), <i>Epermenia</i>	303	<i>fulviguttella</i> (Zell.), <i>Phaulernis</i>	168
<i>falconipennella</i> (Hüb.), <i>Caloptilia</i>	25,	<i>fulvimitrella</i> (Sodoffsky), <i>Triaxomera</i>	292
34 (photo), 36 (photo), 293		<i>fulvostrigella</i> (Eversm.), <i>Epischidia</i>	88,
<i>falconipennella</i> f. <i>oneratella</i> , <i>Caloptilia</i>	21, 33	89 (photo), 90	
<i>falsella</i> ([D. & S.]), <i>Catoptria</i>	310	<i>fumatella</i> (Dougl.), <i>Chionodes</i>	165
<i>farinalis</i> (Linn.), <i>Pyralis</i>	280	<i>funebrana</i> Treits., <i>Grapholita</i>	145, 307
<i>fascinelina</i> (Hüb.), <i>Pediasia</i>	239	<i>funesta</i> (Esp.), <i>Aedia</i>	230, 249
<i>fasciana</i> (Linn.), <i>Pammene</i>	308	<i>furcata</i> (Thunb.), <i>Hydriomena</i>	181
<i>fasciaria</i> (Linn.), <i>Hylaea</i>	185	<i>furcatellus</i> (Zett.), <i>Catoptria</i>	178, 201
<i>fasciuncula</i> (Haw.), <i>Oligia</i>	191	<i>furfurana</i> (Haw.), <i>Bactra</i>	171
<i>fausta</i> (Olivier), <i>Colotis</i>	229	<i>furuncula</i> ([D. & S.]), <i>Mesoligia</i>	150, 191
<i>faustinata</i> (Mill.), <i>Phaiogramma</i>	243	<i>furva</i> ([D. & S.]), <i>Apamea</i>	190
<i>ferrugalis</i> (Hüb.), <i>Udea</i>	176, 253, 256, 309	<i>furva</i> ssp. <i>britannica</i> , <i>Apamea</i>	190
<i>ferrugata</i> (Clerck), <i>Xanthorhoe</i>	149	<i>fusca</i> (Haw.), <i>Matilella</i>	175
<i>ferruginea</i> (Esp.), <i>Rusina</i>	148	<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	291
<i>festucae</i> (Linn.), <i>Plusia</i>	187	<i>fuscocuprella</i> H.-S., <i>Coleophora</i>	300
<i>fidella</i> (Reutti), <i>Caloptilia</i>	1, 40, 40 (photo),	<i>fusconebulosa</i> (De Geer), <i>Korscheltellus</i>	161
41, 41 (photo), 42, 293		<i>fusconebulosa</i> f. <i>gallica</i> , <i>Korscheltellus</i>	207
<i>figulilella</i> (Gregson), <i>Cadra</i>	237	<i>fusconebulosa</i> f. <i>gallicus</i> Lederer,	
<i>filicivora</i> (Meyrick), <i>Psychoides</i>	162	<i>Korscheltellus</i>	161
<i>filigrammaria</i> (H.-S.), <i>Epirrita</i>	182	<i>fusconebulosa</i> f. <i>typica</i> , <i>Korscheltellus</i>	161
<i>filipendulae</i> (Linn.), <i>Zygaena</i>	173	<i>fusconebulosa</i> f. <i>zetlandicus</i> , <i>Korscheltellus</i>	161
<i>fimbrialis</i> (Scop.), <i>Thalera</i>	243	<i>galathea</i> (Linn.), <i>Melanargia</i>	49, 150, 282
<i>fimbriata</i> (Schreb.), <i>Noctua</i>	197	<i>galbanella</i> (Zell.), <i>Bryotropha</i>	313
<i>flammatra</i> ([D. & S.]), <i>Dichagyris</i>	195	<i>gallicana</i> (Guen.), <i>Pammene</i>	173, 265, 308, 313
<i>flammea</i> (Curtis), <i>Senta</i>	252	<i>gallii</i> (Rott.), <i>Hyles</i>	179, 240
<i>flammea</i> (Esp.), <i>Trigonophora</i>	150, 151,	<i>gamma</i> (Linn.), <i>Autographa</i>	187, 253, 260,
151 (photo), 251		261, 278	
<i>flavago</i> ([D. & S.]), <i>Gortyna</i>	189	<i>geminana</i> (Don.), <i>Ancyliis</i>	305
<i>flavalis</i> ([D. & S.]), <i>Mecyna</i>	309	<i>gemmaferana</i> Treits., <i>Grapholita</i>	312
<i>flavicinctata</i> (Hüb.), <i>Entephria</i>	208	<i>geniculea</i> (Haw.), <i>Agriphila</i>	208
<i>flavicornis</i> (Linn.), <i>Achlya</i>	3, 208	<i>geniculella</i> (Rag.), <i>Phyllonorycter</i>	295
<i>flavofasciata</i> (Thunb.), <i>Perizoma</i>	183	<i>genitalana</i> P. & M., <i>Cnephasia</i>	304
<i>flexula</i> ([D. & S.]), <i>Laspeyria</i>	148	Geometridae Leach	96
<i>florella</i> (Fabr.), <i>Catopsilia</i>	42	<i>germmana</i> (Hüb.), <i>Pammene</i>	308
<i>florida</i> (Schmidt), <i>Diarsia</i>	209	<i>gerningana</i> ([D. & S.]), <i>Philedone</i>	207, 303
<i>fluctuata</i> (Linn.), <i>Xanthorhoe</i>	180, 199	<i>giganteana</i> (Pey.), <i>Pammene</i>	146, 307
<i>fluctuata</i> f. <i>thules</i> , <i>Xanthorhoe</i>	180		

<i>gigantella</i> ([D.& S.]), <i>Schoenobius</i>	310
<i>gilvago</i> ([D.& S.]), <i>Cirrhia</i>	191
<i>gilvata</i> (Fabr.), <i>Uresiphia</i>	176, 231, 237
<i>Glacies</i> Mill.	1, 3
<i>glareosa</i> (Esp.), <i>Eugnorisma</i>	199, 201
<i>glareosa</i> Esp., <i>Amathes</i>	160
as <i>E. glareosa</i> f. <i>edda</i> ,	160
as <i>E. glareosa</i> f. <i>typica</i>	
<i>glareosa</i> f. <i>edda</i> , <i>Eugnorisma</i>	157, 199
<i>glareosa</i> f. <i>typica</i> , <i>Eugnorisma</i>	199
<i>glaucolella</i> Wood, <i>Coleophora</i>	313
<i>glauconome</i> (Klug), <i>Pontia</i>	229
<i>gleichennella</i> (Fabr.), <i>Elachista</i>	166
<i>glutinosa</i> e (Staint.), <i>Stigmella</i>	311
<i>glyphica</i> (Linn.), <i>Euclidia</i>	153, 155
as ‘Burnet Companion’	
<i>Gnophos</i> Treits.....	1, 3
<i>goateri</i> Fibiger & Hacker, <i>Eublemma</i>	274
<i>goateri</i> Hacker et al., <i>Acontia</i>	274
<i>goateri</i> Hacker, <i>Aconzarba</i>	274
<i>goateri</i> Fibiger, <i>Sternitta</i>	274
<i>goateri</i> Hacker, <i>Tegiapa</i>	274
<i>goateri</i> Hacker, <i>Apamea</i>	274
<i>goateri</i> Hacker & Saldaitis, <i>Adisura</i>	274
<i>goedartella</i> (Linn.), <i>Argyresthia</i>	163
<i>gonodactyla</i> ([D.& S.]), <i>Platyptilia</i>	167, 302
<i>gothica</i> (Linn.), <i>Orthosia</i>	193
<i>graminis</i> (Linn.), <i>Cerapteryx</i>	193
<i>grandaevana</i> (Lien. & Zell.), <i>Epiblema</i>	214
<i>granitana</i> (H.-S.), <i>Epinotia</i>	16, 16 (photo), 17 (photo)
<i>graphana</i> (Treits.)*, <i>Epiblema</i>	213, 213 (photo), 214
<i>griseana</i> (Hübner), <i>Zeiraphera</i>	172
<i>grisella</i> (Fabr.), <i>Achroia</i>	312
<i>groenlandica</i> (Dup.), <i>Apamea</i>	201
<i>grossulariata</i> (Linn.), <i>Abraxas</i>	184
<i>Gymnancyla</i> sp.	88
<i>gysseleniella</i> Zell., <i>Cedestis</i>	295
<i>Haemachola</i> Beck.....	2
<i>haematidea</i> (Dup.), <i>Agrochola</i>	2
<i>halterata</i> (Hufn.), <i>Lobophora</i>	148
<i>hannoverella</i> (Glitz), <i>Ectoedemia</i>	290
<i>harrisella</i> (Linn.), <i>Phyllonorycter</i>	294
<i>hastata</i> (Linn.), <i>Rheumaptera</i>	182, 208
<i>hastata</i> f. <i>nigrescens</i> , <i>Rheumaptera</i>	182
<i>hastiana</i> (Linn.), <i>Acleris</i>	169
<i>haworthana</i> (Steph.), <i>Glyphipterix</i>	296
<i>haworthii</i> (Curtis), <i>Celaena</i>	189
<i>headleyella</i> (Staint.), <i>Trifurcula</i>	290
<i>heckfordi</i> van Nieukerken et al., <i>Ectoedemia</i>	73, 73 (photo)
<i>Hedya</i> sp.	170
<i>heegeriella</i> (Zell.), <i>Phyllonorycter</i>	294

<i>hellerella</i> (Dup.), <i>Blastodacna</i>	301
<i>hemidactylella</i> ([D.& S.]), <i>Caloptilia</i>	21, 23, 24 (dist. map), 24 (photo), 25, 26, 29 (photo), 30, 31, 33, 34 (photo), 36 (photo), 37, 293, 311
<i>hepariella</i> Staint., <i>Zelleria</i>	295
<i>hepatica</i> (Clerck), <i>Lithophane</i>	192
<i>Hepialidae</i> Stephens.....	95, 96
<i>heracliana</i> (Linn.), <i>Agonopterix</i>	164
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	290, 327, 328, 328 (photo)
<i>hexadactyla</i> Linn., <i>Alucita</i>	167, 302
<i>hilarella</i> (Zett.), <i>Phyllonorycter</i>	294
<i>hohenwartiana</i> ([D.& S.]), <i>Eucosma</i>	172
<i>honoratella</i> (Rebel), <i>Caloptilia</i>	21, 22, 23, 24 (dist. map), 24 (photo), 25, 25
as <i>Gracillaria honoratella</i> , ..26, 27, 28 (photo), 30, 31, 33, 34 (photo), 36 (photo), 37, 293	
<i>hornigi</i> (Stdgr), <i>Monochroa</i>	299
<i>hornigii</i> (Lederer), <i>Gymnancyla</i>	88, 89, 90
<i>horridella</i> (Treits.), <i>Ypsolopha</i>	296
<i>hortulata</i> (Linn.), <i>Anania</i>	59, 60, 63 (photo), 64, 65, 152, 176, 309
<i>hospes</i> (Frey.), <i>Athetis</i>	249
<i>hostilis</i> (Steph.), <i>Sciota</i>	308
<i>hostis</i> Triberti, <i>Phyllonorycter</i>	294
<i>humuli</i> (Linn.), <i>Hepialus</i>	157, 161, 199
<i>humuli</i> ssp. <i>faroeensis</i> , <i>Hepialus</i>	200
<i>humuli</i> ssp. <i>thulensis</i> , <i>Hepialus</i>	161, 200
<i>hyemana</i> (Haw.), <i>Acleris</i>	169
<i>hyperantus</i> (Linn.), <i>Aphantopus</i>	49, 150, 154
<i>hyperici</i> ([D.& S.]), <i>Actinotia</i>	250
<i>ibipennella</i> Zell., <i>Coleophora</i>	300
<i>icarus</i> (Rott.), <i>Polyommatus</i>	48, 175
<i>icteritia</i> (Hufn.), <i>Cirrhia</i>	191
<i>idas</i> (Linn.), <i>Plebejus</i>	48
<i>ignorata</i> Kuznetsov, <i>Pammene</i>	307
<i>ilia</i> ([D.& S.]), <i>Apatura</i>	49
<i>illutana</i> (H.-S.), <i>Cydia</i>	306
<i>imella</i> (Hübner), <i>Monopis</i>	292
<i>imitaria</i> (Hübner.), <i>Scopula</i>	148, 208
<i>immaculatella</i> (Dougl.), <i>Oxypteryx</i>	299
<i>immaculatella</i> (Dougl.), <i>Eulamprotes</i>	106, 106
as <i>Eulamprotes phaeella</i>	313
<i>immundana</i> (F.v.R.), <i>Epinotia</i>	305
<i>immundella</i> (Zell.), <i>Trifurcula</i>	290
<i>impura</i> (Hübner), <i>Mythimna</i>	149, 150, 195
<i>incarnatella</i> (Steudel), <i>Rhigognostis</i>	296
<i>incerta</i> (Hufn.), <i>Orthosia</i>	193
<i>inconditella</i> (Lucas), <i>Nemapogon</i>	311
<i>incongruella</i> (Staint.), <i>Amphisbatis</i>	297
<i>innoxiiella</i> Gregersen & Karsholt, <i>Anarsia</i>	298
<i>inopiana</i> (Haw.), <i>Phtheochroa</i>	304
<i>inopinata</i> Bigot & Picard, <i>Stenoptilia</i>	207, 312
<i>inquinatella</i> ([D.& S.]), <i>Agriphila</i>	178, 310
<i>insectella</i> (Fabr.), <i>Haplotinea</i>	292

<i>insecurella</i> (Staint.), <i>Epermenia</i>	322, 323, 323 (photo), 324, 325
<i>instabilella</i> (Dougl.), <i>Scrobipalpa</i>	165, 299
<i>interjecta</i> Hübn., <i>Noctua</i>	197
<i>interpunctella</i> (Hüb.), <i>Plodia</i>	176, 309
<i>interrogationis</i> (Linn.), <i>Syngrapha</i>	187, 249
<i>interscindana</i> (Mösch.), <i>Cydia</i>	153, 235
<i>intricata</i> (Zett.), <i>Eupithecia</i>	80
<i>inulæ</i> Wocke, <i>Coleophora</i>	301
<i>io</i> (Linn.), <i>Aglais</i>	48, 174
<i>io</i> (Fabr.), <i>Automeris</i>	240
<i>ippsilon</i> (Hufn.), <i>Agrotis</i>	150, 151, 151 (photo), 196, 253, 265, 282
<i>isertana</i> (Fabr.), <i>Zeiraphera</i>	172, 306
<i>isodactylus</i> (Zell.), <i>Platyptilia</i>	167, 302
<i>italica</i> Baldizzone, <i>Metalampra</i>	297
<i>jacobaeae</i> (Linn.), <i>Tyria</i>	154, 155, 186
<i>janegoaterae</i> Goater & Hacker, <i>Meganola</i>	275
<i>janthe</i> (Borkh.), <i>Noctua</i>	197, 202, 215, 216 (photo), 217, 218 (photo), 219
<i>janthina</i> ([D. & S.]), <i>Noctua</i>	106, 114 as ‘Langmaid’s Yellow Underwing’,
	215, 216 (photo), 217, 218 (photo), 219
<i>japygiaria</i> (O. Costa), <i>Menophra</i>	185
<i>josephina</i> (Toll), <i>Agnoea</i>	297
<i>jota</i> (Linn.), <i>Autographa</i>	209
<i>juniperana</i> (Mill.), <i>Pammene</i>	235
<i>juniperata</i> (Linn.), <i>Thera</i>	208
<i>jurassicella</i> (Frey), <i>Mompha</i>	301
<i>jurateae</i> (Bengtsson), <i>Caloptilia</i>	21, 31, 32 (photo), 33, 35 (photo), 36 (photo), 37
<i>jurtina</i> (Linn.), <i>Maniola</i>	49, 155, 174
<i>juventina</i> (Stoll), <i>Callopietria</i>	231, 249, 266
<i>kadenii</i> (Frey.), <i>Caradria</i>	282
<i>kilmunella</i> Staint., <i>Elachista</i>	166
<i>klemannella</i> (Fabr.), <i>Phyllonorycter</i>	295
<i>kochiella</i> (Goeze), <i>Acleris</i>	304
<i>koenigi</i> Căpuse, <i>Nemapogon</i>	292
<i>kremsmanniella</i> (H.-S.), <i>Caryocolum</i>	2
<i>kuethniella</i> Zell., <i>Ephesia</i>	237, 309
<i>lacteana</i> Caradja, <i>Bactra</i>	305
<i>lacteana</i> (Treits.), <i>Eucosma</i>	172
<i>lacteella</i> (Steph.), <i>Mompha</i>	301
<i>lacticolella</i> Rebel, <i>Blastobasis</i>	167, 302
<i>lacunana</i> ([D. & S.]), <i>Celypha</i>	170
<i>lacustrata</i> (Panz.), <i>Eudonia</i>	177
<i>laetus</i> (Zell.), <i>Crombrugghia</i>	234
<i>laevigella</i> ([D. & S.]), <i>Monopis</i>	162, 165
<i>lancealana</i> (Hüb.), <i>Bactra</i>	171
<i>langiella</i> (Hüb.), <i>Mompha</i>	302
<i>langmaidi</i> Plant, <i>Tetramoera</i>	106
<i>lantanelle</i> (Schrank), <i>Phyllonorycter</i>	2, 294
<i>lapidella</i> (Goeze), <i>Luffia</i>	291, 313
<i>laponaria</i> (Bois.), <i>Lycia</i>	208
<i>Larentiinae</i> Duponchel	2
<i>laricana</i> (Hein), <i>Spilonota</i>	305
<i>lariciata</i> (Frey.), <i>Eupithecia</i>	183
Lasiocampidae Harris	96
<i>lassella</i> Stdgr., <i>Coleophora</i>	300
<i>lasserrei</i> (Oberthür), <i>Powellinia</i>	275
<i>lateritia</i> (Hufn.), <i>Apamea</i>	190, 202
<i>lathonia</i> (Linn.), <i>Issoria</i>	48, 229, 235, 315
<i>lathoniellus</i> (Zinck.), <i>Crambus</i>	178
<i>latreillei</i> (Dup.), <i>Callopietria</i>	249
<i>latruncula</i> ([D. & S.]), <i>Oligia</i>	91
<i>leautieri</i> (Bois.), <i>Lithophane</i>	149
<i>lemnata</i> (Linn.), <i>Cataclysta</i>	310
<i>lemniscella</i> (Zell.), <i>Stigmella</i>	290
<i>Leptologia</i> Prout	2
<i>leucatella</i> (Clerck), <i>Recurvaria</i>	299
<i>leucodactyla</i> ([D. & S.]), <i>Merrifieldia</i>	302
<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	144, 231, 252, 266
<i>leucographella</i> (Zell.), <i>Phyllonorycter</i>	294
<i>leucostigma</i> (Hüb.), <i>Helotropha</i>	189
<i>leucostigma</i> ssp. <i>scotica</i> , <i>Helotropha</i>	189
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	307
<i>levana</i> (Linn.), <i>Araschnia</i>	47, 49, 73
<i>libatrix</i> (Linn.), <i>Scoliopteryx</i>	185
<i>licarsisalis</i> (Walk.), <i>Herpetogramma</i>	231, 239
<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	242
<i>lichenea</i> (Hüb.), <i>Polymixis</i>	149, 150
<i>lienigianus</i> (Zell.), <i>Hellinsia</i>	303
<i>lienigiella</i> Lien. & Zell., <i>Cosmopterix</i>	298
<i>ligustri</i> Linn., <i>Sphinx</i>	208
<i>ligustri</i> ([D. & S.]), <i>Craniophora</i>	148
<i>limacodes</i> (Hufn.), <i>Apoda</i>	144
<i>limbata</i> (Linn.), <i>Evergestis</i>	310
<i>limbirena</i> (Guen.), <i>Ctenoplusia</i>	247
<i>limospennella</i> (Dup.), <i>Coleophora</i>	300
<i>lineola</i> (Curtis), <i>Eudonia</i>	178
<i>lineolea</i> (Haw.), <i>Coleophora</i>	207
<i>linneella</i> (Clerck), <i>Chrysoclista</i>	147, 301
<i>lipsiana</i> ([D. & S.]), <i>Acleris</i>	170
<i>literana</i> (Linn.), <i>Acleris</i>	304
<i>lithargyrinella</i> Zell., <i>Coleophora</i>	300
<i>lithodactyla</i> (Treits.), <i>Oidaematophorus</i>	302
<i>littoralis</i> (Westw. & Hump.), <i>Lobesia</i>	171
<i>litura</i> (Linn.), <i>Agrochola</i>	2
<i>livornica</i> (Esp.), <i>Hyles</i>	180, 241, 279, 285
<i>ljungiana</i> (Thunb.), <i>Argyrotaenia</i>	168
<i>lobarzewskii</i> (Nowicki), <i>Grapholita</i>	307
<i>locupletella</i> ([D. & S.]), <i>Mompha</i>	167
<i>logaea</i> Durr., <i>Rhyacionia</i>	306
<i>longana</i> (Haw.), <i>Cnephasia</i>	304
<i>loniceræ</i> (Scheven), <i>Zygaena</i>	155 as ‘Narrow-bordered Five-spot Burnet’
<i>loreyi</i> (Dup.), <i>Leucania</i>	252, 279
<i>Loryma</i> sp.*	280
<i>lota</i> (Clerck), <i>Agrochola</i>	191

<i>louisella</i> (Sirc.), <i>Etainia</i>	290	<i>mendica</i> f. <i>typica</i> , <i>Diarsia</i>	200
<i>lucens</i> (Frey.), <i>Amphipoea</i>	189	<i>mendica</i> ssp. <i>thulei</i> , <i>Diarsia</i>	196, 200
<i>lucerna</i> (Linn.), <i>Standfussiana</i>	197	<i>mercurella</i> (Linn.), <i>Eudonia</i>	207, 208
<i>lucida</i> (Hufn.), <i>Acontia</i>	249	<i>mercuriana</i> (Fröl.), <i>Epinotia</i>	172
<i>lucina</i> (Linn.), <i>Hamearis</i>	48	<i>Mesapamea</i> sp.	72, 91
<i>luctuosa</i> ([D. & S.]), <i>Tyta</i>	153, 154	<i>mespilella</i> (Hübner), <i>Phyllonorycter</i>	311
as ‘Four-spotted Moth’		<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	294
<i>lunana</i> (Thunb.), <i>Philedonides</i>	207, 303	<i>metallica</i> (Poda), <i>Nemophora</i>	291
<i>lunosa</i> (Haw.), <i>Omphalocelis</i>	96, 192	<i>meticulosa</i> (Linn.), <i>Phlogophora</i>	88, 150, 188
<i>lunosa</i> (Haw.), <i>Agrochola</i>	2	<i>metzneriella</i> (Staint.), <i>Metzneria</i>	299
<i>lumula</i> (Hufn.), <i>Calophasia</i>	148	<i>mi</i> (Clerck), <i>Euclidia</i>	153, 155
<i>lupulina</i> (Linn.), <i>Korscheltellus</i>	96, 97	as ‘Mother Shipton’	
as ‘Common Swift’		<i>miata</i> (Linn.), <i>Chloroclysta</i>	182
<i>lupulinus</i> (Linn.), <i>Korscheltellus</i>	207	<i>micacea</i> (Esp.), <i>Hydraecia</i>	189
<i>luridata</i> (Hufn.), <i>Scotopteryx</i>	75	<i>micalis</i> (Mann), <i>Tebenna</i>	235, 303
<i>lutea</i> (Hufn.), <i>Spilosoma</i>	155	<i>millefoliata</i> Rössler, <i>Eupithecia</i>	148
<i>lutealis</i> (Hübner), <i>Udea</i>	177, 208	<i>milvipennis</i> Zell., <i>Coleophora</i>	300
<i>luteella</i> (Staint.), <i>Stigmella</i>	289	<i>minima</i> (Haw.), <i>Photedes</i>	190
<i>luteolata</i> (Linn.), <i>Opisthograptis</i>	184	<i>minimus</i> (Fuessly), <i>Cupido</i>	220
<i>lutosa</i> (Hübner), <i>Rhizedra</i>	189	<i>miniosa</i> ([D. & S.]), <i>Orthostia</i>	143, 251
<i>lutulentella</i> (Zell.), <i>Monochroa</i>	299	<i>minorata</i> (Treits.), <i>Perizoma</i>	148, 208
<i>Lythria</i> Hübn.	2	<i>minutata</i> (Fabr.), <i>Eublemma</i>	283
<i>Lythriini</i> Herbulot	2	<i>miscella</i> ([D. & S.]), <i>Mompha</i>	324
<i>maccana</i> (Treits.), <i>Acleris</i>	169	<i>missippus</i> (Linn.), <i>Hypolimnas</i>	229
<i>machaon</i> Linn., <i>Papilio</i>	173, 235	<i>mitterbacheriana</i> ([D. & S.]), <i>Ancyliis</i>	305
<i>macilenta</i> (Hübner), <i>Leptologia</i>	145	<i>molesta</i> (Busck), <i>Grapholita</i>	146, 173
<i>macilenta</i> (Hübner), <i>Agrochola</i>	191	<i>molliculana</i> Zell., <i>Cochylis</i>	106, 113
<i>maculana</i> (Fabr.), <i>Epinotia</i>	171	<i>monodactyla</i> (Linn.), <i>Emmelina</i>	167
<i>maculicerusella</i> (Bruand), <i>Elachista</i>	301, 312	<i>monoglypha</i> (Hufn.), <i>Apamea</i>	145, 190, 199
<i>maculifera</i> Stdgr., <i>Ancylosis</i>	90	<i>montanana</i> (Dup.), <i>Dichrorampha</i>	1, 3, 173
<i>maestingella</i> (Müll.), <i>Phyllonorycter</i>	294	<i>montanata</i> ([D. & S.]), <i>Xanthorhoe</i>	180
<i>magdalanae</i> (Klimesch), <i>Stigmella</i>	311	<i>montanata</i> ssp. <i>shetlandica</i> , <i>Xanthorhoe</i>	180, 200
<i>maillardi</i> (Geyer), <i>Apamea</i>	201	<i>mucronata</i> (Scop.), <i>Scotopteryx</i>	75
<i>malinellus</i> Zell., <i>Yponomeuta</i>	162, 295	<i>mucronella</i> ([D. & S.]), <i>Donacaula</i>	239
<i>malvae</i> (Linn.), <i>Pyrgus</i>	48, 153, 155	<i>murinata</i> (Scop.), <i>Minoa</i>	208
as ‘Grizzled Skipper’		<i>muscaeaformis</i> (Esp.), <i>Pyropteron</i>	207
<i>malvella</i> (Hübner), <i>Pexicopia</i>	298	<i>muscerda</i> (Hufn.), <i>Pelosia</i>	244
<i>manniana</i> (F.v.R.), <i>Phalonidia</i>	304, 312	<i>muscosella</i> Zell., <i>Gelechia</i>	299
<i>margaritella</i> ([D. & S.]), <i>Catoptria</i>	178, 239, 310	<i>musculana</i> (Hübner), <i>Syndemis</i>	168
<i>margarotana</i> (Hein.), <i>Gravitarmata</i>	235	<i>musculana</i> ssp. <i>musculinana</i> , <i>Syndemis</i>	168
<i>marginana</i> (Haw.), <i>Endothenia</i>	305	<i>mygindiana</i> ([D. & S.]), <i>Stictea</i>	305
<i>marginaria</i> (Fabr.), <i>Agriopis</i>	185	<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	168, 303
<i>maritima</i> Staint., <i>Bucculatrix</i>	293	<i>myrtillana</i> (Hump. & Westw.), <i>Rhopobota</i>	171
<i>maritima</i> (Tengst.), <i>Phycitodes</i>	308	<i>myrtillella</i> (Staint.), <i>Stigmella</i>	290
<i>maroccanella</i> Amsel, <i>Blastobasis</i>	112, 116, 117, 118, 119 (photo), 120	<i>myrtilli</i> (Linn.), <i>Anarta</i>	121, 122
<i>marshalli</i> Butler, <i>Cacyreus</i>	229, 236	<i>Mythimna</i> sp.	150
<i>masculella</i> ([D. & S.]), <i>Incurvaria</i>	161	<i>naevana</i> (Hübner), <i>Rhopobota</i>	171
<i>matura</i> (Hufn.), <i>Thalophila</i>	188	<i>nanana</i> (Treits.), <i>Epinotia</i>	313
<i>mayrella</i> (Hübner), <i>Coleophora</i>	166	<i>nanata</i> (Hübner), <i>Eupithecia</i>	183, 184
<i>medicaginella</i> (Gerasimov), <i>Phyllonorycter</i>	295	<i>napi</i> (Linn.), <i>Pieris</i>	48, 154
<i>megacephala</i> ([D. & S.]), <i>Subacronicta</i>	148	as ‘Green-veined White’,	155, 174
<i>melanopa</i> (Thunb.), <i>Anarta</i>	193	<i>nebulata</i> (Scop.), <i>Euchoeca</i>	148
<i>mendica</i> (Fabr.), <i>Diarsia</i>	149, 196, 199	<i>Nemophora</i> Illiger & Hoffmannsegg	2
<i>mendica</i> (Clerck), <i>Diaphora</i>	148	<i>memoralis</i> (Scop.), <i>Agrotera</i>	237
		<i>memorana</i> (Hübner), <i>Choreutis</i>	303

Nepticulidae Braun.....	73	Oecophoridae Bruand.....	98
<i>nerii</i> (Linn.), <i>Daphnis</i>	179, 202, 230, 231, 240, 266	<i>ohridella</i> Deschka & Dimić, <i>Cameraria</i> ..	70, 311
<i>nervosa</i> (Haw.), <i>Agonopterix</i>	164	<i>oleastrella</i> (Mill.), <i>Zelleria</i>	234, 295
<i>neurica</i> (Hübner), <i>Archanara</i>	250	<i>oleracea</i> (Linn.), <i>Lacanobia</i>	194
<i>ni</i> (Hübner), <i>Trichoplusia</i>	230, 247	<i>Oligia</i> sp.....	91
<i>nicellii</i> (Staint.), <i>Phyllonorycter</i>	295	<i>Omphaloscelis</i> Hampson.....	2
<i>nickerlii</i> ssp. <i>demuthi</i> , <i>Luperina</i>	275	<i>ononaria</i> (Fuessly), <i>Aplasta</i>	243
<i>nickerlii</i> ssp. <i>leechi</i> , <i>Luperina</i>	275	<i>ononidis</i> (Zell.), <i>Parectopa</i>	293
<i>nigra</i> (Haw.), <i>Aporophyla</i>	193	<i>operculella</i> (Zell.), <i>Phthorimaea</i>	165, 234
<i>nigricana</i> (Fabr.), <i>Cydia</i>	146	<i>ophiogramma</i> (Esp.), <i>Laterologia</i>	191
<i>nigricans</i> (Linn.), <i>Euxoa</i>	209	<i>opima</i> (Hübner), <i>Orthosia</i>	143, 148, 282
<i>nigricomella</i> (Zell.), <i>Bucculatrix</i>	67, 293	<i>oporana</i> (Linn.), <i>Archips</i>	313
<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	241	<i>oppressana</i> (Treits.), <i>Gypsonoma</i>	306
<i>nimbella</i> (Dup.), <i>Homoeosoma</i>	3, 18, 19, 20, 20 (photo)	<i>or</i> ([D.& S.]), <i>Tethea</i>	208
<i>nisella</i> (Clerck), <i>Epinotia</i>	172, 306	<i>orana</i> (F.v.R.), <i>Adoxophyes</i>	168
<i>nitentella</i> (Fuchs), <i>Scrobipalpa</i>	299	<i>orbitella</i> Zell., <i>Coleophora</i>	300
<i>nitidalis</i> Walker, <i>Musotima</i>	310	<i>orbona</i> (Hufn.), <i>Noctua</i>	209
<i>noctuella</i> ([D.& S.]), <i>Nomophila</i> ..	177, 253, 257, 278, 283	<i>orichalcea</i> (Fabr.), <i>Thysanoplusia</i>	247
Noctuidae Latreille.....	96	<i>ornata</i> (Scop.), <i>Scopula</i>	241
Nolidae Bruand.....	96	<i>osseana</i> (Scop.), <i>Eana</i>	168, 207
<i>nostradamus</i> (Fabr.), <i>Gegeus</i>	229	<i>ostrina</i> (Hübner), <i>Eublemma</i>	245, 283
<i>notana</i> (Don.), <i>Acleris</i>	169, 304	<i>ostrinalis</i> (Hübner), <i>Pyrausta</i>	309
Notodontidae Stephens.....	96	<i>otregiata</i> (Metcalfe), <i>Lampropteryx</i>	148
<i>nubiferana</i> (Haw.), <i>Hedya</i>	170	<i>oxyacanthella</i> (Staint.), <i>Stigmella</i>	289
<i>nubilalis</i> (Hübner), <i>Ostrinia</i>	176	<i>padella</i> (Linn.), <i>Yponomeuta</i>	162
<i>nupta</i> (Linn.), <i>Catocala</i>	122	<i>paleacea</i> (Esp.), <i>Enargia</i>	192, 231, 251
<i>nylandriella</i> (Tengst.), <i>Stigmella</i>	289	<i>palealis</i> ([D.& S.]), <i>Sitochroa</i>	176
<i>nymphegoga</i> (Esp.), <i>Catocala</i>	230, 231, 246	<i>paleana</i> (Hübner), <i>Aphelia</i>	168
<i>obelicata</i> (Hübner), <i>Thera</i>	201	<i>pallens</i> (Linn.), <i>Mythimna</i>	195
<i>obeliscata</i> (Hübner), <i>Thera</i>	149, 181	<i>pallescentella</i> Staint., <i>Tinea</i>	162, 292
<i>oblonga</i> (Haw.), <i>Apamea</i>	209	<i>pallida</i> (Curtis), <i>Eudonia</i>	178
<i>obscurana</i> (Steph.), <i>Pammene</i>	308	<i>pallidana</i> Zell., <i>Brevicornutia</i>	304
<i>obscurata</i> ([D.& S.]), <i>Charissa</i>	150	<i>pallidata</i> (Hufn.), <i>Evergestis</i>	310
<i>obscuripunctella</i> (Staint.), <i>Perittia</i>	301	<i>pallidochrella</i> (Chambers), <i>Symmetrischema</i>	287, 312
<i>obsoletana</i> (Zett.), <i>Phiaris</i>	207	<i>palpellus</i> (Haw.), <i>Aplota</i>	297
<i>obsoletella</i> (F.v.R.), <i>Scrobipalpa</i>	299	<i>paludella</i> (Hübner), <i>Calamotropha</i>	310
<i>obstipata</i> (Fabr.), <i>Orthonama</i>	144	<i>palustris</i> (Hübner), <i>Athetis</i>	271
<i>obstipata</i> (Fabr.), <i>Nycterosea</i>	180, 260	<i>pamphilus</i> (Linn.), <i>Coenonympha</i>	49, 174
<i>occulta</i> (Linn.), <i>Eurois</i>	198	<i>pandora</i> ([D.& S.]), <i>Argynnis</i>	229
<i>occultella</i> (Linn.), <i>Ectoedemia</i>	291	<i>paphia</i> (Linn.), <i>Argynnis</i>	48, 282
<i>ocellana</i> ([D.& S.]), <i>Spilonota</i>	207, 305	<i>pariana</i> (Clerck), <i>Choreutis</i>	207
<i>ocellaris</i> (Borkh.), <i>Cirrhia</i>	250	<i>paripennella</i> Zell., <i>Coleophora</i>	301
<i>ocellata</i> (Linn.), <i>Smerinthus</i> ..	85, 86 (photo), 87, 87 (photo)	<i>paripunctella</i> (Thunb.), <i>Pseudotelphusa</i>	299
<i>ocellea</i> (Haw.), <i>Euchromius</i>	178	<i>partita</i> Guen., <i>Galgula</i>	230, 231, 249
<i>ochrodactyla</i> ([D.& S.]), <i>Gillmeria</i>	312	<i>parva</i> (Hübner), <i>Eublemma</i>	230, 245, 283
<i>ochroleucana</i> (Fröhl.), <i>Hedya</i>	170	<i>parvulana</i> (Wilkinson), <i>Eucosma</i>	106
<i>ochsenheimerella</i> (Hübner), <i>Nemophora</i>	1, 2, 287, 291	<i>pascuella</i> (Linn.), <i>Crambus</i>	178
<i>ochsenheimeriana</i> (Lien. & Zell.), <i>Pammene</i>	308	<i>pastinum</i> (Treits.), <i>Lygephila</i>	144, 148
<i>oculea</i> (Linn.), <i>Amphipoea</i>	189	<i>pastorella</i> (Zell.), <i>Phyllonorycter</i>	147
<i>Odontognophos</i> Wehrli.....	1, 3	<i>paupella</i> (Zell.), <i>Ptocheuusa</i>	299
		<i>pavonia</i> (Linn.), <i>Saturnia</i>	153, 154
		as 'Emperor Moth',.....	155, 179
		<i>pectinataria</i> (Knoch), <i>Colostygia</i>	149
		<i>pellionella</i> Linn., <i>Tinea</i>	162, 292

<i>peltigera</i> ([D. & S.]), <i>Heliothis</i> 188, 261, 262, 285	<i>prasina</i> ([D. & S.]), <i>Anaplectoides</i>198
<i>pennaria</i> (Linn.), <i>Colotois</i>184	<i>pratella</i> (Linn.), <i>Crambus</i>208
<i>penziana</i> (Thunb.), <i>Eana</i>169, 207	<i>proboscidalis</i> (Linn.), <i>Hypena</i>185
<i>penziana</i> ssp. <i>bellana</i> , <i>Eana</i>304	<i>procerella</i> ([D. & S.]), <i>Bisigna</i>311
<i>penziana</i> ssp. <i>colquhounana</i> , <i>Eana</i>169	<i>processionea</i> (Linn.), <i>Thaumetopoea</i>243
<i>peregrina</i> Agassiz, <i>Prays</i>311	<i>promissa</i> ([D. & S.]), <i>Catocala</i> .14, 231, 247, 266
<i>perieresalis</i> (Walk.), <i>Diplopseustis</i>309	<i>pronuba</i> (Linn.), <i>Noctua</i>197
<i>perlella</i> (Scop.), <i>Crambus</i>178	<i>Protodeliote</i> Ueda.....2, 3
<i>perlucidalis</i> (Hübner.), <i>Anania</i>3	<i>prunetorum</i> (Staint.), <i>Stigmella</i>289
<i>permixtana</i> ([D. & S.]), <i>Gynnidomorpha</i>304	<i>pruniana</i> (Hübner.), <i>Hedya</i>207
<i>perplexa</i> ([D. & S.]), <i>Hadena</i>209	<i>prunifoliae</i> Doets, <i>Coleophora</i>300
<i>perspectalis</i> (Walk.), <i>Cydalima</i>145, 310	<i>prunifoliella</i> (Hübner.), <i>Lyonetia</i>2, 147, 296
<i>petiverella</i> (Linn.), <i>Dichrorampha</i>306	<i>pseudopretella</i> (Staint.), <i>Hofmannophila</i>164
<i>petryi</i> Martini, <i>Antispila</i>291	<i>psi</i> (Linn.), <i>Acronicta</i>71, 87, 148
<i>phlaeas</i> (Linn.), <i>Lycaena</i>154	<i>Psodos</i> Treits.....1
as ‘Small Copper’,.....155, 207	<i>pterodactyla</i> (Linn.), <i>Stenoptilia</i>207
<i>phoeniceata</i> (Ramb.), <i>Eupithecia</i>144	<i>Pterophoridae</i> Zell.....5
<i>phragmitella</i> Staint., <i>Linnaecia</i>165	<i>pulchella</i> (Linn.), <i>Utetheisa</i>186, 202, 231, 244
<i>pimpinellae</i> Zell., <i>Depressaria</i>297	<i>pulchellata</i> Steph., <i>Eupithecia</i>208
<i>pinguinialis</i> (Linn.), <i>Agllossa</i>280	<i>pulcherrimella</i> Staint., <i>Depressaria</i>297
<i>piniaria</i> (Linn.), <i>Bupalus</i>185	<i>pulchrimella</i> Chambers, <i>Cosmopterix</i>298
<i>pinicolella</i> (Zell.), <i>Batrachedra</i>53, 54 (photo),	<i>pulchrina</i> (Haw.), <i>Autographa</i>187, 209
55, 56, 56 (photo), 57	<i>pullana</i> (Haw.), <i>Endothenia</i>312
<i>pinivorana</i> (Lien. & Zell.), <i>Rhyacionia</i>306	<i>pulveralis</i> (Hübner.), <i>Psammotis</i>237
<i>pisi</i> (Linn.), <i>Ceramica</i>194	<i>pulveratella</i> (H.-S.), <i>Xystophora</i> ...67, 67 (photo),
<i>plantaginis</i> (Linn.), <i>Parasemia</i>186	68 (photo)
<i>plantaginis</i> f. <i>hospita</i> , <i>Parasemia</i>186	<i>pumicana</i> (Zell.), <i>Cnephasia</i>106
<i>plantaginis</i> ssp. <i>insularum</i> , <i>Parasemia</i>186	<i>pumilio</i> (Hoffmansegg), <i>Gegenes</i>229
<i>platani</i> (Stdgr), <i>Phyllonorycter</i>294	<i>punctidactyla</i> (Haw.), <i>Amblyptilia</i>302
<i>plebeja</i> (Linn.), <i>Hada</i>194	<i>punctiferalis</i> (Guen.), <i>Conogethes</i>239
<i>plebejana</i> Zell., <i>Crociosema</i>172, 306	<i>pupillana</i> (Clerck), <i>Eucosma</i>2
<i>pecta</i> (Linn.), <i>Ochropleura</i>149, 196	<i>pupillaria</i> (Hübner.), <i>Cyclophora</i>3, 241, 282
<i>plexippus</i> (Linn.), <i>Danaus</i>174, 229, 235	<i>purdeyi</i> (Durr.), <i>Clavigesta</i>2
<i>plumbagana</i> (Treits.), <i>Dichrorampha</i>207, 306	<i>purpuralis</i> (Linn.), <i>Pyrausta</i>309
<i>plumbigeralis</i> (Hübner.), <i>Pechipogo</i>245	<i>purpurina</i> ([D. & S.]), <i>Eublemma</i>230, 231,
<i>poae</i> Staint., <i>Elachista</i>301	245, 283
<i>podalirius</i> (Linn.), <i>Iphiclidides</i>48	<i>pusillata</i> ([D. & S.]), <i>Eupithecia</i>183, 201
<i>politella</i> (Staint.), <i>Bryotropha</i>165, 313	<i>puta</i> (Hübner.), <i>Agrotis</i>150
<i>polychloros</i> (Linn.), <i>Nymphalis</i> 49, 229, 236, 265	<i>putnami</i> Grote, <i>Plusia</i>187
<i>polygrammata</i> (Borkh.), <i>Costaconvexa</i>242	<i>putris</i> (Linn.), <i>Axylla</i>196
<i>polyodon</i> (Clerck), <i>Actinotia</i> .230, 231, 250, 279	<i>pygarga</i> (Hufn.), <i>Deltote</i>149
<i>polyxena</i> ([D. & S.]), <i>Zerynthia</i>48	<i>pygmaeana</i> (Hübner.), <i>Epinotia</i>305
<i>pomonella</i> (Linn.), <i>Cydia</i>145, 173	<i>pygmaeata</i> (Hübner.), <i>Eupithecia</i>148
<i>populana</i> (Fabr.), <i>Pammene</i>308	<i>pygmina</i> (Haw.), <i>Denticucullus</i>190
<i>populata</i> (Linn.), <i>Eulithis</i>181, 199	<i>pyralella</i> ([D. & S.]), <i>Scoparia</i>310
<i>populetorum</i> (Zell.), <i>Caloptilia</i>293	<i>Pyralidae</i> Latreille.....88
<i>populi</i> (Linn.), <i>Laothoe</i>85, 86 (photo), 87, 95	<i>Pyralinae</i>2
as ‘Poplar Hawk-moth’,.....96, 179	<i>pyramidea</i> (Linn.), <i>Amphipyra</i> .123, 124 (photo),
<i>populi</i> (Linn.), <i>Poecilocampa</i>145	125, 126, 126 (dist. map), 127, 128, 129,
<i>porphyrana</i> (Hübner.), <i>Eudemis</i>304	129 (photo), 130, 130 (photo), 131, 131 (photo),
<i>porphyrea</i> ([D. & S.]), <i>Lycophotia</i>197, 201	132, 132 (photo), 133, 133 (photo), 134,
<i>posticana</i> (Zett.), <i>Pseudococcyx</i>173, 306	134 (photo), 135, 188
<i>postvittana</i> (Walk.), <i>Epiphyas</i>44 (photo), 45,	<i>pyramidea</i> ssp. <i>berbera</i> , <i>Amphipyra</i> ..125 (photo)
45 (photo), 303	<i>pyrella</i> (Villers), <i>Swammerdamia</i>295
<i>praeangusta</i> (Haw.), <i>Batrachedra</i>300, 312	<i>pyrrhulipennella</i> Zell., <i>Coleophora</i>300, 312

<i>quadra</i> (Linn.), <i>Lithosia</i>	144
<i>quadrimaculana</i> (Haw.), <i>Endothenia</i>	171, 305
<i>quadrimaculella</i> (Bohemian), <i>Bohemannia</i>	290
<i>quadripunctaria</i> (Poda), <i>Euplagia</i>	143
<i>quadripunctaria</i> f. <i>lutescens</i> , <i>Euplagia</i>	143
<i>quercana</i> (Fabr.), <i>Carcina</i>	297
<i>quercifoliella</i> (Zell.), <i>Phyllonorycter</i>	294
<i>quercus</i> (Linn.), <i>Lasiocampa</i>	153, 155
as ‘Oak Eggar’,	159, 208
<i>quinqueguttella</i> (Staint.), <i>Phyllonorycter</i>	295
<i>radiella</i> (Goeze), <i>Depressaria</i>	164
<i>ramburialis</i> (Dup.), <i>Diasemiopsis</i>	237
<i>ramulicola</i> Langmaid & Corley, <i>Phyllocnistis</i>	74, 74 (photo), 106
<i>rancidella</i> (H.-S.), <i>Athrips</i>	82, 82 (photo), 83,
83 (photo), 84, 84 (dist. map), 299	
<i>rapae</i> (Linn.), <i>Pieris</i>	48, 155, 159, 174
<i>ratzeburgiana</i> (Saxesen), <i>Zeiraphera</i>	172
<i>rebeli</i> Karsholt & Sinev, <i>Blastobasis</i> ..6, 115, 302	
<i>recurvalis</i> (Fabr.), <i>Spoladea</i> ...230, 231, 238, 309	
<i>recusata</i> (Walk.), <i>Loryma</i>	280
<i>reducta</i> (Stdgr), <i>Limenitis</i>	49
<i>regificella</i> Sircom, <i>Elachista</i>	301
<i>reliquana</i> (Hübner.), <i>Lobesia</i>	305
<i>remissa</i> (Hübner.), <i>Apamea</i>	190
<i>remissa</i> f. <i>obscura</i> , <i>Apamea</i>	190
<i>remissa</i> f. <i>typica</i> , <i>Apamea</i>	190
<i>repandalis</i> ([D. & S.]), <i>Paracorsia</i>	230, 231
<i>repandana</i> (Fabr.), <i>Acrobasis</i>	14
<i>repandata</i> (Linn.), <i>Alcis</i>	209
<i>resplendella</i> (Staint.), <i>Heliozela</i>	291
<i>reticularis</i> (Linn.), <i>Diasemia</i>	231, 237
<i>reticulata</i> (Goeze), <i>Heliophobus</i>	252
<i>revayana</i> (Scop.), <i>Nycteola</i>	199
<i>rhamni</i> (Linn.), <i>Gonepteryx</i>	48
<i>rhamniella</i> (Zell.), <i>Sorhagenia</i>	298
<i>rhediiella</i> (Clerck), <i>Pammene</i>	308
<i>rhenella</i> (Zinck.), <i>Sciota</i>	231, 236, 308
<i>rhododactyla</i> ([D. & S.]), <i>Cnaemidophorus</i>	234
<i>rhombana</i> ([D. & S.]), <i>Acleris</i>	169
<i>rhomboidaria</i> ([D. & S.]), <i>Peribatodes</i>	185
<i>roboraria</i> ([D. & S.]), <i>Hypomecis</i>	148
<i>roborella</i> (Johansson), <i>Stigmella</i>	290
<i>roboris</i> (Zell.), <i>Phyllonorycter</i>	311
<i>robusta</i> (Walk.), <i>Pandesma</i>	186
<i>rorella</i> (Hübner.), <i>Yponomeuta</i>	163
<i>rorrella</i> (Hübner.), <i>Yponomeuta</i>	295
<i>rosaceana</i> Schläger, <i>Celypha</i>	220
<i>rosaeocolana</i> (Doubl.), <i>Notocelia</i>	306
<i>rosana</i> (Linn.), <i>Archips</i>	168
<i>roxelana</i> (Cram.), <i>Kirinia</i>	49
<i>rubi</i> (View.), <i>Diarsia</i>	149, 196, 209
<i>rubi</i> (Linn.), <i>Callophrys</i>	48
<i>rubi</i> (Linn.), <i>Macrothylacia</i>	208
<i>rubigana</i> (Treits.), <i>Aethes</i>	207

<i>rubiginata</i> (Hufn.), <i>Scopula</i>	121, 122, 241
<i>rubiginosa</i> (Scop.), <i>Conistra</i>	145
<i>rubricosa</i> ([D. & S.]), <i>Cerastis</i>	196
<i>rufana</i> (Scop.), <i>Celypha</i>	220, 220 (photo),
221, 235	
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	290
<i>ruficeps</i> (Hein.), <i>Prays</i>	296
<i>ruficiliana</i> (Haw.), <i>Falseuncaria</i>	170
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	242
<i>rufifasciata</i> (Haw.), <i>Gymnoscelis</i>	183
<i>rufimitrana</i> (H.-S.), <i>Zeiraphera</i>	172
<i>rufipennella</i> (Hübner.), <i>Caloptilia</i>	35 (photo),
36 (photo), 37	
<i>rugosana</i> (Hübner.), <i>Phtheochroa</i>	304
<i>rumicis</i> (Linn.), <i>Acronicta</i>	187
<i>ruralis</i> (Scop.), <i>Pleuroptya</i>	177
<i>ruricolella</i> (Staint.), <i>Nemapogon</i>	292
<i>sacriaria</i> (Linn.), <i>Rhodometra</i>	180, 259, 260, 283
<i>sagitella</i> (Bjerk.), <i>Phyllonorycter</i>	147
<i>sakhalinella</i> Puplesis, <i>Stigmella</i>	2
<i>salaciella</i> (Treits.), <i>Opostega</i>	291
<i>salicata</i> (Hübner.), <i>Coenotephria</i>	208
<i>salicicolella</i> (Sirc.), <i>Phyllonorycter</i>	294, 311
<i>salicis</i> (Linn.), <i>Leucoma</i>	85
as ‘The White Satin’	185
<i>salicorniae</i> Hein. & Wocke, <i>Coleophora</i>	301
<i>saligna</i> (Zell.), <i>Phyllocnistis</i> ..74, 74 (photo), 295	
<i>samadensis</i> (Pfaff.), <i>Scrobipalpa</i>	165
<i>samadensis</i> ssp. <i>plantaginella</i> , <i>Scrobipalpa</i> ..	165
<i>sambucalis</i> ([D. & S.]), <i>Botys</i>	61
<i>sambucaria</i> (Linn.), <i>Ouraapteryx</i>	184
<i>samiatella</i> (Zell.), <i>Stigmella</i>	290
<i>sangiella</i> (Staint.), <i>Aproaerema</i>	298
<i>sanguinaria</i> (Dup.), <i>Lythria</i>	1
<i>sappho</i> (Pall.), <i>Neptis</i>	47, 49
<i>sarcitrella</i> (Linn.), <i>Endrosis</i>	164
<i>satyrata</i> (Hübner.), <i>Eupithecia</i>	183, 184, 201
<i>satyrata</i> ssp. <i>curzoni</i> , <i>Eupithecia</i>	184, 200
<i>saucia</i> (Hübner.), <i>Peridroma</i>	195, 230, 264, 265
<i>saxicola</i> (Vaughan), <i>Phycitodes</i>	176, 308
<i>saxicolella</i> (Dup.), <i>Coleophora</i>	166, 207, 312
<i>scabrella</i> (Linn.), <i>Ypsolopa</i>	296
<i>schaefferella</i> (Linn.), <i>Schiffermuelleria</i>	296
<i>schmidtiellus</i> (Heyden), <i>Acompsa</i>	298
<i>schreiberiana</i> (Fröhl.), <i>Phtheochroa</i>	304
<i>schulziana</i> (Fabr.), <i>Phiaris</i>	170, 305
<i>schwarziiellus</i> Zell., <i>Nematopogon</i>	291
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	164
<i>scopariella</i> (Zell.), <i>Phyllonorycter</i>	294
<i>scotinella</i> H.-S., <i>Gelechia</i>	299
<i>scribaiella</i> Zell., <i>Cosmopterix</i>	298
<i>secalis</i> (Linn.), <i>Mesapamea</i>	91, 191
<i>seeboldi</i> Stdgr., <i>Saragossa</i>	275
<i>segetum</i> ([D. & S.]), <i>Agrotis</i>	96, 150, 196
<i>sehestediana</i> (Fabr.), <i>Prochoreutis</i>	303

<i>selasella</i> (Hübner), <i>Agriphila</i>	178
<i>selene</i> ([D. & S.]), <i>Boloria</i>	270
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	21, 31, 33, 34 (photo), 36 (photo), 37
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	304
<i>semipurpurella</i> (Steph.), <i>Eriocrania</i>	207, 289
<i>semirubella</i> (Scop.), <i>Oncocera</i>	308
<i>semitestacella</i> (Curtis), <i>Argyresthia</i>	283, 296
<i>senecionana</i> (Hübner), <i>Clepsis</i>	168
<i>senectella</i> (Zell.), <i>Bryotropha</i>	298
<i>senilella</i> (Zett.), <i>Rhigognostis</i>	163, 296
<i>sentiusalis</i> Walker, <i>Loryma</i>	280
<i>septembrella</i> (Staint.), <i>Fomorina</i>	290
<i>sequella</i> (Clerck), <i>Ypsolopa</i>	296
<i>sericealis</i> (Scop.), <i>Rivula</i>	185
<i>sericiella</i> (Haw.), <i>Heliozela</i>	291
<i>serratilineella</i> (Rag.), <i>Vitula</i>	308
<i>servillana</i> (Dup.), <i>Cydia</i> ...	223, 223 (photo), 224
<i>sexstrigata</i> (Haw.), <i>Xestia</i>	198
<i>siccifolia</i> Staint., <i>Coleophora</i>	300
<i>siculana</i> (Fuchs), <i>Nycteola</i>	230, 231, 253
<i>signaria</i> (Hübner), <i>Macaria</i>	242
<i>signatana</i> (Dougl.), <i>Epinotia</i>	17, 305
<i>silacea</i> ([D. & S.]), <i>Ecliptopera</i>	149
<i>similella</i> (Zinck.), <i>Elegia</i>	236
<i>similella</i> (Hübner), <i>Denisia</i>	296
<i>similis</i> (Staint.), <i>Bryotropha</i>	298
<i>simplicella</i> Hein., <i>Dioryctria</i>	308
<i>simpliciella</i> (Steph.), <i>Glyphipterix</i>	163
<i>simulans</i> (Hufn.), <i>Rhyacia</i>	197, 252
<i>simulans</i> f. <i>suffusa</i> , <i>Rhyacia</i>	197
<i>sinapis</i> (Linn.), <i>Leptidea</i>	48
<i>siterata</i> (Hufn.), <i>Chlorochysta</i>	182
<i>smeathmanniana</i> (Fabr.), <i>Aethes</i>	170
<i>solandriana</i> (Linn.), <i>Epinotia</i>	171
<i>solidaginis</i> (Hübner), <i>Xylena</i>	192
<i>solidaginis</i> f. <i>cinerascens</i> , <i>Xylena</i>	192
<i>sorbi</i> (Staint.), <i>Stigmella</i>	161
<i>sordens</i> (Hufn.), <i>Apamea</i>	190
<i>sordidana</i> (Hübner), <i>Epinotia</i>	305
<i>sororculana</i> (Zett.), <i>Apotomis</i>	312
<i>sororiata</i> (Hübner), <i>Carsia</i>	184
<i>sororiata</i> ssp. <i>anglica</i> , <i>Carsia</i>	184
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	296
<i>sparrmannella</i> (Bosc), <i>Eriocrania</i>	289
<i>sparsana</i> ([D. & S.]), <i>Acleris</i>	169, 304
<i>sparsata</i> (Treits.), <i>Anticollix</i>	148
<i>spartifoliella</i> (Hübner), <i>Leucoptera</i> ..	58, 58 (photo)
<i>spectrana</i> (Treits.), <i>Clepsis</i>	303
<i>Sphingidae</i> Latreille	95, 96
<i>spincicolella</i> (Zell.), <i>Phyllonorycter</i> ..	294, 311
<i>splendana</i> (Hübner), <i>Cydia</i>	173, 307
<i>splendens</i> (Hübner), <i>Lacanobia</i>	202
<i>splendens</i> (Hübner), <i>Lacanobia</i>	194, 251
<i>splendissimella</i> (H.-S.), <i>Stigmella</i> ..	290
<i>sponsa</i> (Linn.), <i>Catocala</i>	144, 145 (photo), 231, 246
<i>stachydalis</i> (Zinck.), <i>Anania</i>	60
<i>stagnana</i> ([D. & S.]), <i>Rhopobota</i>	324
<i>statices</i> (Linn.), <i>Ascitta</i>	122, 326
<i>statices</i> (Linn.), <i>Ascitta</i>	137, 138 (photo), 139, 140, 140 (photo), 141, 142
<i>stellatarum</i> (Linn.), <i>Macroglossum</i>	179, 253, 258, 259
<i>stephensiana</i> (Doubl.), <i>Cnephasia</i>	207
<i>steropodes</i> Meyrick, <i>Pachyrhabda</i>	302
<i>sticticalis</i> (Linn.), <i>Loxostege</i>	176, 237
<i>sticticana</i> (Fabr.), <i>Epiblema</i>	220
<i>stigmatella</i> (Fabr.), <i>Caloptilia</i> ..	224, 224 (photo), 225
<i>straminea</i> (Haw.), <i>Cochyliomorpha</i> ..	304
<i>straminella</i> ([D. & S.]), <i>Agriphila</i> ..	178
<i>stratiolata</i> (Linn.), <i>Paraponyx</i>	179
<i>striatella</i> ([D. & S.]), <i>Isophrictis</i>	7, 8, 9, 10, 10 (photo), 11, 12 (photo), 13 (photo), 14, 15, 298
<i>striatipennella</i> Nylander, <i>Coleophora</i> ..	166
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	307
<i>strigilis</i> (Linn.), <i>Oligia</i>	91
<i>strigulatella</i> (Zell.), <i>Phyllonorycter</i> ..	295
<i>striolella</i> Matsumura, <i>Niditinea</i>	292
<i>sturnipennella</i> (Treits.), <i>Mompha</i>	301
<i>suasa</i> ([D. & S.]), <i>Lacanobia</i>	194
<i>suavella</i> (Zinck.), <i>Acrobasis</i>	175
<i>subalbida</i> Schläger, <i>Elachista</i>	301
<i>subbimaculella</i> (Haw.), <i>Ectoedemia</i> ..	311
<i>subbistrigella</i> (Haw.), <i>Mompha</i>	301
<i>subcinctella</i> (Bruand), <i>Scythris</i>	302
<i>subcinerea</i> (Haw.), <i>Platyedra</i>	298
<i>subfusca</i> Haw., <i>Scoparia</i>	177, 310
<i>subfuscata</i> (Haw.), <i>Eupithecia</i>	208
<i>subocellea</i> (Steph.), <i>Elachista</i>	301
<i>subpropinquella</i> (Staint.), <i>Agonopterix</i> ..	164
<i>suffumata</i> ([D. & S.]), <i>Lampropteryx</i> ..	208
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	297
<i>Sunira</i> Franclemont	2
<i>suspecta</i> (Hübner), <i>Parastictis</i>	192
<i>suspectana</i> (Lien. & Zell.), <i>Pammene</i> ...	146, 307
<i>svenssoni</i> (Johansson), <i>Stigmella</i>	290
<i>swammerdamella</i> (Linn.), <i>Nematopogon</i> ..	291
<i>sylvanus</i> (Esp.), <i>Ochlodes</i>	48, 150, 155
<i>sylvata</i> (Scop.), <i>Abraxas</i>	242
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	308
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	48, 155
<i>syringella</i> (Fabr.), <i>Gracillaria</i>	162
<i>tabaniformis</i> (Rott.), <i>Paranthrene</i>	210, 210 (photo), 211, 211 (photo), 212
<i>taeniipennella</i> H.-S., <i>Coleophora</i>	166, 300
<i>tages</i> (Linn.), <i>Erynnis</i>	48, 207
<i>tamesis</i> Waters, <i>Coleophora</i>	300, 312
<i>templi</i> (Thunb.), <i>Dasyptolia</i>	160, 193, 201

<i>tenebrella</i> (Hübner), <i>Monochroa</i>	165, 299
<i>tenebrosa</i> (Esp.), <i>Dryobotodes</i>	251
<i>tenebrosana</i> Dup., <i>Grapholita</i>	307
<i>tenerana</i> ([D. & S.]), <i>Epinotia</i>	172
<i>tenella</i> (Joannis), <i>Phyllonorycter</i>	294, 311
<i>tentaculella</i> (Hübner), <i>Ancylolomia</i>	231, 239
<i>tephradactyla</i> (Hübner), <i>Hellinsia</i>	302
<i>ternata</i> Schrank, <i>Scopula</i>	208
<i>terrella</i> ([D. & S.]), <i>Bryotropha</i>	165, 207
<i>tertia</i> Mentzer et al. *, <i>Noctua</i> ..215, 216 (photo), 217, 218 (photo), 219	
<i>testacea</i> ([D. & S.]), <i>Luperina</i>	96, 189
<i>testata</i> (Linn.), <i>Eulithis</i>	181, 199
<i>tetragonella</i> (Staint.), <i>Monochroa</i>	207
<i>thalassina</i> (Hufn.), <i>Lacanobia</i>	193
<i>thoracella</i> (Thunb.), <i>Bucculatrix</i>	112
<i>thrasionella</i> (Scop.), <i>Glyphipterix</i>	163
<i>thrasionella</i> f. <i>cladiella</i> , <i>Glyphipterix</i>	163
<i>Tineoidea</i> Latreille	2
<i>tithonus</i> (Linn.), <i>Pyronia</i>	49
<i>tiyrella</i> (Staint.), <i>Stigmella</i>	73 (photo)
<i>togata</i> (Esp.), <i>Xanthia</i>	191, 201
<i>tragopoginis</i> (Clerck), <i>Amphipyra</i>	188
<i>transversa</i> (Hufn.), <i>Eupsilia</i>	192
<i>trapeziella</i> Staint., <i>Elachista</i>	301
<i>trapezina</i> (Linn.), <i>Cosmia</i>	192
<i>trauniana</i> ([D. & S.]), <i>Pammene</i>	308
<i>triangulum</i> (Hufn.), <i>Xestia</i>	198
<i>tridens</i> ([D. & S.]), <i>Acronicta</i>	71
<i>trifasciata</i> Stmgr., <i>Argyresthia</i>	296
<i>trifolii</i> (Hufn.), <i>Anarta</i>	193
<i>trifolii</i> (Esp.), <i>Zygaena</i>	153
<i>trigrammica</i> (Hufn.), <i>Charanyca</i>	209
<i>trimaculata</i> (Villers), <i>Stegania</i>	230, 231, 242
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	290
<i>trimaculosa</i> (Esp.), <i>Polia</i>	209
<i>tringipennella</i> (Zell.), <i>Aspilapteryx</i>	162
<i>trinotella</i> Thunberg, <i>Tinea</i>	162
<i>triplasia</i> (Linn.), <i>Abrostola</i>	148, 186
<i>tripoliana</i> (Barrett), <i>Eucosma</i>	306
<i>triquetrella</i> (Hübner), <i>Dahlica</i>	291
<i>tristata</i> (Linn.), <i>Epirrhoe</i>	208
<i>tristella</i> ([D. & S.]), <i>Agriphila</i>	178
<i>tritici</i> (Linn.), <i>Euxoa</i>	195, 201
<i>truncata</i> (Hufn.), <i>Dysstroma</i>	208
<i>tullia</i> (Müll.), <i>Coenonympha</i>	159, 207
<i>tumidana</i> ([D. & S.]), <i>Acrobasis</i>	236
<i>turbidana</i> (Treits.), <i>Epiblema</i>	306
<i>turbidana</i> Hübner, <i>Apotomis</i>	304
<i>Tuta</i> Kieffer & Jörgensen	4
<i>typha</i> (Thunb.), <i>Nonagria</i>	190
<i>udana</i> (Guen.), <i>Phalonidia</i>	312
<i>uddmanniana</i> (Linn.), <i>Notocelia</i>	306
<i>ulicetana</i> (Haw.), <i>Cydia</i>	173, 214

<i>ulicicolella</i> (Staint.), <i>Phyllonorycter</i>	115, 115 (photo), 294
<i>uliginosellus</i> Zell., <i>Crambus</i>	310
<i>ulmifoliae</i> Hering, <i>Bucculatrix</i>	147, 293
<i>ultima</i> Bois., <i>Eupithecia</i> 222, 222 (photo), 223	
<i>ultimella</i> Staint., <i>Depressaria</i>	297
<i>umbellana</i> (Fabr.), <i>Agonopterix</i>	297
<i>umbra</i> (Hufn.), <i>Pyrrhia</i>	148, 188
<i>unaminis</i> (Hübner), <i>Apamea</i>	209
<i>uncella</i> ([D. & S.]), <i>Ancylis</i>	305
<i>undalis</i> (Fabr.), <i>Hellula</i>	239
<i>unguicella</i> (Linn.), <i>Ancylis</i>	171
<i>unimaculella</i> (Zett.), <i>Eriocrania</i>	289
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	195, 232, 264
<i>unipunctella</i> (Steph.), <i>Phyllocnistis</i>74 (photo), 295	
<i>urella</i> Fischer von Röslerstamm, <i>Ochsenheimeria</i>	163, 296
<i>urticae</i> (Esp.), <i>Spilosoma</i>	186, 202
<i>urticae</i> (Linn.), <i>Aglais</i>	155, 175
<i>ustomaculana</i> (Curtis), <i>Rhopobota</i>	305
<i>ustulana</i> (Haw.), <i>Endothenia</i>	305
<i>vancouverana</i> Mc Dumnough, <i>Dichrorampha</i>	306
<i>vapidella</i> (Mann), <i>Euzopherodes</i>	1, 2
<i>vapidella</i> Mann, <i>Euzopherodes</i>	287, 308
<i>variatella</i> (Clemens), <i>Nemapogon</i>	292
<i>variegana</i> ([D. & S.]), <i>Acleris</i>	169
<i>velocella</i> (Zell.), <i>Aroga</i>	299
<i>venosata</i> (Fabr.), <i>Eupithecia</i>	67, 183, 199
<i>venosata</i> ssp. <i>fumosae</i> , <i>Eupithecia</i>	183, 200
<i>venosata</i> ssp. <i>ochraceae</i> , <i>Eupithecia</i>	183, 200
<i>verbascalis</i> ([D. & S.]), <i>Anania</i>	309
<i>verellus</i> (Zinck.), <i>Catoptria</i>	239
<i>verhuella</i> Bruand, <i>Psychoides</i>	292, 311
<i>versicolor</i> (Borkh.), <i>Oligia</i>	91
<i>versicolora</i> (Linn.), <i>Endromis</i>	208
<i>versurella</i> Zell., <i>Coleophora</i>	166, 207
<i>vestianella</i> (Linn.), <i>Coleophora</i>	166, 312
<i>vetusta</i> (Hübner), <i>Xylena</i>	192, 251
<i>viburnana</i> ([D. & S.]), <i>Aphelia</i>	168
<i>vicinella</i> (Dougl.), <i>Caryocolum</i>	165
<i>villica</i> (Linn.), <i>Arctia</i>	121, 150
<i>viminalis</i> (Fabr.), <i>Brachylomia</i>	209
<i>viminiella</i> (Sirc.), <i>Phyllonorycter</i>	294
<i>virgaureae</i> Staint., <i>Coleophora</i>	166
<i>virgaureata</i> Doubl., <i>Eupithecia</i>	183
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	121, 122
as 'Marbled Clover'	249
<i>viscariella</i> (Staint.), <i>Caryocolum</i>	299
<i>vitellina</i> (Hübner), <i>Mythimna</i>	195, 263, 264
<i>vitisella</i> Gregson, <i>Coleophora</i>	300
<i>vitratata</i> (Fabr.), <i>Maruca</i>	309
<i>vitrealis</i> (Rossi), <i>Palpita</i>	177, 256, 257, 309
<i>vittata</i> (Woll.), <i>Blastobasis</i>	112, 116, 117, 118, 119 (photo), 302

<i>vittata</i> (Borkh.), <i>Orthonama</i>	180
<i>vittella</i> (Linn.), <i>Ipsolopha</i>	296
<i>vulgata</i> (Haw.), <i>Eupithecia</i>	149, 208
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	299
<i>w-album</i> (Knoch), <i>Satyrium</i>	48, 282
<i>wauaria</i> (Linn.), <i>Macaria</i>	242
<i>weaverella</i> (Scott), <i>Monopis</i>	292
<i>williana</i> (Brahm), <i>Aethes</i>	304
<i>woodiella</i> Richards & Thomson, <i>Ephestia</i>	309
<i>xanthographa</i> ([D.& S.]), <i>Xestia</i>	149, 150, 198, 199
<i>xanthomelas</i> ([D.& S.]), <i>Nymphalis</i>	175, 236
<i>xenia</i> Hering, <i>Phyllocnistis</i>	74, 74 (photo), 295
<i>xylostella</i> (Linn.), <i>Plutella</i> 14, 163, 253, 254, 283	
<i>Yponomeuta</i> sp.	162, 163
<i>zeta</i> (Treits.), <i>Apamea</i>	201
<i>ziczac</i> (Linn.), <i>Notodonta</i>	88, 88 (photo)
<i>zieglerella</i> (Hübner), <i>Cosmopterix</i>	298
<i>zinckenella</i> (Treits.), <i>Etiella</i>	3, 231, 236

BLATTODEA

<i>germanica</i> , <i>Blattella</i>	70
---	----

COLEOPTERA

<i>aenea</i> , <i>Triplax</i>	75, 76 (photo)
Cerambycidae	75
<i>cervus</i> , <i>Lucanus</i>	75
‘Ciid beetle’	76 (photo)
Ciidae	75
<i>fungorum</i> , <i>Tetratoma</i>	75, 76 (photo)
<i>nobilis</i> , <i>Gnorimus</i>	70

HYMENOPTERA

<i>conformis</i> , <i>Diaglyptidea</i>	41
<i>Myrmica</i> sp.	71
<i>sabuleti</i> , <i>Myrmica</i>	71

ISOPODA

<i>affinis</i> , <i>Philoscia</i>	77, 77 (photo)
<i>muscorum</i> , <i>Philoscia</i>	77, 77 (photo)

MECOPTERA

<i>Panorpa</i> sp.	156
-------------------------	-----

MEGALOPTERA

<i>lutaria</i> , <i>Sialis</i>	30
<i>Sialis</i> sp.	156

NEUROPTERA

Coniopterygidae	156
<i>fulvicephalus</i> , <i>Osmylus</i>	156
<i>hirtus</i> , <i>Megalomus</i>	225, 225 (photo), 226 (photo), 227
Neuropterida	156

RAPHIDIOPTERA

Raphidioptera	156
---------------------	-----

FOODPLANTS OF LEPIDOPTERA

Page	Page
<i>Acer campestre</i>	27, 33, 37, 46, 289, 290
<i>Acer monspessulanum</i>	33, 37
<i>Acer platanoides</i>	27, 33, 37, 289
<i>Acer pseudoplatanus</i>	25, 33, 37, 64, 295
<i>Acer saccharinum</i>	37
<i>Acer</i> sp.	21, 31, 37, 169, 182, 185
<i>Achillea millefolium</i>	10, 11, 68, 287, 313
<i>Achillea ptarmica</i>	9, 10, 11
<i>Achillea</i> sp.	187
<i>Aegopodium</i> sp.	164
<i>Alchemilla</i> sp.	187
<i>Alnus glutinosa</i>	102, 293, 311
<i>Alnus incana</i>	295
<i>Alnus</i> sp.	182, 185, 289, 291, 295
<i>Ammophila arenaria</i>	19
<i>Angelica</i>	168
<i>Angelica</i> sp.	193
<i>Angelica sylvestris</i>	164, 173
<i>Anthemis tinctoria</i>	10, 11
<i>Anthriscus</i> sp.	164
<i>Anthyllis vulneraria</i>	220
<i>Armeria maritima</i>	169
<i>Armeria</i> sp.	171
<i>Artemisia absinthium</i>	65
<i>Artemisia vulgaris</i>	300
<i>Asplenium</i> sp.	292
<i>Aster</i> sp.	177
<i>Avena</i> sp.	187
<i>Ballota</i> sp.	65
<i>Betula pubescens</i>	181, 291
<i>Betula</i> sp.	100, 182, 185, 289, 293, 300
<i>Brassica</i> sp.	163, 187
<i>Bryonia dioica</i>	304
<i>Buddleia</i> sp.	182, 187
<i>Calluna</i> sp.	170, 181, 182, 184, 186, 193, 199
<i>Calluna vulgaris</i>	19, 122, 300
<i>Calystegia sepium</i>	59, 61, 62, 63 (photo), 64, 65, 66, 152, 152 (photo)
<i>Calystegia</i> sp.	152
<i>Cardamine hirsuta</i>	163
<i>Carex flacca</i>	178
<i>Carlina</i> sp.	315
<i>Carlina vulgaris</i>	315
<i>Carpinus betulus</i>	294
<i>Carpinus</i> sp.	294
<i>Castanea</i> sp.	290, 294
<i>Centaurea</i> sp.	147, 301
<i>Chamaenerion angustifolium</i>	301
<i>Cirsium palustre</i>	165
<i>Citrus</i> sp.	288
<i>Clematis</i> sp.	188
<i>Clematis vitalba</i>	46
<i>Cochlearia</i> sp.	163
<i>Conopodium majus</i>	143
<i>Convolvulaceae</i>	59, 60, 61, 65 as 'bindweeds'
.....	66
<i>Convolvulus arvensis</i>	65
<i>Convolvulus major</i>	60
<i>Convolvulus purpureus</i>	60
<i>Convolvulus sepium</i>	61
<i>Convolvulus</i> sp.	61
<i>Cornus</i> sp.	291
<i>Coronilla varia</i>	68
<i>Corylus avellana</i>	46, 300, 311
<i>Corylus</i> sp.	289, 295, 300
<i>Cotoneaster horizontalis</i>	82
<i>Crataegus monogyna</i>	46
<i>Crataegus</i> sp.	82, 182, 294
<i>Crocoshia</i> sp.	187
<i>Cupressus</i> sp.	144
<i>Cupressus x leylandii</i>	296
<i>Cytisus scoparius</i>	294
<i>Dactylis glomerata</i>	150
<i>Deschampsia cespitosa</i>	301
<i>Dipsacus</i> sp.	305
<i>Draba incana</i>	163
<i>Elephantopus scaber</i>	285
<i>Empetrum</i> sp.	181, 199
<i>Erica cinerea</i>	122
<i>Erica tetralix</i>	184
<i>Eunymus europaeus</i>	45 (photo)
<i>Euonymus europaeus</i>	44 (photo)
<i>Euphrasia</i> sp.	183
<i>Fagus</i> sp.	169, 182, 294
<i>Fagus sylvatica</i>	100, 101
<i>Festuca rubra</i>	150
<i>Festuca</i> sp.	199
<i>Ficus carica</i>	303
<i>Ficus</i> sp.	303
<i>Fragaria vesca</i>	291
<i>Fraxinus excelsior</i>	102
<i>Fraxinus</i> sp.	61, 162
<i>Galeopsis</i> sp.	187
<i>Helianthus annuus</i>	60
<i>Helminthotheca echioides</i>	113
as 'bristly oxtongue'	
<i>Heracleum</i> sp.	164, 187, 193
<i>Hesperis</i> sp.	163
<i>Hippocastum</i> sp.	182, 185
<i>Humulus lupulus</i>	46, 49, 293
<i>Hypericum</i> sp.	290
<i>Hypochaeris radicata</i>	20

<i>Inula conyzae</i>	303	<i>Potentilla anserina</i>	169
<i>Ipomoea purpurea</i>	66	<i>Potentilla</i> sp.....	177
<i>Jasione montana</i>	18, 19	<i>Prunella</i> sp.....	184
as 'sheep's bit'.....	20 (photo)	<i>Prunella vulgaris</i>	290
<i>Juglans regia</i>	46	<i>Prunus</i> sp.....	182
<i>Juncus articulatus</i>	166	<i>Prunus spinosa</i>	33, 82, 147, 289, 294, 296, 311
<i>Juniperus communis</i>	181	<i>Pulicaria dysenterica</i>	302
<i>Juniperus</i> sp.....	182	<i>Pulmonaria</i> sp.....	187
<i>Lactuca sativa</i>	285	<i>Pyrethrum corymbosum</i>	10
<i>Larix</i> sp.....	57, 172, 183, 314	<i>Quercus cerris</i>	46
<i>Lathyrus linifolius</i>	68	<i>Quercus ilex</i>	290
<i>Launaea arborescens</i>	285	<i>Quercus petraea</i>	290
<i>Lepraria</i> sp.....	292	<i>Quercus robur</i>	311
<i>Leucanthemum vulgare</i>	293	<i>Quercus</i> sp.....	100, 290, 291, 293, 294, 305, 311
<i>Ligustrum aviculare</i>	61	<i>Rhamnus cathartica</i>	46
<i>Ligustrum ovalifolium</i>	120	<i>Rhinanthus</i> sp.....	183
<i>Ligustrum</i> sp.....	59, 182	<i>Rhytidadelphus squarrosus</i>	165
<i>Lonicera</i> sp.....	163	<i>Ribes</i> sp.....	182, 184, 185
<i>Lotus corniculatus</i>	68, 166	<i>Robinia pseudoacacia</i>	46, 47, 49
<i>Lupinus</i> sp.....	188	<i>Rosa</i> sp.....	46, 49, 169, 182, 185, 193
<i>Luzula sylvatica</i>	301	<i>Rubus fruticosus</i>	46
<i>Lychnis</i> sp.....	194	<i>Rubus</i> sp.....	177, 182, 185, 193
<i>Malus domestica</i>	120, 295	<i>Rumex acetosa</i>	137, 138, 139, 140, 141, 289
<i>Malus</i> sp.....	182, 289, 293, 295	<i>Rumex acetosella</i>	137
<i>Marrubium vulgare</i>	65	<i>Rumex crispus</i>	150
<i>Medicago sativa</i>	295	<i>Rumex obtusifolius</i>	150, 326
<i>Medicago</i> sp.....	68	<i>Salicornia</i> sp.....	301
<i>Melampsora</i> sp.....	87	<i>Salix aurita</i>	169, 171
<i>Mentha</i> sp.....	65	<i>Salix caprea</i>	223, 294, 311
<i>Mimulus</i> sp.....	184, 187	<i>Salix cinerea</i>	99, 223
<i>Morus nigra</i>	46	<i>Salix fragilis</i>	147, 295
<i>Nepeta mussinii</i>	65	<i>Salix lanata</i>	224
<i>Oenanthe crocata</i>	297	<i>Salix purpurea</i>	169, 171
<i>Olea europaea</i>	295	<i>Salix repens</i>	295
<i>Pastinaca</i> sp.....	193	<i>Salix</i> sp.....	46, 49, 99, 101, 102, 169, 171, 181, 182, 185, 187, 193, 212, 294, 297
<i>Petasites japonicus</i>	306	<i>Salix viminalis</i>	85, 86, 87, 88
<i>Phragmites australis</i>	298	<i>Sambucus ebulus</i>	46, 49, 61
<i>Phragmites</i> sp.....	298	<i>Sambucus nigra</i>	46, 49, 59, 60, 61, 152
<i>Picea abies</i>	16, 17, 57	<i>Sambucus racemosa</i>	61
<i>Picea sitchensis</i>	17, 172	<i>Scorzoneroideis autumnalis</i>	184
<i>Picea</i> sp.....	314	<i>Scutellaria galericulata</i>	303
<i>Pinus</i> sp.....	57	<i>Senecio smithii</i>	181
<i>Plantago lanceolata</i>	150	<i>Silene dioica</i>	194
<i>Plantago lanceolata</i>	162	<i>Silene</i> sp.....	177
<i>Plantago maritima</i>	165, 169, 170	<i>Silene uniflora</i>	183, 195
<i>Plantago</i> sp.....	168, 182	<i>Solanum dulcamara</i>	311
<i>Platanus</i> sp.....	294	<i>Solidago</i> sp.....	65
<i>Platanus x acerifolia</i>	294	<i>Solidago virgaurea</i>	65, 302
<i>Platanus x hispanicus</i>	294	<i>Sorbus aucuparia</i>	161, 289, 311
<i>Pleurotus</i> sp.....	76 (photo)	<i>Sorbus</i> sp.....	169, 182, 185
<i>Poaceae</i>	168, 178	<i>Stachys</i> sp.....	65
<i>Populus</i> sp.....	182, 212, 290, 306	<i>Stachys sylvatica</i>	65
<i>Populus tremula</i>	290	<i>Succisa pratensis</i>	167
<i>Populus x canadensis</i>	211, 290	<i>Succisa</i> sp.....	184
<i>Populus x canescens</i>	147, 295		

<i>Symphoricarpos</i> sp.	182	<i>Ulex europaeus</i>	115, 294
<i>Symphotrichum</i> sp.	65	<i>Ulex gallii</i>	115, 115 (photo)
<i>Syringa</i> sp.	59, 61	<i>Ulmus glabra</i>	290
<i>Tagetes</i> sp.	187	<i>Ulmus procera</i>	293
<i>Tamatrix gallica</i>	223	<i>Ulmus</i> sp.	121, 147
<i>Tanacetum vulgare</i>	9, 11	as 'Elm'	182, 185, 293, 300
<i>Taraxacum</i> sp.	150, 165	<i>Urtica dioica</i>	46, 47, 65, 168, 185
<i>Teucrium scorodonia</i>	226	<i>Urtica</i> sp.	177, 187
<i>Thesium humifusum</i>	322	<i>Vaccinium myrtillus</i>	290
<i>Thymus drucei</i>	168	<i>Vaccinium vitis-idaea</i>	305
<i>Tilia cordata</i>	81	<i>Viburnum lantana</i>	294
<i>Tilia platyphyllos</i>	81	<i>Viburnum</i> sp.	59
<i>Tilia x europaea</i>	81	<i>Vigna unguiculata</i>	285
<i>Tripolium pannonicum</i>	293	<i>Viola</i> sp.	229, 315

