



THE
ENTOMOLOGIST'S RECORD
AND
JOURNAL OF VARIATION

Edited by
C.W. PLANT, B.Sc., F.R.E.S.

CONTENTS
AND
SPECIAL INDEX

Vol. 120

2008

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Editor

C.W. PLANT, B.Sc., F.R.E.S.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.

Telephone/Facsimile: 01279 507697 E-mail: cpauk1@ntlworld.com

Registrar

R.F. McCormick, F.R.E.S.

36 Paradise Road,

Teignmouth, Devon TQ14 8NR

Treasurer

C.C. Penney, F.R.E.S.

109 Waveney Drive, Springfield,

Chelmsford, Essex CM1 7QA

WHERE TO WRITE

EDITOR: All material for publication, including books for review and advertisements

REGISTRAR: Changes of address

TREASURER: Subscriptions and non-arrival of the Journal

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor, the Entomologist's Record Committee or any party other than the named author or authors.

Entomologist's Record and Journal of Variation is a non profit-making journal, funded by subscription, containing peer-reviewed papers and shorter communications. It is published by the Entomologist's Record Committee, comprising the Editor, the Registrar and the Treasurer, from the Editorial address. An Editorial Advisory Panel exists to assist the Editor in his work.

The annual subscription for year 2008 is £28 for individual subscribers or £50 for institutions.

INSTRUCTIONS TO CONTRIBUTORS

- This journal publishes **peer-reviewed papers** and shorter **Notes** that are reviewed by the Editor. Contributions are accepted on merit, with no regard whatsoever to the occupation or standing of the author. All contributions should bear the name and postal address of the author(s), but titles or honours are not permitted and will be removed. One e-mail address may also accompany the contribution. First time authors and non-subscribers are welcome to send material for publication. We are able to include colour photographs from time to time at no cost to the author(s). Good quality monochrome photographs are always welcomed.
- The journal is concerned with **British Lepidoptera** (moths and butterflies). We also accept contributions on **British Coleoptera** (beetles), **British Diptera** (flies) and **other groups** at the Editor's discretion. We also print **Subscriber Notices** at no cost on behalf of current subscribers; non-subscribers pay a fee for this service. We also publish **Reviews of entomological books** and other publications relating to all aspects of world entomology if these are sent to the Editor at no cost to him. It is our policy not to accept unsolicited book reviews from third parties.
- We may also accept contributions on **European insects** if these are likely to be of interest to British readers, such as species likely to colonise Britain (especially where these contributions include identification keys or photographs), or accounts of entomological trips to places that may be of interest to other readers.
- **Papers** should be at least 2000 words in length. Acceptance is not automatic. They will be peer-reviewed by two referees. Authors must be prepared to make modifications suggested by the referees. Papers must cover their subject matter to a far greater depth than Notes and should present original material or a broad-based review of existing knowledge. Descriptions of new species may be submitted. Authors of papers are expected to follow the house style and conventions as closely as possible. The Editor reserves the right to convert papers into Notes.
- **Notes** are the meat of the journal! Most contributions will fall into this category. They will normally be less than 1500 words in length and can be very short indeed as long as the information they impart is interesting. We welcome Notes. There is no limit to how many you can contribute. Authors of Notes should try as far as possible to follow the house style and conventions, but the Editor will attend to these if errors are made.
- We accept all formats from hand-written notes upwards. However, we prefer submissions via e-mail, or on CD. Files must be in a PC-compatible format that is readable by Microsoft Word. Originals are required for all photographs, drawings, diagrams, graphs, histograms and similar, though Tables may be incorporated into word processor files. For details, visit the web site or contact the Editor direct.

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

Aethes fennicana (M. Hering, 1924) (Lep.: Tortricidae) new to the British Isles. *Brian Goodey*, 89-90
Aulagromyza luteoscutellata (De Meijere, 1924), (Dip.: Agromyzidae): new to Great Britain. *Rob Edmunds and Willem Ellis*, 21-24

B

Bactra venosana (Zeller, 1847) (Lep.: Tortricidae) new to the British Isles from Ireland. *Tony Bryant and K. G. M. Bond*, 97-99
Blasticotoma filiceti Klug, 1834 (Sym.: Blasticotomidae): a sawfly new to Ireland. *Jerry Bowdrey*, 123-124
Brown Argus hybrids in the Peak District. *Bill Smyllie*, 101-106

I

Insect records from an electric insect killer in a tea servery at Sheringham Park, Norfolk. *Keith N. A. Alexander*, 147-149
(The) immigration of Lepidoptera to the British Isles in 2005. *Sean Clancy*, 49-84
(The) Immigration of Lepidoptera to the British Isles in 2006. *Sean P. Clancy*, 209-276

P

Investigation of the status of *Trogus lapidator* (F.) (Hym.: Ichneumonidae) in Britain, a parasitoid of *Papilio machaon* L. (Lep.: Papilionidae). *Geoff Nobes*, 125-128

N

Notes on the genus *Palpita* Hbner (Lep., Pyralidae, Pyraustinae) from Fiji, with descriptions of two new species. *John Clayton*, 199-203

O

On a new species of *Eurhadinoceraea* from Kyrgystan and the distribution of *E. athalioides* (Jakovlev, 1891) in Europe (Hym.: Tenthredinidae, Blennocampinae). *Andrew D. Liston*, 193-198

P

Pherbellia (Oxytaenia) stackelbergi Elberg, 1965 (Dip.: Sciomyzidae) new to the British Isles, with comments on generic and sub-generic placement. *J. Saunton, C.D. Williams, R.J. McDonnell, C. Maher, L. Knutson and M.J. Gormally*, 173-177
Possible evidence of global warming from the early emergence of butterflies on the Isle of Wight. *S. A. Knill-Jones*, 33-34

R

Raspberry Clearwing moth *Pennisetia hylaeiformis* (Laspeyres, 1801) (Lep.: Sesiidae) in South Cambridgeshire and North Hertfordshire. *J. Reid*, 165-170

S

- Scolioneura vicina* (Konow, 1894) (Hym.: Tenthredinidae): first records for mainland Britain. *Rob Edmunds*, 129-131
- Small Autumnal Moth *Epirrita filigrammaria* (H. – S.) and Autumnal Moth *E. autumnata* (Borkh.) (Lep.: Geometridae) at a Scottish site. *Roy Leverton*, 1-6
- (The) Snake Flies (Raphidioptera: Raphidiidae) of Cornwall and Devon, including *Alantoraphidia maculicollis* (Stephens) new to Cornwall. *K. N. A. Alexander*, 91-92

2: NOTES

A

- Alzheimer's Rustic? *Anon*, 138
- Amphipyra pyramidea* (L.) Copper Underwing and *A. berbera* Rungs ssp. *svenssoni* Fletcher Svensson's Copper Underwing (Lep.: Noctuidae): a request for material. *Leslie J. Hill*, 155
- An unusual form of the Peppered Moth *Biston betularia* (L.) (Lep.: Geometridae). *Michael E. N. Majerus and Roger Northfield*, 154-155
- Another unusual form of the Peppered Moth *Biston betularia* (L.) (Lep.: Geometridae). *David C.G. Brown*, 198
- Anthophila fabriciana* (L.) (Lep.: Choreutidae) in November. *Dennis Kallmer*, 192
- Argyresthia trifasciata* Stdr (Lep.: Yponomeutidae): a first record for Dorset (VC9). *Leslie J. Hill*, 95

B

- Beautiful Snout *Hypena crassalis* (Fabr.) (Lep.: Noctuidae) in Essex. *Joe Firmin*, 171
- Blair's Mocha *Cyclophora puppillaria* (Hb.) (Lep.: Geometridae) in Rothamsted light traps, 2006. *Philip J. L. Gould*, 42
- (The) Buttoned Snout *Hypena rostralis* (L.) (Lep.: Noctuidae) recorded from a new site in Hertfordshire (VC20). *Philip J. L. Gould*, 24

C

- Cinnabar *Tyria jacobaeae* (L.) (Lep.: Arctiidae): Late records in Staffordshire, 2007. *Jan Koryszko*, 14
- Coeliades libeon* (Druce, 1875) – A migratory butterfly used as human food (Lep.: Hesperidae). *Torben B. Larsen*, 189-191
- Cosmia trapezina* L. (Lep.: Noctuidae) Comments on variation and the description of a new form from Ireland. *B. K. West*, 170-171
- Cypress Carpet *Thera cupressata* (Geyer) (Lep.: Geometridae) in south-east Essex. *Don Down*, 191-192

D

- Daytime flight in Northern Rustic *Standfussiana lucernea* (L.) (Lep.: Noctuidae). *Roy Leverton*, 77-178
- Diplostepustis perieresalis* Walker, 1859 (Lep.: Crambidae) new to mainland Great Britain. *Roy McCormick*, 85-87
- Dystebenna stephensi* (Stainton) (Lep.: Agonoxenidae) in Berkshire. *Ian Sims*, 146

E

- Early record of the Cypress Carpet *Thera cupressata* Geyer (Lep.: Geometridae) in Dorset (VC9). *Philip J. L. Gould*, 10
- Early records for *Peripsocus milleri* (Tillyard) (Psocoptera: Peripsocidae) – a correction. *K.N.A. Alexander and R. (Bob) E. Saville*, 191
- Ectoedemia heringella* (Mariani) (Lep.: Nepticulidae) in Berkshire and East Suffolk. *Ian Sims*, 139
- Eight days in the Burren (2007). *Michael O'Sullivan and John W. Lavery*, 107-117
- Eilema caniola* (Hb.) (Lep.: Arctiidae) (Hoary Footman) in Kent. *Keith Palmer*, 145-146
- Epirrita dilutata* (D.&S.) (Lep.: Geometridae): Extreme melanic ab. *melana* Prout and decline in melanism in north-west Kent. *B. K. West*, 28-29

F

- First and second records of adult Yarrow Pug *Eupithecia millefoliata* Rössl. (Lep.: Geometridae) for Bedfordshire (VC30). *Philip J. L. Gould*, 31
- First Cheshire (VC 58) records of Small Ranunculus *Hecatera dysodea* (D.&S.) (Lep.: Noctuidae). *Graham Jones*, 164
- Further records of *Cilis hispanica* (Lep.: Drepanidae). *Jon Clifton*, 85
- Further records of *Ectoedemia heringella* (Mariani) (Lep.: Nepticulidae). *Keith Palmer*, 139-140
- Further sightings of the Asian elm aphid *Tinocallis takachihoensis* Higuchi (Hem.: Aphididae) in England. *Thomas F. Döring*, 32

G

- Green-veined White *Pieris napi sabellicae* Stephens ab. *fumosa* Thompson. *Michael Sykes*, 18
- Gypsy moth *Lymantria dispar* (L.) (Lep.: Lymantriidae) female in Central London. *Russell Miller*, 172

H

- Haphazards of Butterfly Recording – a tribute to the sumble Small White (*Pieris rapae*). *Eddie John*, 181-183
- The Harlequin Ladybird *Harmonia axyridis* (Col.: Coccinellidae) reaches Scotland. *Michael Majerus*, 42-43
- Hazards of butterfly collecting – A quick look at *Pseudophilotes jordanicus* – Jordan, June 2008. *Torben B. Larsen*, 151-153
- Hazards of butterfly collecting. A funny thing happened on the way to the pub. *Torben B. Larsen*, 18-119
- Hazards of butterfly collecting. A journey seamlessly resumed – Sierra Leone, April 2006. *Torben B. Larsen*, 179-181
- Hazards of butterfly collecting. Snakes and butterflies in Denmark – 1959 NS 2006. *Torben B. Larsen*, 93-95
- Hazards of butterfly collecting: Wings over Africa – ongoing saga. *Torben B. Larsen*, 25-27
- Heart Moth *Dicycla oo* (L.) (Lep.: Noctuidae) re-found in Middlesex. *Simon Buckingham*, 141-142
- Hydraecia micacea* Esp. (Lep.: Noctuidae) ab. *brunnea* Tutt and ab. *lutea* Tutt in Kent. *B. K. West*, 35

L

- Larva of the White-spotted Pinion moth *Cosmia diffinis* (L.) (Lep.: Noctuidae) found in light woodland hedgerow situation at Witcham, Cambridgeshire. *Paul Waring and David Hopkins*, 29-31

M

- (The) Marbled Pug *Eupithecia irriguata* (Hb.) (Lep.: Geometridae) in Dorset (VC9). *Philip J. L. Gould*, 35-36
- (The) Mocha *Cyclophora annularia* (Fabr.) and False Mocha *Cyclophora porata* (L.) (Lep.: Geometridae) at Monks Wood National Nature Reserve, Huntingdonshire (VC31). *Philip J. L. Gould*, 36
- More records of *Aulagromyza luteoscutellata* (de Meijere) (Dip.: Agromyzidae). *Keith Palmer*, 188-189

N

- Nemapogon variatella* (Clemens) (Lep.: Tineidae) in Oxfordshire. *Ian Sims*, 192
- Nephoterix angustella* (Hb.) (Lep.: Pyralidae) a late larval record. *R. J Heckford*, 122
- Northern Arches *Apamea zeta assimilis* (Doubleday) (Lep.: Noctuidae) discovered in Selkirkshire (Vice-county 79). *Malcolm Lindsay*, 107
- Notable British barkfly (Psocoptera) observations in 2007. *Keith N. A. Alexander*, 19-20
- Noteworthy records of late-flying moths (Lepidoptera) from Rothamsted Insect Survey light traps, 2005. *Philip J. L. Gould*, 28
- Noteworthy records of late-flying moths (Lepidoptera) in Rothamsted Insect Survey light traps, 2006. *Sam Knill-Jones*, 43-45

O

- Oak Processionary moth *Thaumetopoea processionea* (L.) (Lep.: Thaumetopoeidae) in west London. *Martin Townsend*, 149-150
- Observations of *Atylotus rusticus* (L.) (Dip.: Tabanidae) in Sussex during 2006. *Andrew Grayson and Alan E. Stubbs*, 120-122
- Old Lady moths *Mormo maura* (L.) (Lep.: Noctuidae): Record numbers in light-traps at Peterborough. *Paul Waring*, 15-17
- Orthosia cerasi* (Fabr.) (Lep.: Noctuidae): variation in Kent. *B. K. West*, 187-188
- Orthosia gothica* L. (Lep.: Noctuidae): variation in Kent and the Highlands of Scotland. *B. K. West*, 140-141
- Orthosia incerta* (Hufn.) (Lep.: Noctuidae): Comments on its variation in Kent and the Highlands of Scotland and two new aberrations named. *B. K. West*, 7-9

P

- Partial second brood of *Lomaspilis marginata* (L.) Clouded Border (Lep.: Geometridae): in Dorset (VC9). *Leslie. J. Hill*, 6
- Peripsocus consobrinus* Pearman, 1951 (Psoc.: Peripsocidae) in Scotland. *R. (Bob) E. Saville*, 11-13
- Polemonium caeruleum*: A new host plant for *Liriomyza strigata* (Mg.) (Dip.: Agromyzidae). *Rob Edmunds*, 14
- Possible second generation of *Pandemis cinnamomeana* (Treits.) (Lep.: Tortricidae). *R. J. Heckford*, 157

S

- Second record of *Pyrausta cingulata* (Lep.: Pyralidae) in Bedfordshire (VC30). *Philip J. L. Gould and Jason Chapman*, 32
- Second record of the Scarce Hook-tip *Sabra harpagula* Esp. (Lep.: Drepanidae) on The Channel Islands. *Philip J. L. Gould*, 124
- Second record of the Scarce Hook-tip, *Sabra harpagula* Esp. (Lep.: Drepanidae), on The Channel Islands. *Philip J. L. Gould*, 178

Some notes on the territorial activity of Brown Hairstreak *Thecla betulae* (L.) (Lep.: Lycaenidae) in particular, its timing. *Andrew Middleton and Liz Goodyear*, 183-186

Stenoptinea cyaneimarmorella (Mill.) (Lep.: Tineidae) in Essex. *Brian Goodey*, 88

Syncopacma albifrontella (Heinemann, 1870) (Lep.: Gelechiidae) in France – a further note. *Michael & Brenda Marney*, 10

T

(The) Triangle *Heterogenea asella* (D. & S.) (Lep.: Limacodidae) in Devon. *Philip J. L. Gould*, 48

(The) Triangle *Heterogenea asella* (D.&S.) (Lep.: Limacodidae) in Devon. *Philip J. L. Gould*, 142-143

(The) Turnip Sawfly *Athalia rosae* (L.) (Hym.: Tenthredinidae) in Scotland. *Andrew D. Liston*, 99-100

Trichopteryx carpinata Borkh. (Lep.: Geometridae). Geographical variation, with reference to Kent, Westmorland and the Highlands of Scotland and descriptions of two hitherto undescribed aberrations. *B. K. West*, 156-157

U

Unusual flight time of the Autumnal Moth *Epirrita autumnata* (Borkh.) (Lep.: Geometridae) in south Devon (VC3). *Philip J. L. Gould*, 18

W

Was the biology of *Elachista tengstromi* Kaila *et al.*, 2001 (Lep.: Elachistidae) discovered nearly 150 years before the species was described? *R. J. Heckford*, 143-145

Was the spring of 2008 really the worst ever for moth numbers? *Colin W. Plant*, 133-138

(The) Waved Black *Parascotia fuliginaria* (L.) (Lep.: Noctuidae), the Dusky Hook-tip *Drepana curvatula* (Borkh.) (Lep.: Drepanidae) and the Passenger (*Dysgonia algira* (L.) (Lep.: Noctuidae) in Devon during 2007. *Roy McCormick*, 88

Y

Yellow-tail *Euproctis similis* (Fuessl.) (Lep.: Lymantriidae) larvae feeding on Japanese Knotweed. *R. J. Heckford*, 143

3: ANNOUNCEMENTS, SUBSCRIBERS' NOTICES ETC

Editorial Announcements

Eric Classey, 205

The Conservation (Natural Habitats etc) (Amendment) Regulations, 2007, 162-164

The future of this Journal, 161

Obituary

Walter John le Quesne, 37-41

Subscriber Notices

5th European Moth nights: 24 to 28 July 2008, 132

An update on the National Moth Recording Scheme. *Zoe Randle and Richard Fox*, 45-48

French Internet site seeks data of distribution. *Philippe Mothiron*, 87

Harley Books, 122

Information requested on Gatekeeper Butterfly. *Rupert Barrington*, 13

Under new ownership: the National Leaf-mining Lepidoptera Recording Scheme. *Rob Edmonds*, 150

Submitting results of European Moth Nights 2008, 205

4: BOOK REVIEWS

British and Irish Butterflies by Adrian M. Riley, 95-96

Catalogue of Palaearctic Coleoptera. Volume 3: Scarabaeoidea – Scitoidea – Dascilloidea – Buprestoidea – Byrrhoidea; Volume 4: Elateroidea – Derodontoidea – Bostrichoidea – Lymexyloidea – Cleroidea – Cucujoidea; Volume 5: Tenebrionoidea edited by I. Löbl & Smetana, 206

Fascinating insects. Some aspects of insect life by Pierre Jolivet and Krishna K. Verma, 208

Oxford Butterflies of India edited by Thomas Gay, Isaac David Kehimkar and Jagdish Punetha, 207

CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, the page number entry is printed in italic type.

- Alexander, Keith N. A., 19-20; **91-92**; **147-149**;
191
- Anon, 138
- Bond, K. G. M., **97-99**
- Bowdrey, Jerry, **123-124**
- Brown, David C.G., 198
- Bryant, Tony, **97-99**
- Buckingham, Simon, 141-142
- Chapman, Jason, 32
- Clancy, Sean, **49-84**; **209-276**
- Clayton, John, **199-203**
- Clifton, Jon, 85
- Döring, Thomas F., 32
- Down, Don, 191-192
- Edmunds, Rob, 14; **21-24**; **129-131**
- Ellis, Willem, **21-24**
- Firmin, Joe, 171
- Goodey, Brian, 88; **89-90**
- Goodyear, Liz, *183-186*
- Gormally, M. J., **173-177**
- Gould, Philip J. L., 10; 18; 24; 28; 31; 32; 35-36;
36; 42; 48; 124; 142-143; 178
- Grayson, Andrew, 120-122
- Heckford, R. J., 122; 143,143-145; 157
- Hill, Leslie J., 6, 95; 155
- Hopkins, David, *29-31*
- John, Eddie, 181-183
- Jones, Graham J, 164
- Kallmer, Dennis, 192
- Knill-Jones, S. A., **33-34**; 43-45
- Knutson, L., **173-177**
- Koryszko, Jan, 14
- Larsen, Torben B., 25-27; 93-95; 118-119; 151-
153; 179-181; 189-191
- Lavery, John W., 107-117
- Leverton, Roy, **1-6**; 177-178
- Lindsay, Malcolm, 107
- Liston, Andrew D., 99-100; **193-198**
- Maher, C., **173-177**
- Majerus, Michael E. N., 42-43; 154-155
- Marney, Michael, 10
- Marney, Brenda, *10*
- McCormick, Roy, 85-87; 88
- McDonnell, R. J., **173-177**
- Middleton, Andrew, 183-186
- Miller, Russell, 172
- Nobes, Geoff, **125-128**
- Northfield, Roger, *154-155*
- O'Sullivan, Michael, 107-117
- Palmer, Keith, 139-140; 145-146; 188-189
- Plant, Colin W., 133-138
- Reid, J., **165-170**
- Saunton, J., **173-177**
- Saville, R. (Bob) E., 11-13; *191*
- Sims, Ian, 139; 146; 192
- Smyllie, Bill, **101-106**
- Stubbs, Alan E., *120-122*
- Sykes, Michael, 18
- Townsend, Martin, 149-150
- Waring, Paul, 15-17; 29-31
- West, B. K., 7-9; 28-29; 35; 140-141; 156-157;
170-171; 187-188
- Williams, C. D., **173-177**

SPECIAL INDEX

Compiled by Catherine Wellings

Newly described taxa are indexed in **bold type**.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

| | Page | Page |
|---|-------------------------------------|------|
| LEPIDOPTERA | | |
| abencerragus, <i>Pseudophilotes</i> | 151, 153 | |
| abietaria, <i>Eupithecia</i> | 59 | |
| abietella, <i>Dioryctria</i> | 57, 223 | |
| achine, <i>Lopinga</i> | 163 | |
| acuta, <i>Chrysoideixis</i> | 49, 50, 67 | |
| acutellus, <i>Sclerocona</i> | 55, 219 | |
| adelaidae, ssp. of <i>fennicana</i> , <i>Aethes</i> | 89 | |
| adelphella, <i>Sciota</i> | 57, 223 | |
| advenaria, <i>Cepphis</i> | 232 | |
| aegeria, <i>Pararge</i> | 34, 108, 109, 110, 112, 116, 149 | |
| aegyptiaca, <i>Euchloe</i> | 151 | |
| aerugula, <i>Nola</i> | 236 | |
| aestimaria, <i>Chiasmia</i> | 211, 232 | |
| affinis, <i>Cosmia</i> | 30 | |
| agathina, <i>Xestia</i> | 3 | |
| agestis, <i>Aricia</i> | 34, 101-106 | |
| aglaja, <i>Argynnis</i> | 110, 112, 113, 117 | |
| albifrontella, <i>Stomopteryx</i> | 10 | |
| albifrontella, <i>Syncopama</i> | 10 | |
| albipuncta, <i>Mythimna</i> | 50, 63, 239 | |
| albomarginata, ab. of <i>gothica</i> , <i>Orthosia</i> .. | 141 | |
| albovenosa, <i>Simyra</i> | 241 | |
| albula, <i>Meganola</i> | 62, 236 | |
| alchymista, <i>Catephia</i> | 247 | |
| alexanor, <i>Papilio</i> | 153, 163 | |
| alfacariensis, <i>Colias</i> | 58, 225 | |
| algae, <i>Cryphia</i> | 50, 65, 192, 241 | |
| algira, <i>Dysgonia</i> | 49, 68, 80, 88, 210, 247, 269 | |
| allous, <i>Aricia</i> | 105 | |
| alpinella, <i>Platytes</i> | 54 | |
| amatrix, <i>Catocala</i> | 247 | |
| ambiguella, <i>Eupoecilia</i> | 53, 215 | |
| amplana, <i>Cydia</i> | 53, 54, 80, 216, 268 | |
| anachoreta, <i>Clostera</i> | 60 | |
| angustella, <i>Nephoterix</i> | 122, 224 | |
| angustus f. of <i>incerta</i> , <i>Orthosia</i> | 8 | |
| ankeraria, <i>Erannis</i> | 163 | |
| annularia, <i>Cyclophora</i> | 36, 58 | |
| antiopa, <i>Aglais</i> | 226-228, 268 | |
| antiopa, <i>Nymphalis</i>) | 58 | |
| apollo, <i>Parnassius</i> | 163 | |
| arge, <i>Melanargia</i> | 163 | |
| argiolus, <i>Celastrina</i> | 34, 94, 192 | |
| <i>Aricia</i> spp. | 101-106 | |
| arion, <i>Maculinea</i> | 163 | |
| armigera, <i>Helicoverpa</i> | 77-78, 209, 210, 264-265 | |
| artaxerces, <i>Aricia</i> | 101-106 | |
| asella, <i>Heterogenea</i> | 48, 142-143 | |
| asiatica, <i>Nycteola</i> | 49, 67, 80 | |
| assimilis, ssp. of <i>zeta</i> <i>Apamea</i> | 107 | |
| atalanta, <i>Vanessa</i> | 34, 71-72, 253 | |
| atra f. of <i>incerta</i> , <i>Orthosia</i> | 7 | |
| atrata, <i>Odezia</i> | 109, 110, 112 | |
| atriplicis, <i>Trachea</i> | 65, 210, 241 | |
| atropis, <i>Acherontia</i> | 59, 232-233 | |
| auricoma, <i>Acronicta</i> | 241 | |
| auriferella, <i>Stathmopoda</i> | 49, 53 | |
| aurinia, <i>Euphydras</i> | 109, 110 | |
| autumnaria, <i>Ennomos</i> | 232 | |
| autumnata, <i>Epirrita</i> | 1-6, 18 | |
| azaleella, <i>Caloptilia</i> | 45 | |
| badia, <i>Anatrachyntis</i> | 53 | |
| bankiana, <i>Deltote</i> | 67, 244 | |
| bavius, <i>Pseudophilotes</i> | 163 | |
| baynesi, ssp. of <i>tages</i> , <i>Erynnis</i> | 108, 109, 110, 112, 114 | |
| beatricella, <i>Aethes</i> | 89, 90 | |
| belemia, <i>Euchloe</i> | 153 | |
| bellargus, <i>Lysandra</i> | 34 | |
| berbera, <i>Amphipyra</i> | 155 | |
| betulae, <i>Ortholepis</i> | 223 | |
| betulae, <i>Thecla</i> | 109, 110, 114, 183-186 | |
| betularia, <i>Biston</i> | 154-155, 198 | |
| bicuspis, <i>Furcula</i> | 45 | |
| bidentata, <i>Odontopera</i> | 5 | |
| binotella, <i>Hypatopa</i> | 215 | |
| bipunctella, <i>Ethmia</i> | 53, 215 | |
| biriviata, <i>Xanthorhoe</i> | 59, 231 | |
| bistortata, <i>Ectropis</i> | 28, 44 | |
| bistriga, <i>Cryptoblabes</i> | 56 | |
| biviella, <i>Vitula</i> | 57, 224 | |
| boeticus, <i>Lampides</i> | 58, 226, 268 | |
| bombycina, <i>Polia</i> | 62, 239 | |
| borelii lunata, <i>Gortyna</i> | 163 | |
| bractea, <i>Autographa</i> | 246 | |
| brassicae, <i>Pieris</i> | 34, 225 | |
| britannica, ssp. of <i>napi</i> , <i>Pieris</i> | 108, 114 | |
| brunnea, ab. of <i>micacea</i> , <i>Hydraecia</i> | 35 | |
| brunnea, f. of <i>gothica</i> , <i>Orthosia</i> | 141 | |
| buettneri, <i>Sedina</i> | 242 | |
| c-album, <i>Polygonia</i> | 34 | |
| calcaria, <i>Erebia</i> | 163 | |

| | | | |
|--|----------------------------------|--|------------------------------|
| cambridgei, Euchromius | 49, 54 | croceago, Jodia | 240 |
| camilla, Limenitis | 225 | croceus, Colias | 18, 34, 45, 71, 252 |
| canapennella, Elachista | 90 | cuiculatella, Nola | 44 |
| candidula, Pseudeustrotia | 211, 244 | culmella, Chrysoteuchia | 90 |
| canella, Gymnancyla | 224 | culminaria, Phyllometra | 163 |
| caniola, Eilema | 50, 61, 145-146, 234 | cupressata, Thera | 10, 59, 191-192, 231 |
| caprealis, Aglossa | 223 | curvatula, Drepana | 49, 58, 88, 229 |
| cararia, Stegania | 268 | cyaneimarmorella, Stenoptinea | 88, 214 |
| carbonaria, f. of betularia, Biston | 154 | daphidice, Pontia | 225 |
| cardamines, Anthocharis | 34, 108, 114 | dardoinaria, Crocalis | 211, 232 |
| cardui, Cynthia | 34 | deceptoria, Deltote | 244 |
| cardui, Vanessa | 34, 72, 93, 153, 190, 253-254 | degeneraria, Idaea | 59, 231 |
| carpinata, Trichopteryx | 156-157 | demodocus, Papilio | 225 |
| cataluanalis, Antigastra | 50, 55, 210, 220-221, 268 | depressa, Eilema | 44 |
| catax, Eriogaster | 163 | deshaisiana, Cydia | 269 |
| celerio, Hippotion | 60, 233, 268 | dia, Clossiana | 94 |
| celtis, Lybythea | 183 | diffinis, Cosmia | 29-31 |
| cephalonica, Corcyra | 56 | dilutata, Epirrita | 2, 28-29 |
| cerasi, Orthosia | 187-188 | dimidiata, Idaea | 44 |
| cerasus, f. of cerasi, Orthosia | 187 | diminutalis, Nymphula | 54 |
| chalcites, Chrysodeixis | 50, 67, 244-245 | dispar, Lycaena | 163 |
| chlamytulalis, Nola | 49, 62 | dispar, Lymantria | 50, 61, 172, 210, 234 |
| chloridice, Pontia | 183 | dodecea, Ethmia | 215 |
| choragella, Morophaga | 192 | dominula, Callimorpha | 236 |
| christi, Erebia | 163 | dumetata, Odontognophos | 108 |
| christyi, Epirrita | 3 | dysodea, Hecatera | 164 |
| chrysippus, Danaus | 229, 268 | effractella, Eccopisa | 224 |
| cicatricella, Haimbachia | 216 | electa, Catocala | 80, 269 |
| cilium, Spodoptera | 49, 50, 66, 242 | elisa, Fabriciana | 163 |
| cingulata, Pyrausta | 32 | emortualis, Trisateles | 69 |
| cinnamomeana, Pandemis | 157 | eriphia, Antichloris | 236 |
| cinxia, Melitaea | 33, 34 | erminea, Cerura | 270 |
| circumsignata, ab. of gothica, Orthosia | 140 | eroides, Polyommatus | 163 |
| citri, Prays | 214 | erythrocephala, Conistra | 65, 240 |
| clarensis, ssp. of semele, Hipparchia | 113, 114, 115, 116, 117 | eupheme, Zegris | 153 |
| clathrata, Chiasmia | 59, 112 | euphorbia, Hyles | 233, 268 |
| cloacella, Nemapogon | 192 | euphrosyne, Boloria | 34, 108, 114, 117 |
| coerulescens f. of incerta, Orthosia | 8 | evonymella, Yponomeuta | 52, 80, 214 |
| comma, Polygonia | 186 | exclamationis, Agrotis | 133, 134, 135 |
| complana, Eilema | 145-146 | exigua, Spodoptera | 50, 77, 209, 210, 263-264 |
| concinna, Chloroclysta | 1 | extimalis, Evergestis | 54, 217 |
| confusa, Macdunnoughia | 50, 68, 80, 210, 245 | extrema, Chortodes | 66, 242 |
| conjuncta, ab. of carpinata, Trichopteryx | 156, 157 | fabriciana, Anthophila | 192 |
| contacta f. of incerta, Orthosia | 8 | falloui, Euchloe | 151 |
| convolvuli, Agrius | 73-74, 256-257 | fascelinella, Pediasia | 268 |
| coriacana, Clepsis | 215 | fasciaria, Hylaea | 28 |
| crassa, Agrotis | 49 | fasciata, ab. of incerta, Orthosia | 9 |
| crassa, Euoxa | 62, 237 | fasciata, ab. of carpinata, Trichopteryx | 156 |
| crassalis, Hypena | 28, 68, 171 | fasciata, ab. of cerasi, Orthosia | 187 |
| crassilunulata, f. of agestis/artaxes, Aricia | 101 | fasciata, f. of cerasi, Orthosia | 188 |
| | | faunus, Ochloides | 33, 34 |
| | | fennicana, Aethes * | 89-90, 215 |
| | | ferrugalis, Udea | 10, 70, 250 |
| | | fiduciarium, Chondrosoma | 163 |
| | | filigrammaria, Epirrita | 1-6 |

fimbrialis, Thaleria58, 229
 flammea, Mythimna64
 flammea, Trigonophora50, 65, 210, 240
 flavalis, Mecyna220
 flavilinea ab. of cerasi, Orthosia187
 florella, Catopsilia181
 fluxa, Chortodes (Photodes)242
 forestan, Coeliades190
 fovealis, Duponchelia55, 222
 francillana, Aethes90
 fraxini, Catocala68, 80, 204, 210,
 246-247, 269
 fuliginaria, Parascotia68, 80, 88
 fumidaria, Lignyoptera163
 fumosa, ab. of cerasi, Orthosia188
 fumosa, ab. of napi, Pieris18
 funebris, Anania47, 112
 fuscatus f. of incerta, Orthosia7
 galathea, Melanargia94
 gallii, Hyles60, 233
 gamma, Autographa10, 69, 79,
 112, 248, 267
 gander, Andronymus191
 geminatella, Elachista143, 144
 gilvago, Xanthia241
 glaucinella, Argyresthia146
 glauconome, Pontia153
 gleichenella, Elachista144
 gndiella, Cryptoblabes56
 golgus, Plebicula163
 gorganus, ssp. of machaon, Papilio79,
 225, 268
 gothica, Orthosia140-141
 grandaevana, Epiblema53, 216
 gravesi, ssp. of rhamni, Gonepteryx112,
 114, 117
 grisea, ab. of trapezina, Cosmia171
 griseana, Zeiraphera215
 griseola, Eilema44
 grossulariella, Zophodia224
 gularis, Paralipsa80
 harpagula, Sabra79, 124, 178
 helle, Lycaena163
 heringella, Ectoedemia45, 139-140
 hero, Coenonympha163
 hibernica, ssp. of aurinia, Euphydras109,
 110
 hibernica, ssp. of cardamines,
 Anthocharis108, 114
 hibernica, ssp. of dumetata,
 Odontognophos108
 hibernica, ssp. of phlaeas, Lycaena 114, 117
 hippophaes, Hyles163
 hispanica, Cilix85
 hospes, Proxenus49, 66, 210, 242, 269
 hospiton, Papilio163
 hostilis, Sciota223
 hugginsi, ssp. of clathrata, Chiasmia112

hyale, Colias58, 225
 hylaeiformis, Pennisetia *165-170
 hyperantus, Aphantopus113, 115, 116
 icarus, Polyommatus34, 109, 110,
 112, 113, 114, 116
 iernes, ssp. of jurtina, Maniola112,
 113, 114
 incerta, Orthosia7-9
 instabilis f. of incerta, Orthosia8
 insulara, Earias244
 insularia, f. of betularia, Biston154, 198
 intermedia, ab. of carpinata,
 Trichopteryx156, 157
 interpunctella, Plodia57, 224, 269
 interrogationis, Syngnatha210, 211, 246
 io, Inachis34, 115, 116, 228
 ipsilon, Agrotis75, 259-260
 iris, Apatura94, 183
 irriguata, Eupithecia35-36
 irrorella, Yponomeuta214
 italica, Metalampra214
 jacobaeae, Tyria14, 110, 112
 janthina, Noctua50, 62, 237
 jordanicus, Pseudophilotes151, 152
 jurtina, Maniola112, 113, 114, 115, 116
 juventina, Methorasa269
 juvernica, ssp. of sinapis, Leptidea108,
 109, 112, 114, 115
 kadenii, Platyperigea50, 66, 242
 Kallima sp.118
 kuehniella, Ephestia57, 224, 270
 labecula, Dryobota50, 64
 lacunana, Celypha90
 laetus, Oxyptilus224
 l-album, Mythimna63, 270
 lanella, Tinea214
 lapponaria, Lycia47
 larseni, ssp. of eupheme, Zegris153
 lathonia, Issoria229
 latreillei, Methorasa211, 241
 lemonias, Precis (=Junonia)58
 leucogaster, Ochropleura62, 210, 237
 leucomelas, Aedia211, 247
 leucophaearia, Agriopis45
 levana, Araschnia94
 libeona, Coeliades189-190
 licarsisalis, Herpetogramma211, 222
 lichenaria, Cleorodes232
 limbata, Evergestis54, 217
 limbirena, Ctenoplusia245
 lineata ab. of incerta, Orthosia9
 lineatella, Anarsia215
 linetella, Chrysocrambus268
 livornica, Hyles50, 60, 80, 209, 211, 259
 l-nigrum, Arctornis79, 203, 234
 lomaensis, Euriphene180
 loreyi, Mythimna50, 63, 80, 209,
 210, 211, 262-263

| | |
|--|---------------------------------|
| loricatelya, Glyphipterix | 163 |
| lucernea, Standfussiana | 177-178 |
| lucida, Acontia | 67, 244 |
| lucina, Hamearis | 34 |
| luctuosa, Tyta | 247 |
| lunaris, Minucia | 247 |
| lunularia, Selenia | 232 |
| lurideola, Eilema | 1 |
| lutea, ab. of micacea, Hydraecia | 35 |
| machaon, Papilio | 58, 125-128, 225 |
| macularia, Pseudopanthera | 109, 110 |
| magnificella, Elachista = regificella, Elachista malvae, Pyrgus | 34 |
| margaritata, ab. of carpinata, Trichopteryx | 156 |
| margaritella, Catoptria | 54 |
| marginata, ab. of cerasi, Orthosia | 188 |
| marginata, Lomaspilis | 6 |
| marginata, Pennisetia | 165, 168 |
| mariscolore, ssp. of icarus, Polyommatus | 109, 110, 112, 113, 114, 116 |
| marshalli, Cacyreus | 119, 226 |
| mathias, Pelopidas | 191 |
| maturna, Hypodryas | 163 |
| maura, Mormo | 15-17 |
| medicaginis, Cydia | 80 |
| mediofusca, ab. of cerasi, Orthosia | 188 |
| megera, Lasiommata | 34, 116, 117 |
| melaleuca f. of incerta, Orthosia | 8 |
| metis, Aptura | 163 |
| micacea, Hydraecia | 35 |
| micalis, Tebenna | 52, 214 |
| millefoliata, Eupithecia | 31 |
| minimus, Cupido | 33, 34, 112 |
| miniosa, Orthosia | 63 |
| mixta, Cucullia | 163 |
| mnesosyne, Parnassius | 163 |
| molesta, Grapholita | 53, 270 |
| monachella, Monopis | 52 |
| morsei, Leptidea | 163 |
| muscerda, Pelosia | 61, 80, 234, 268 |
| musculus, Arytrura | 163 |
| myrmidone, Colias | 163 |
| myrtilli, Anarta | 3 |
| nabataeus, ssp. of abencerragus, Pseudophilotes | 151, 153 |
| napi, Pieris | 18, 34, 108, 114 |
| nausithous, Maculinea | 163 |
| neander, Andronymus | 191 |
| nebulella, Homeosoma | 224 |
| nebulosus f. of incerta, Orthosia | 8 |
| nemoralis, Agrotera | 222 |
| neophron, Euphaedra | 118 |
| nerii, Daphnis | 60, 233 |
| ni, Trichoplusia | 50, 68, 210, 211, 266 |
| nigra, ab. of carpinata, Trichopteryx | 156 |
| nigropunctata, Scopula | 59, 231 |

| | |
|--|--------------------------------------|
| noctuella, Nomophila | 69, 71, 248, 250-251 |
| nubigera, Heliothis | 210, 243, 269 |
| nubilalis, Ostrinia | 32, 44, 55, 80, 219 |
| nymphagoga, Catocala | 49, 68 |
| obductella, Pempelia | 57 |
| obelisca, Euxoa | 237 |
| obesalis, Hypena | 49, 69 |
| obliqua, f. of cerasi, Orthosia | 187 |
| oblitella, Ancylocosis | 57, 224 |
| obscura, ab. of carpinata, Trichopteryx | 156, 157 |
| obsitalis, Hypena | 50, 68, 204, 247 |
| obsolata-rufa, f. of gothica, Orthosia | 141 |
| obstipata, Orthonama | 73, 210, 255-256 |
| obtusa, Pelosia | 234 |
| occidentalis, ssp. of tridens, Calamia | 108 |
| occulta, Eurois | 62, 204, 210, 211, 237-239, 269 |
| ocellaris, Xanthia | 241 |
| ocellea, Euchromius | 54, 216, 217 |
| ochracea f. of incerta, Orthosia | 9 |
| ochrata, Idaea | 210, 231 |
| ochrea, ab. of trapezina, Cosmia | 171 |
| ocularis ab. of incerta, Orthosia | 9 |
| oditis, Leucochlaena | 240 |
| oedippus, Coenonympha | 163 |
| ohridella, Cameraria | 139, 170 |
| oleastrella, Zelleria | 211, 214 |
| ononaria, Aplasta | 58, 229 |
| oo, Dicycla | 141-142 |
| operculella, Pthorimaea | 215 |
| orbonalis, Leucinodes | 222 |
| orichalcea, Thysanoplusia | 245 |
| ornitopus, Lithophane | 64 |
| ostrina, Eublemma | 66, 243, 269 |
| paleacea, Engargia | 242 |
| palealis, Sitochroa | 55, 219 |
| pallida, ab. of trapezina, Cosmia | 171 |
| pallida, f. of cerasi, Orthosia | 188 |
| pallida, f. of gothica, Orthosia | 140, 141 |
| Palpita spp. | 199-203 |
| pamphilus, Coenonympha | 34, 110, 112, 113, 114, 115, 117 |
| paphia, Argynnis | 110, 112, 113, 114, 115, 117, 229 |
| parva, Eublemma | 50, 66, 80, 210, 243-244, 269 |
| peltigera, Heliothis | 50, 78-79, 81, 209, 210, 265-266 |
| peregrina, Prays | 53, 80, 214 |
| perieresalis, Diplopseustis | 85-87 |
| phalerata, Apantesis | 269 |
| phlaeas, Lycaena | 34, 114, 117 |
| phoeniciata, Eupithecia | 192 |
| pilosaria, Phigalia | 45 |
| pini, Dendrolimus | 79, 268 |
| pidice, Pseudotergumia | 151, 153 |
| plagiata, Aplocera | 43 |

| | |
|--|--------------------------------------|
| plantaginis, Parasemia | 110 |
| plantaginis, ssp. of plantaginis, Parasemia | 110 |
| plebejana, Crocidosema | 80 |
| plexippus, Danaus | 58, 119, 229 |
| plumigeralis, Pechipogo | 49, 69, 210, 248 |
| pluriguttata ab. of incerta, Orthosia | 9 |
| podalirius, Iphiclides | 94, 225 |
| polychoros, Aglais | 34, 58, 79, 226, 268 |
| polychromella, Syncopacma | 215 |
| polygonalis, Uresiphita | 55, 79, 210, 218-219, 268 |
| polygrammata, Costaconvexa | 49, 59, 79, 210, 231, 268 |
| polyxena, Zerynthia | 163 |
| porata, Cyclophora | 36 |
| praecox, Actebia | 62, 237 |
| pratella, Crambus | 216 |
| proboscidalis, Hypena | 204 |
| processionea, Thaumetopoea | 149-150, 234 |
| promissa, Catocala | 80 |
| pronuba, Noctua | 62, 237 |
| prosperina, Prosperinus | 163 |
| pulchella, Utetheisa | 49, 61, 236, 269 |
| pulchrimella, Cosmopterix | 53, 215 |
| pulveralis, Psammotis | 55, 210, 220 |
| punctiferalis, Conogethes | 223 |
| puppillaria, Cyclophora | 42, 59, 210, 230 |
| purpuralis, Zygaena | 112, 114 |
| purpurina, Eublemma | 49, 66, 80, 210, 243 |
| putrescens, Mythimna | 240 |
| pygarga, Protodeltote | 44 |
| pyrmaeola, Eilema | 61, 235 |
| pyralina, Cosmia | 30, 65 |
| pyramidea, Amphipyra | 155 |
| quadra, Lithosia | 44, 61, 235-236 |
| quadrillemma, Ethmia | 53 |
| quadripunctaria, Euplagia | 50, 62, 236 |
| ramburialis, Diasemiopsis | 221-222, 268 |
| rapae, Pieris | 34, 113, 181-183 |
| raptricula, Cryphia | 241 |
| recurvalis, Spoladea | 49, 50, 55, 210, 222, 268 |
| regificella, Elachista | 143-145 |
| repandalis, Paracorsia | 211, 219 |
| repandana, Conobathra | 57, 223 |
| reversalis, Uresiphita | 219 |
| rhamni, Gonepteryx | 34, 112, 114, 117 |
| rhodella, Sciota | 49, 57, 211, 223 |
| rhododactyla, Cnaemidophorus | 224 |
| roboris, Dryobotodes | 269 |
| robusta, Pandesma | 247, 270 |
| robustana, Bactra | 97 |
| rorrella, Yponomeuta | 52, 214 |
| rostralis, Hypena | 24 |
| rubi, Callophrys | 34 |
| rubiginata, Scopula | 59, 231 |
| rubricollis, Atolmis | 61, 234 |
| rufa, ab. of trapezina, Cosmia | 171 |
| rufa, f. of cerasi, Orthosia | 187 |
| rufana, Celypha | 215 |
| rufannulata ab. of cerasi, Orthosia | 188 |
| rufescens, ab. of gothica, Orthosia | 140 |
| ruficiliaria, Cyclophora | 230 |
| rufocincta isolata, Polymixis | 163 |
| rusticata, Idaea | 59, 231 |
| sabellicae, ssp. of napi, Pieris | 18 |
| sabulosa, ssp. of purpuralis, Zygaena | 112, 114 |
| sacraria, Rhodometra | 72-73, 81, 210, 254-255 |
| saharae, Papilio | 151, 153 |
| salicata, Nebula | 44 |
| salicis, Leucoma | 61, 234 |
| saucia, Peridroma | 75-76, 209, 260-261 |
| schmidtii, Dioszeghyana | 163 |
| scrophulariae, Shargacucullia | 79 |
| secundaria, Peribatodes | 232 |
| semele, Hipparchia | 113, 114, 115, 116, 117 |
| semirubella, Oncocera | 57, 223 |
| separata, ab. of gothica, Orthosia | 140, 141 |
| sericea, Eilema | 1 |
| signaria, Macaria | 50, 59, 231 |
| silvella, Crambus | 216 |
| similella, Denisia | 79 |
| similella, ELEGIA | 57, 223 |
| similis, Euproctis | 143 |
| simulans, Rhyacia | 62 |
| sinaicus, Pseudophilotes | 151, 152 |
| sinapis, Leptidea | 108, 109, 112, 114, 115, 117 |
| sinuosaria, Eupithecia | 49, 59 |
| smeathmanniana, Aethes | 89, 90 |
| solidaginis, Lithomoia | 240 |
| sororcula, Eilema | 234 |
| sparganii, Archanara | 242 |
| spilogramma, Palpita | 199-202 |
| spinosa, Palpita | 199-202 |
| splendens, Lacanobia | 49, 62, 79, 239, 269 |
| sponsa, Catocala | 68, 247 |
| stellatarum, Macroglossum | 69, 74-75, 209, 210, 248, 257-259 |
| stephensi, Dystebenna | 146 |
| sticticalis, Loxostege | 55, 217-218 |
| striata, ab. of trapezina, Cosmia | 171 |
| strix, Xylomoia | 163 |
| suberivora, Stigmella | 139 |
| subsetaceus f. of incerta, Orthosia | 8 |
| sudetica, Erebia | 163 |
| suffusa, f. of cerasi, Orthosia | 187 |
| superstes, Hoplodrina | 269 |
| svenssoni, ssp. of berbera, Amphipyra | 155 |
| sylvestrella, Dioryctria | 50, 57, 223 |
| taeniata, ab. of gothica, Orthosia | 140 |
| tages, Erynnis | 34, 108, 109, 110, 112, 114, 117 |

| | |
|---|---|
| tangeens, ab. of carpinata, Trichopteryx | 156 |
| taraxaci, Lemonia | 268 |
| teleiis, Maculinea | 163 |
| tenebrosa, Dryobotodes | 269 |
| tengstromi, Elachista | 143-145 |
| tessellaris, Halysidota | 269 |
| testalis, Hodebertia | 211, 222 |
| testudinaria, Hyphoraraia | 49, 62, 211, 236 |
| thrax, Pelopidas | 191 |
| thrips, Catopta | 163 |
| tircis, ssp. of aegeria, Pararge | 108, 109, 110, 112, 116 |
| tithonus, Pyronia | 13, 34, 149 |
| tityrus, Hemaris | 47, 109 |
| trapeziella, Biselachista | 144 |
| trapezina, Cosmia | 170-171 |
| tridens, Calamia | 108 |
| trifasciata, Argyresthia | 95 |
| trifolii, Discestra | 80, 239 |
| trigutta f. of incerta, Orthosia | 8 |
| trimaculata, Stegania | 211, 231 |
| tritophus, Notodonta | 79, 234 |
| truncata, Chloroclysta | 1 |
| tumidana, Conobathra | 56, 223 |
| typica, f. of betularia, Biston | 154, 198 |
| typica, f. of gothica, Orthosia | 140 |
| uarda, ssp. of eupheme, Zegris | 153 |
| ulmifoliae, Bucculatrix | 214 |
| umbrana, Acleris | 215 |
| umbraria, Peribatodes | 268 |
| undalis, Hellula | 50, 54, 217, 218, 268 |
| unifasciata, ab. of carpinata, Trichopteryx | 156 |
| unipuncta, Mythimna | 50, 77, 262 |
| urticae, Aglais | 34, 117, 226 |
| variata, Nemapogon | 192 |
| variegata, ab. of gothica, Orthosia | 140, 141 |
| vau-album, Nymphalis | 163 |
| venosana, Bactra * | 97-99, 215 |
| verellus, Catoptria | 210, 211, 217, 268 |
| vetusta, Xylena | 64, 240 |
| virginiensis, Vanessa | 225 |
| virgo, Eucarta | 211, 241 |
| viriplaca, Heliothis | 243, 269 |
| vitella, Earias | 244 |
| vitellina, Mythimna | 50, 76, 81, 209, 261-262 |
| vitiensis, Palpita | 199-201 |
| vitrealis, Palpita | 55, 56, 80, 209, 210, 211, 251-252, 269 |
| w-album, Satyrium | 183 |
| xylostella, Plutella | 69, 70, 248, 249 |
| zeta, Apamea | 107 |
| zinckenella, Etiella | 223 |

ARACHNIDA

| | |
|---------------------|-----|
| Macrothele calpeina | 163 |
|---------------------|-----|

COLEOPTERA

| | |
|----------------------------|------------|
| Athous haemorrhoidalis | 148 |
| Bolbelasmus unicornis | 163 |
| Buprestis splendens | 163 |
| Carabus hampei | 163 |
| Carabus hungaricus | 163 |
| Carabus olympiae | 163 |
| Carabus variolosus | 163 |
| Carabus zawadzskii | 163 |
| Cerambyx cerdo | 163 |
| Cetonia aurata | 112 |
| Ceutorhynchus obstrictus | 148 |
| Cucujus cinnabarinus | 163 |
| Dorcadion fulvum cervae | 163 |
| Dorcus parallelipipedus | 32 |
| Duvalius gebhardti | 163 |
| Duvalius hungaricus | 163 |
| Dytiscus latissimus | 163 |
| Graphoderus bilineatus | 163 |
| Halzia sedecimguttata | 148 |
| Harmonia axyridis | 42-43, 170 |
| Leptodirus hochenwarti | 163 |
| Mordellistena pumila | 148 |
| Nicrophorus vespilloides | 148 |
| Osmoderma eremita | 163 |
| Oulema melanopus | 148 |
| Phryganophilus ruficollis | 163 |
| Phyllobius argentatus | 148 |
| Pilemia tigrina | 163 |
| Probaticus subrugosus | 163 |
| Propomacrus cypriacus | 163 |
| Pseudogautrotina excellens | 163 |
| Pseudoseriscius cameroni | 163 |
| Pytho kolwensis | 163 |
| Rosalia alpina | 163 |

DERMAPTERA

| | |
|-----------------------|-----|
| Labia minor | 32 |
| Forficula auricularia | 148 |

ECHINODERMATA

| | |
|-----------------------------|-----|
| Centrostephanus longispinus | 163 |
|-----------------------------|-----|

DIPTERA

| | |
|-------------------------------|----------------|
| Atylotus rusticus | 120-122 |
| Aulagromyza cornigera | 21, 22 |
| Aulagromyza hendeliana | 21, 22, 23 |
| Aulagromyza luteoscutellata * | 21-24, 188-189 |
| Beris vallata | 148 |
| Bibio marci | 148 |
| Brachypalpus laphriformis | 147, 148 |
| Calliphora vicina | 148 |
| Calliphora vomitoria | 148 |
| Chetocera spp. | 175 |

| | |
|---------------------------------|----------|
| Chlorops hypostigma | 148 |
| Colobaea distincta | 173 |
| Colobaea pectoralis | 173 |
| Dasysyrphus venustus | 148 |
| Dioctria baumhaueri | 148 |
| Ditaenia spp. | 175 |
| Ditaeniella spp. | 175 |
| Drina flavicans | 190 |
| Epistrophe grossulariae..... | 148 |
| Episyrphus balteatus | 148 |
| Eristalis horticola | 148 |
| Eristalis tenax..... | 148 |
| Eustalomyia festiva..... | 148 |
| Fannia canicularis | 148 |
| Graphomyzina spp. | 175 |
| Helina depuncta | 148 |
| Hydrotaea irritans | 148 |
| Ilione albisetata..... | 174 |
| Lucilia caesar | 148 |
| Liriomyza bryoniae..... | 14 |
| Liriomyza huidobrensis | 14 |
| Liriomyza strigata | 14 |
| Melanostoma scalare | 148 |
| Melina spp. | 175 |
| Microchrysa polita | 148 |
| Musca autumnalis | 148 |
| Musca domestica | 148 |
| Myathropa florea | 148 |
| Neoitamus cyanurus..... | 147, 148 |
| Neomyia cornicina..... | 148 |
| Nephrotoma flavipalpus..... | 148 |
| Neria cibaria | 148 |
| Palloptera muliebris | 148 |
| Pegomya transversa | 148 |
| Phaonia angelicae | 148 |
| Phaonia errans | 148 |
| Phaonia incana | 148 |
| Phaonia tuguriorum | 148 |
| Pherbellia beatricis..... | 175 |
| Pherbellia brunnipes | 173, 174 |
| Pherbellia cinerella | 174 |
| Pherbellia dorsata..... | 173 |
| Pherbellia griseola | 174 |
| Pherbellia rozkosnyi | 173 |
| Pherbellia stackelbergi * | 173-177 |
| Philophylla caesio | 148 |
| Platycheirus albimanus | 148 |
| Platycheirus scutatus..... | 148 |
| Polietes lardarius..... | 148 |
| Rhagio lineola | 148 |
| Rhagoletis alternata | 148 |
| Sarcophaga carnaria..... | 148 |
| Scaeva pyrastris..... | 148 |
| Sciapus platypterus | 148 |
| Sciomyza brunnipes..... | 175 |
| Sciomyza cinerella..... | 175 |
| Sciomyza dryomyzina | 174 |
| Sicus ferrugineus | 148 |

| | |
|-------------------------------|----------|
| Suillia bicolor..... | 148 |
| Sylvicola fenestralis | 148 |
| Tetanocera montana | 173, 174 |
| Thereva nobilitata | 148 |
| Tricholauxania praeusta | 148 |
| Volucella pellucens | 148 |
| Xylota florum..... | 147, 148 |
| Xylota segnis | 148 |
| Xylota sylvarum..... | 148 |

HETEROPTERA

| | |
|-------------------------------|-----|
| Corixa punctata | 32 |
| Macropsis fuscula | 148 |
| Notus flavipennis | 148 |
| Philaenus spumarius | 123 |
| Phytocoris tiliae | 148 |
| Tinocallis takachihoenis..... | 32 |

HYMENOPTERA

| | |
|--|----------------|
| Ancistrocerus parietinus | 148 |
| Andrena nigroaenea | 149 |
| Athalia ancilla = Athalia glabricollis | |
| Athalia glabricollis | 100 |
| Athalia cordata..... | 148 |
| Athalia rosae..... | 99-100 |
| Blasticotoma filiceti | 123-124 |
| Bombus lapidarius | 149 |
| Bombus pascuorum | 149 |
| Bombus pratorum | 149 |
| Chrysis ignata | 148 |
| Crabro cribaria | 149 |
| Crabro peltarius | 149 |
| Crossocerus megacephalus | 149 |
| Crossocerus quadrimaculatus | 149 |
| Crossocerus vagabundus..... | 149 |
| Crossocerus wesmaeli..... | 149 |
| Dolichovespula saxonica | 149 |
| Dolichovespula sylvestris | 149 |
| Ectemnius sexcinctus..... | 149 |
| Eurhadinoceraea athalioides..... | 193-198 |
| Eurhadinoceraea krausi..... | 193-198 |
| Eurhadinoceraea ventralis..... | 193 |
| Pemphredon lugubris | 149 |
| Perithous divinator..... | 148 |
| Psen equestris..... | 149 |
| Rhopalum clavipes..... | 149 |
| Scambus planatus..... | 148 |
| Scolioneura betuleti | 131 |
| Scolioneura vicina * | 129-131 |
| Trogus lapidator..... | 125-128 |
| Vespa crabro..... | 149 |
| Vespula germanica | 149 |
| Vespula vulgaris..... | 149 |

ISOPODA

| | |
|------------------------------------|-----|
| Armaddillidium ghardalamensis..... | 163 |
|------------------------------------|-----|

MANTODEA

Apteromantis aptera163

ODONATA

Aeshna grandis113
 Aeshna juncea113
 Aeshna viridis163
 Brachytron pratense113
 Calopteryx splendens113
 Cordulegaster heros163
 Cordulegaster trinacriae163
 Gomphus graslinii163
 Leucorrhinia albifrons163
 Leucorrhinia caudalis163
 Leucorrhinia pectoralis163
 Lindenia tetraphylla163
 Macromia splendens163
 Ophiogomphus cecilia163
 Oxygastra curtisii163
 Stylurus flavipes163
 Sympecma braueri163
 Sympetrum striolatum113

ORTHOPTERA

Baetica ustulata163
 Brachytripes megacephalus163
 Isophya costata163
 Isophya harzi163
 Isophya stysi163
 Myrmecophilus baronii163
 Odontopodisma rubripes163
 Paracaloptenus caloptenoides163
 Pholidoptera transsylvanica163
 Saga pedo163
 Stenobothrus eurasius163

PSOCOPTERA

Atlantopsocus adustus20
 Amphigerontia bifasciata13
 Blaste quadrimaculata20
 Ectopsocus petersi19
 Enderleinella obsoleta13
 Liposcelis decolor19
 Metylophorus nebulosus13
 Peripsocus consobrinus11-13, 19
 Peripsocus didymus11, 12, 13
 Peripsocus milleri191
 Peripsocus subfasciatus11, 13, 191
 Philotarsus parviceps13
 Philotarsus picicornis13
 Trichopsocus brincki19
 Trichopsocus clarus19, 20
 Valenzuela burmeisteri13
 Valenzuela flavidus19

RAPHIDIOPTERA

Atlantoraphidia maculicollis91-92
 Phaeostigmata notata91
 Xanthostigma xanthostigma91

MOLLUSCA: Gastropoda

Anisus vorticulus163
 Caseolus calculus163
 Caseolus commixta163
 Caseolus sphaerula163
 Chilostoma banaticum163
 Discula defloratus163
 Discula guerinius163
 Discula leacockiana163
 Discula tabellata163
 Discula testudinalis163
 Discula turricula163
 Elona quimperiana163
 Geomalacus maculosus163
 Geomitra moniziana163
 Gibbula nivosa163
 Hygromia kovacsi163
 Idiomele subplicata
 (= Helix subplicata)163
 Lampedusa imitatrix163
 Lampedusa melitensis163
 Leiostyla abbreviata163
 Leiostyla cassida163
 Leiostyla corneocostata163
 Leiostyla gibba163
 Leiostyla lamellosa163
 Paladilhia hungarica163
 Patella ferruginea163
 Sadleriana pannonica163
 Theodoxus prevostianus163
 Theodoxus transversalis163

MOLLUSCA: Bivalvia

Lithophaga lithophaga163
 Pinna nobilis163
 Margaritifera auricularia163
 Unio crassus163
 Congeria kusceri163

NEUROPTERA

Chrysoperla carnea149
 Wesmaelius betulinus149

