

The
Entomologist's Record
and Journal of Variation

Edited by C. W. Plant



Contents and Special Index

Volume 126
2014

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 2674302

Annual subscription for individual subscribers for 2014 is £25.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG
Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing these data please let us know.

The Entomologist's record is now printed in full colour, enabling us to accept a wider range of illustrative and interpretative material. This development has been made possible by a generous bequest by the late Andy Callow.

CONTENTS

compiled by Colin W. Plant and Andrew Smith

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

Autumn webworm *Hyphantria cunea* (Drury, 1773) (Lep.: Arctiidae) new to Britain. *Ben Sale*, 226-228

B

Biodiversity, Lepidoptera and urban biotopes in Berlin. *Matthew Gandy*, 49-57

Blastobasis maroccanella Amsel, 1952 (Lep.: Blastobasidae) new to the British Isles. *John R. Langmaid*, 85-91

C

Cacyreus marshalli Butler, 1898 (Lep.: Lycaenidae), a new species for Bulgaria. *Mario S. Langourov and Nikolay P. Simov*, 190-192

Choreutis memorana (Hübner, 1799) (Lep.: Choreutidae), a new adventive species to the British Isles. *Willy De Prins and Jurate De Prins*, 157-163

Clepsis dumicolana (Zeller, 1847) (Lep.: Tortricidae), new to Britain. *Pedro Pires*, 121-129

Contribution on the Macrolepidoptera of the Republic of Macedonia with a report of one new genus and four new Noctuidae species for the country. *Stoyan Beshkov*, 175-185

F

Five new species of Microlepidoptera from Portugal. *Martin Corley*, 229-243

M

Microlepidoptera Review of 2013. *J. R. Langmaid and M. R. Young*, 197-225

N

Notes on Caddisflies (Trichoptera) collected by J. J. F. X. King in Co. down including two species new to Northern Ireland. *James P. O'Connor and E. Geoffrey Hancock*, 110-113

O

On the occurrence of *Nineta pallida* (Schneider, 1846) and *N. inpunctata* (Reuter, 1894) in the British Isles and remarks on these rare Green Lacewings (Neu.: Chrysopidae). *Michel Canard, Dave Wilton and Colin W. Plant*, 97-108

S

Stenoptilia islandicus (Staudinger, 1857) (Lep.: Pterophoridae) at a new site in the Breadalbane region, Perthshire, Scotland and a review of British records. *R. J. Heckford and S. D. Beavan*, 41-47

T

Tetramoera langmaidii sp.nov. (Lep.: Tortricidae, Olethreutinae, Enarmoniini): a new species of probably oriental tortricid moth from England. *Colin W. Plant*, 164-174

U

Unusual records of *Heterarthrus cuneifrons* (Altenhofer & Zombori, 1987) (Hym.: Tenthredinidae) in 2013. *Robert Homan*, 28-34

2: NOTES

A

A history of the Dark Bordered Beauty *Epione vespertaria* (L.) (Lep.: Geometridae) in Northumberland. *T. J. Tams*, 19-22

A rare aberration of the Six-spot Burnet *Zygaena filipendulae* (L.) (Lep.: Zygaenidae) f. *chrysanthemii* Borkhausen, 1789, found in North Staffordshire. *Jean E. Debenham*, 130-131

A record of *Aethes margarotana* Duponchel (Lep.: Tortricidae) in Buckinghamshire. *Dave Wilton*, 22-24

Aberrant form of Riband Wave *Idaea aversata* (L.) (Lep.: Geometridae) in Northumberland. *Tom Tams*, 132

An unusual emergence date and new foodplant for the Small Ranunculus *Hecatera dysodea* (D.& S.) (Lep.: Noctuidae). *Michael Smith*, 91

An unusual Treble Lines *Charanyca trigrammica* (Hufn.) (Lep.: Noctuidae). *Jon Clifton*, 151

B

Bedstraw Hawk-moth *Hyles gallii* (Rott.) (Lep.: Spingidae) recorded in north Kent. *Roger Hayward*, 62

Behaviour in ovipositing female Green Hairstreak *Callophrys rubi* L. (Lep.: Lycaenidae). *Harry E. Clarke*, 186

Behaviour of sexually immature female Brimstone *Gonepteryx rhamni*. *Harry E. Clarke*, 174

Bisigna procerella (D.&S., 1775) (Lep.: Oecophoridae): New to Suffolk. *Paul Bryant*, 194

C

Chaenomeles japonica (Thunb.) Spach, a new food plant for *Phyllonorycter sorbi* (Frey) (Lep.: Gracillariidae). *Ian Barton and Kathleen Rosewarne*, 93-96

Chalkhill Blue *Polyommatus coridon* (Poda) (Lep.: Lycaenidae) rediscovered in Rutland. *Andrew H. J. Harrop*, 14-15

Cimbex luteus (L.) (Symph.: Cimbicidae) at Wicken Fen. *David Wilson*, 115-116

Coleophora binderella (Kollar) new to Northern Ireland (Lep.: Coleophoridae). *Jon Clifton and Ken G. M. Bond*, 67

Coleophora conyzae Zeller (Lep.: Coleophoridae) – the male genitalia. *David Manning*, 144

Comibaena bajularia (D. & S.) the Blotched Emerald (Lep.: Geometridae) ab. *rosea* Cockayne. *David Wilson*, 76-77

Continued presence of *Eana argentana* (Clerck) (Lep.: Tortricidae) at its only British locality in Glen Tilt, Perthshire. *Keith P. Bland, Polly Freeman and Mark Young*, 187-188

Crimson Speckled *Utetheisa pulchella* (L.) (Lep.: Arctiinae) recorded in Dorset. *Roger Hayward*, 113-114

Cydia corollana (Hb.) (Lep.: Tortricidae) discovered in Monks Wood, Huntingdonshire. *Barry Dickerson*, 11-12

D

Dingy Footman *Eilema griseola* (Hb.) (Lep.: Arctiidae): Second record for Scotland. *Keith Naylor*, 8-9

Diploseustis perieresalis (Walker) (Lep.: Crambidae) in Lancashire in 2008. *Stephen Palmer*, 163

Diploseustis perieresalis (Walker) (Lep.: Crambidae) new to Norfolk. *Dave Appleton*, 146-147
Dispersive behaviour by male Chalk Hill Blue *Polyommatus coridon* (Poda) (Lep.: Lycaenidae).
Roy Leverton, 48

E

Euchromius cambridgei (Zeller) (Lep.: Crambidae): the second record for Britain. *Bill Dykes*, 145-146

Eupithecia egenaria H.-S. (Lep.: Geometridae), Fletcher's Pug or Pauper Pug new to Bedfordshire. *Melissa G. Banthorpe*, 151-152

Even pheromones can spring surprises. *Jim Reid*, 75-76

Exceptional catches of Heart and dart *Agrotis exclamationis* (L.) (Lep.: Noctuidae) in Devon in 1970. *J. C. A. Craik*, 77-79

F

Fenestral egg-laying in an Angle Shades moth *Phlogophora meticulosa* (L.) (Noctuidae) and an escape tactic in the Swallow-tailed moth *Ouraapteryx sambucaria* (L.) (Geometridae) *Rob Ryan*, 192-193

First Monmouthshire record of *Philedonides lunana* (Thunberg) (Lep.: Tortricidae) *George Tordoff*, 9-11

Further records of *Agonopterix atomella* (D. & S.) (Lep.: Depressariidae) *M. S. Parsons and A. M. Davis*, 36-37

H

Have you seen this moth? *Diachrysia stenochrysis* (Warren) – past, present and future. *Colin W. Plant*, 63-66

[A] history of the Dark Bordered Beauty *Epione vespertaria* (L.) (Lep.: Geometridae) in Northumberland. *T. J. Tams*, 19-22

L

Leucania obsoleta (Hb.) (Lep.: Noctuidae), Obscure Wainscot: the first confirmed record for North Wales. *Melissa G. Banthorpe*, 153

Lowest numbers ever of the Four-spotted Moth *Tyta luctuosa* (D. & S.) (UK BAP Priority Species) at Werrington Brook drain, Peterborough, in 2013. *Paul Waring*, 109

M

Macrochilo cribrumalis (Hb.) (Lep.: Noctuidae), dotted Fan-foot: the first records for Bedfordshire (VC 30). *Melissa G. Banthorpe*, 96

Maggie Moth *Abraxas grossulariata* (L.) (Lep.: Geometridae) on *Calluna vulgaris* in Banffshire. *Roy Leverton*, 24-25

Marsh Fritillary *Euphydryas aurinia* (Rottemburg) f. *hibernica* (Birchall) oviposition observations in Dublin, Ireland in 2013. *Peter Eeles*, 15-19

Moss on the ground: a hiding place for some arboreal feeding microlepidoptera. *Miss S. D. Beavan and R. J. Heckford*, 131

Moths new the Isle of Wight in 2013. *Sam Knill-Jones*, 67-68

N

Noctua orbona (Hufn.) (Lep.: Noctuidae), Lunar Yellow Underwing and *Tetheella fluctuosa* (Hb.) (Lep.: Drepanidae), Satin Lutestring: the first confirmed records for Bedfordshire. *Melissa G. Banthorpe*, 155-156

Nothochrysa fulviceps (Stephens) (Neur.: Chrysopidae) at Martlesham Heath, East Suffolk. *Steve Goddard*, 80-81

O

Odonestis pruni (Linnaeus, 1758) (Lasiocampidae: Pinarinae, Odonestini), the Plum Lappet new to Britain. *Martin R. Honey*, 153-154

P

Phyllonorycter kuhlweiniella (Zeller) (Lep.: Gracillariidae) in Norfolk in spring 2014. *Dave Appleton*, 148-149

Pocock's Wood near Peterborough – only one moth with three light-traps running all night in broad-leaved ancient woodland in late May 2013! *Paul Waring*, 74-75

R

[A] rare aberration of the Six-spot Burnet *Zygaena filipendulae* (L.) (Lep.: Zygaenidae) f. *chrysanthemi* Borkhausen, 1789, found in North Staffordshire. *Jean E. Debenham*, 130-131

[A] record of *Aethes margarotana* Duponchel (Lep.: Tortricidae) in Buckinghamshire. *Dave Wilton*, 22-24

S

Scythris inspersella (Hb.) (Lep.: Scythrididae) rediscovered in West Norfolk. *Andrew Duff and Steve Joyner*, 188-189

Short contribution of the early spring macrolepidoptera of the Republic of Macedonia with a report of two new genera and four new Geometridae species for the country. *Stoyan Beshkov and Viktor Gashtarov*, 133-143

Some notes on Microlepidoptera in West Norfolk, VC 28 in 2013. *Ian Barton and Kathleen Rosewarne*, 70-73

Subilla confinis (Stephens) (Raphidioptera: Raphidiidae), a snake fly new to Bedfordshire. *Melissa G. Banthorpe*, 150

T

[The] Concolorous Moth *Chortodes extrema* (Hb.) (Lep.: Noctuidae) at the Hampton Newt Reserve at Orton Pit, Peterborough in 2013. *Paul Waring*, 114-115

[The] Plume Moth *Oxyptilus pilosellae* (Zeller) (Lep.: Pterophoridae) resurfaces in Buckinghamshire. *Dave Wilton*, 26-27

[The] rediscovery of *Scrobipalpa pauperella* (Heinemann) (Lep.: Gelechiidae) in Britain. *Harry E. Beaumont and Charles H. Fletcher*, 69-70

[The] White Point *Mythimna albipuncta* (D. & S.), now probably resident in South Cambridgeshire (Lep.: Noctuidae) *Jim Reid*, 68-69

Toadflax Brocade *Calophasia lunula* (Hufn.) in Peterborough in May and August 2013 *Paul Waring*, 92

Tomato Leaf Miner *Tuta absoluta* (Meyrick) (Lep.: Gelechiidae), a migrant new to Ireland. *Tony Bryant and K. G. M. Bond*, 185

True Lover's Knot *Lycophotia porphyrea* (D. & S.) (Lep.: Noctuidae) larvae found feeding on Bilberry *Vaccinium myrtillus*. *George Tordoff*, 34-36

Tuponia brevisrostris Reuter (Hem.: Miridae) new to Oxfordshire. *Rob Ryan*, 12-13

U

[An] unusual emergence date and new foodplant for the Small Ranunculus *Hecatera dysodea* (D. & S.) (Lep.: Noctuidae). *Michael Smith*, 91

[An] unusual Treble Lines *Charanyca trigrammica* (Hufn.) (Lep.: Noctuidae). *Jon Clifton*, 151

Unusual variation of *Argyresthia* (Lep.: Yponomeutidae) in London. *Matthew Gandy*, 7

Unusual variation of *Argyresthia* sp. (Lep.: Argyresthiidae) = *Argyresthia goedartella* (Linnaeus, 1758) f. *literella* (Haworth, 1828). *T. H. Freed and R. J. Heckford*, 73-74

W

Water Carpet *Lampropteryx suffumata* (D. & S.) (Lep.: Geometridae) in November. *Peter Hugo*, 27

Willow Ermine *Yponomeuta rorrella* (Hübner) (Lep.: Yponomeutidae), a migrant new to Ireland. *Tony Bryant*, 189

X

Xanthorhoe biriviata (Hb.) (Lep.: Geometridae), Balsam Carpet: the first record for Bedfordshire (VC 30). *Melissa G. Banthorpe*, 113

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

An appeal for records. *Barry Dickerson*, 244

Our policy on the new Checklist of British Lepidoptera. *Editor*, 37

Journals for sale. *Tim Pringle*, 116

Equipment Appeal: MBU moth trap bulbs. *Editor*, 155

4: NEWS FROM THE NATIONAL RECORDING SCHEMES

Gelechiid Recording Scheme, 1-3

National Moth recording Scheme, 4-5

Leaf-mining Moth Recording Scheme, 5-6

Lacewings and Allies Recording Scheme, 6

County Moth Recorders, 6

5: BOOK REVIEWS

Beetles of Eastern North America, 196

Britain's day-flying moths. A field guide to the day-flying moths of Britain and Ireland, 38-39

British Dragonflies: A field guide to the damselflies and dragonflies of Britain and Ireland, 118

Butterflies of Surrey Revisited, 39-40

Checklist of the Lepidoptera of the British Isles, 82-84

Grey Daggers and Minotaurs in Greenwich Park. Memoirs of a London Schoolboy Naturalist in the 1940s, 117

Key to the adults of the water beetles of Britain and Ireland (Part 2), 119

The moths of Glamorgan, 196

The vespoid wasps (Tiphidae, Mutillidae, Sapygidae, Scoliidae and Vespidae) of the British Isles, 195

6: OBITUARIES

Brian Oliver Cordery GARDINER, 244
Robert "Bob" Stephen GEORGE, 58-62

7: ADDENDA & CORRIGENDA

No important corrections to this volume have been communicated to the Editor.

8: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Appleton, Dave146-147, 148-149
Banthorpe, Melissa G.96, 113, 150,
151-152, 153, **155-156**
Barton, Ian70-73, 93-96
Beaumont, Harry E.69-70
Beavan, S. D.**41-47**, 131
Beshkov, Stoyan133-143, **175-185**
Bland, Keith P.187-188
Bond, Ken G. M.67, 185
Bryant, Paul194
Bryant, Tony185, 189
Canard, Michel**97-108**
Clarke, Harry E.174, 186
Clifton, Jon67, 151
Corley, Martin**229-243**
Craik, J. C. A.77-79
Davis, A. M.36-37
De Prins, Jurate**157-163**
De Prins, Willy**157-163**
Debenham, Jean E.130-131
Dickerson, Barry11-12
Duff, Andrew188-189
Dykes, Bill145-146
Eeles, Peter15-19
Fletcher, Charles H.69-70
Freed, T. H.73-74
Freeman, Polly187-188
Gandy, Matthew7, **49-57**
Gashtarov, Viktor133-143
Goddard, Steve80-81
Hancock, E. Geoffrey**110-113**

Harrop, Andrew H. J.14-15
Hayward, Roger62, 113-114
Heckford, R. J.12-13, **41-47**, 73-74, 131
Homan, Robert**28-34**
Honey, Martin R.153-154
Hugo, Peter27
Joyner, Steve188-189
Knill-Jones, Sam67-68
Langmaid, John R.**85-91**, **197-225**
Langourov, Mario S.**190-192**
Leverson, Roy..... 24-25, 48
Manning, David144
Naylor, Keith8-9
O'Connor, James P.**110-113**
Palmer, Stephen163
Parsons, M. S.36-37
Pires, Pedro**121-129**
Plant, Colin W.63-66, **97-108**, **164-174**
Reid, Jim68-69, 75-76
Rosewarne, Kathleen70-73, 93-96
Ryan, Rob12-13, 192-193
Sale, Ben**226-228**
Simov, Nikolay P.**190-192**
Smith, Michael91
Tams, Tom. J.19-22, 132
Tordoff, George9-11, 34-36
Waring, Paul74-75, 92, 109, 114-115
Wilson, David76-77, 115-116
Wilton, Dave22-24, 26-27, **97-108**
Young, Mark R.187-188, **197-225**

SPECIAL INDEX

Compiled by Catherine Wellings & Graham Wenman

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first
in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA			
<i>abbreviana</i> (Fabr.), <i>Epinothia</i>	220	<i>anglicella</i> (Stt.), <i>Parornix</i>	205
<i>abietana</i> (Hb.), <i>Acleris</i>	218	<i>angustana</i> (Hb.), <i>Eupoecilia</i>	219
<i>abietella</i> (D. & S.), <i>Dioryctria</i>	223	<i>angustea</i> (Curtis), <i>Eudonia</i>	121, 225
<i>abscisana</i> (Doubleday), <i>Lobesia</i>	220	<i>angusticolella</i> (Dup.), <i>Coptotriche</i>	203
<i>absoluta</i> (Meyr.), <i>Tuta</i>	185, 212	<i>angustiorana</i> (Haw.), <i>Ditula</i>	126, 217
<i>acerifoliella</i> (Zell.), <i>Phyllonorycter</i>	206	<i>ankeraria</i> Stgdr., <i>Desertobia</i>	133-143
<i>aceris</i> (Frey), <i>Stigmella</i>	201	<i>anthraciniformis</i> Esp. <i>Synanthedon</i>	75
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	209	<i>anthyllidella</i> (Hb.), <i>Aproaerema</i>	210
<i>acuminatana</i> (L. & Z.), <i>Dichrorampha</i>	222	<i>apicella</i> (D. & S.), <i>Ancylis</i>	220
<i>acuminatella</i> (Sirc.), <i>Scrobipalpa</i>	69	<i>apicipunctella</i> Staint, <i>Elachista</i>	214
<i>adaucta</i> Butler, <i>Heliothis</i>	51	<i>aquilina</i> (D. & S.), <i>Euxoa</i>	53
<i>adjunctella</i> Hodgk., <i>Coleophora</i>	213	<i>arcuatella</i> (H. & S.), <i>Ectoedemia</i>	202
<i>adustella</i> Wals., <i>Blastobasis</i>	85-91, 216	<i>argentana</i> (Clerck), <i>Eana</i>	187-188
<i>advenella</i> (Zinck), <i>Acrobasis</i>	223	<i>argentella</i> (Clerck), <i>Elachista</i>	214
<i>aeneofasciella</i> (H.-S.), <i>Stigmella</i>	201	<i>argentimaculella</i> (Stt.), <i>Infurcitiinea</i>	203
<i>aequidentellus</i> (Hofm.), <i>Epermenia</i>	217	<i>argentula</i> (Steph.), <i>Coleophora</i>	214
<i>aeratana</i> (P. & M.), <i>Dichrorampha</i>	222	<i>Argyresthia</i>	7
<i>aestuariella</i> Bradley, <i>Coleophora</i>	214	<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	202
<i>agnotana</i> Rebel, <i>Pammene</i>	222	<i>arida</i> (Zell.), <i>Stenoptilia</i> Gibeaux	43
<i>agrimoniae</i> (Frey), <i>Ectoedemia</i>	202	<i>aridella</i> (Thunb.), <i>Pediasia</i>	225
<i>ahenella</i> Heinemann, <i>Coleophora</i>	197, 213	<i>artemisciolella</i> (Scott), <i>Coleophora</i>	214
<i>albedinella</i> (Zell.), <i>Bucculatrix</i>	204	<i>ashworthii</i> (Doubleday), <i>Xestia</i>	53
<i>albicapitella</i> (Scharf), <i>Paraswammerdamia</i>	207	<i>asiatica</i> (O. Bang-Haas), <i>Cilix</i>	176
<i>albiceps</i> (Zell.), <i>Parachronistis</i>	67, 212	<i>aspersana</i> (Hb.), <i>Acleris</i>	218
<i>albicolon</i> (Hb.), <i>Sideridis</i>	68	<i>assimilella</i> (Zell.), <i>Stigmella</i>	71, 72, 201
<i>albicosta</i> (Haw.), <i>Coleophora</i>	213	<i>atalanta</i> (L.), <i>Vanessa</i>	114
<i>albidella</i> (Nyl.), <i>Elachista</i>	215	<i>atomella</i> (D. & S.), <i>Agonopterix</i>	36-37, 209
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	202	<i>atra</i> (Haw.), <i>Blastodacna</i>	215
<i>albipuncta</i> (D. & S.), <i>Mythimna</i>	68-69, 113	<i>atricapitana</i> (Steph.), <i>Cochylis</i>	219
<i>albistria</i> (Haw.), <i>Argyresthia</i>	208	<i>atricapitella</i> (Haw.), <i>Stigmella</i>	201
<i>albovenosa</i> (Goeze), <i>Simyra</i>	51	<i>atriplicella</i> (F.-v. R.), <i>Scrobipalpa</i>	212
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	230, 231	<i>atriplicis</i> (L.), <i>Trachea</i>	51
<i>alexis</i> (Poda), <i>GlaucoPsyche</i>	176	<i>atriplicis</i> Meyr., <i>Coleophora</i>	214
<i>algae</i> (Fabr.), <i>Cryphia</i>	62	<i>aurana</i> (Fab.), <i>Pammene</i>	223
<i>algarbiella</i> Corley sp. nov., <i>Filatima</i>	229-239	<i>aurantiaria</i> , <i>Phigaliohybernia</i>	137, 140
<i>alnetella</i> (Stt.), <i>Stigmella</i>	200	<i>aureatella</i> (Scop.), <i>Micropterix</i>	200
<i>alpinella</i> (Hb.), <i>Platytes</i>	225	<i>aurinia</i> (Rottemburg), <i>Euphydryas</i>	15-19
<i>alternella</i> (D. & S.), <i>Tortricodes</i>	218	<i>auroguttella</i> (Steph.), <i>Eucalybites</i>	205
<i>alticolella</i> Zell., <i>Coleophora</i>	213	<i>autumnitella</i> Curtis, <i>Acrolepia</i>	208
<i>amabilis</i> Oku, <i>Rhopalovalva</i>	169	<i>aversata</i> (L.), <i>Idaea</i>	132
<i>amethystinella</i> Ragonot, <i>Coleophora</i>	213	<i>badia</i> (Hodges), <i>Anatrachyntis</i>	210
<i>amplana</i> (Hb.), <i>Cydia</i>	222	<i>badiana</i> (D. & S.), <i>Ancylis</i>	220
<i>anatolica</i> Hering, <i>Egira</i>	175, 182, 184	<i>badiella</i> (Hb.), <i>Depressaria</i>	209
<i>ancipitella</i> (La Harpe), <i>Scoparia</i>	224	<i>bajularia</i> (D. & S.), <i>Comibaena</i>	76-77
<i>anderidae</i> (Fletcher), <i>Phyllonorycter</i>	206	<i>balcanica</i> (H.-S.), <i>Lemonia</i>	175
<i>angelicella</i> (Hb.), <i>Agonopterix</i>	209	<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	211
		<i>basiguttella</i> (Hein.), <i>Stigmella</i>	201
		<i>basistrigalis</i> Knaggs, <i>Scoparia</i>	224
		<i>bergmanniana</i> (L.), <i>Acleris</i>	218

<i>betulae</i> (Stt.), <i>Parornix</i>	205
<i>betuletana</i> (Haw.), <i>Apotomis</i>	219
<i>bicostella</i> (Clerck), <i>Pleurota</i>	209
<i>bifurcata</i> (Dup.), <i>Apodia</i>	211
<i>binderella</i> (Koll.), <i>Coleophora</i>	67, 213
<i>bipartita</i> (H.- S.), <i>Pseudozarba</i>	183
<i>bipunctidactyla</i> (Scop.), <i>Stenoptilia</i>	43, 44, 216
<i>biriviata</i> (Hb.), <i>Xanthorhoe</i>	113
<i>bistriatella</i> (Hulst), <i>Apomyelois</i>	223
<i>bistriga</i> (Haw.), <i>Cryptoblates</i>	223
<i>bistrigella</i> (Haw.), <i>Phylloporia</i>	203
<i>blancardella</i> (Fabr.), <i>Phyllonorycter</i>	93, 205
<i>blandella</i> (Dougl.), <i>Caryocolum</i>	212
<i>blandelloides</i> (Karsholt), <i>Caryocolum</i>	1, 212
<i>blandulella</i> (Tutt.), <i>Caryocolum</i>	2
<i>blattariella</i> (Hb.), <i>Anacampsis</i>	210
<i>bombycina</i> (Hufn.), <i>Polia</i>	53
<i>Boudinotiana</i>	133-143
<i>bractea</i> (D. & S.), <i>Autographa</i>	68
<i>brackeella</i> (Hb.), <i>Argyresthia</i>	7, 208
<i>brumata</i> (L.), <i>Operophtera</i>	75
<i>brunnichana</i> (L.), <i>Epinotia</i>	220
<i>caesiata</i> (I D. & S. I), <i>Entephria</i>	25
<i>caestella</i> (Hb.), <i>Swammerdamia</i>	207
<i>cagnagella</i> (Hb.), <i>Yponomeuta</i>	207
<i>caja</i> (L.), <i>Arctia</i>	51
<i>caledoniana</i> (Steph.), <i>Acleris</i>	218
<i>caliginearia</i> (Rambur), <i>Chemerina</i>	133
<i>calodactyla</i> (I D. & S.I), <i>Platyptilia</i>	216
<i>cathella</i> (Linn.), <i>Micropterix</i>	200
<i>cambridgei</i> (Zell.), <i>Euchromius</i>	145-146
<i>campoliliana</i> (I D. & S.I), <i>Eucosma</i>	221
<i>cana</i> (Haw.), <i>Eucosma</i>	221
<i>capreana</i> (Hb.), <i>Apotomis</i>	219
<i>carpinella</i> (Frey), <i>Parornix</i>	205
<i>catalaunalis</i> (Dup.), <i>Antigastra</i>	224
<i>cerasana</i> (Hb.), <i>Pandemis</i>	217
<i>cerasicolella</i> (H.-S), <i>Phyllonorycter</i>	205
<i>cerealella</i> (Ol.), <i>Sitotroga</i>	210
<i>certhiatus</i> (Rebel & Zerny), <i>Charissa</i>	178
<i>cespita</i> [sic] = <i>cespitalis</i> (I D. & S.I), <i>Tholera</i>	51
<i>cespitana</i> (Hb.), <i>Celypha</i>	220
<i>choragella</i> (I D. & S.I), <i>Morphaga</i>	203
<i>Chrysanthemi</i> Borkhausen f. of <i>filipendulae</i> (L.)	130-131
<i>chrysitis</i> (L.), <i>Diachrysa</i>	63-66
<i>chrysolepidella</i> (Zell.), <i>Paracrania</i>	200
<i>cidarella</i> Zell., <i>Bucculatrix</i>	204
<i>cinctella</i> (Clerck), <i>Syncopacma</i>	210
<i>cinerea</i> (I D. & S.I), <i>Agrotis</i>	53
<i>cinerosella</i> (Zell.), <i>Euzophera</i>	223
<i>cinnamomeana</i> (Tr.), <i>Pandemis</i>	217
<i>cinxia</i> (L.), <i>Melitaea</i>	15
<i>cirsiana</i> (Zell.), <i>Epiblema</i>	221
<i>clintoni</i> Povolný, <i>Scrobipalpa</i>	212
<i>cloacella</i> (Haw.), <i>Nemopogon</i>	203

<i>clypeiferella</i> Hofm., <i>Coleophora</i>	214
<i>c-nigrum</i> (L.), <i>Xestia</i>	79
<i>comariana</i> (L. & Z.), <i>Acleris</i>	218
<i>comparella</i> (Dup.), <i>Phyllonorycter</i>	71, 206
<i>confusella</i> (Wood), <i>Stigmella</i>	200
<i>congelatella</i> (Clerck), <i>Exapate</i>	218
conimbricensis Corley sp. nov., Caloptilia	229, 230, 232, 234, 239, 243
<i>conjugella</i> Zell., <i>Argyresthia</i>	208
<i>consimilana</i> (Hb.), <i>Clepsis</i>	218
<i>consociella</i> (Hb.), <i>Acrobasis</i>	223
<i>consortella</i> (Stt.), <i>Elachista</i>	215
<i>conspersana</i> (Dougl.), <i>Cnephasia</i>	218
<i>conspicillaris</i> (L.), <i>Egira</i>	180, 184
<i>contaminella</i> (Hb.), <i>Pediasia</i>	225
<i>conterminana</i> (Guen.), <i>Eucosma</i>	221
<i>conturbatella</i> (Hb.), <i>Mompha</i>	215
<i>conversaria</i> f. of <i>repandata</i> (L.), <i>Alcis</i>	62
<i>conyzae</i> Zell., <i>Coleophora</i>	144, 213
<i>coridon</i> (Poda), <i>Polyommatus</i>	14-15, 48
<i>corollana</i> (Hb.), <i>Cydia</i>	11-12, 198, 222
<i>corylana</i> (Fabr.), <i>Pandemis</i>	217
<i>costaestrigalis</i> (Stephens), <i>Schranksia</i>	145
<i>costella</i> (H. & W.), <i>Scrobipalpa</i>	212
<i>crataegella</i> (L.), <i>Scythropia</i>	209
<i>crataegi</i> (L.), <i>Trichiura</i>	113
<i>cribrumalis</i> (Hb.), <i>Macrochilo</i>	96
<i>cristana</i> (I D. & S.I), <i>Acleris</i>	218
<i>crociacapitella</i> (Clemens), <i>Monopis</i>	204
<i>croesella</i> (Scop.), <i>Adela</i>	203
<i>cruciana</i> (L.), <i>Epinotia</i>	221
<i>culcata</i> (Hufn.), <i>Catarhoe</i>	26
<i>culcipennella</i> (Hb.), <i>Caloptilia</i>	204
<i>culmella</i> (L.), <i>Chrysoteuchia</i>	225
<i>cunea</i> (Drury), <i>Hyphantria</i>	226-228
<i>cupressella</i> Wals., <i>Argyresthia</i>	208
<i>cupriacella</i> (Hb.), <i>Nemophora</i>	202
<i>cynosbatella</i> (L.), <i>Notocelia</i>	221
<i>cytisella</i> (Curt.), <i>Monochroa</i>	211
<i>deauratella</i> L. & Z., <i>Coleophora</i>	213
<i>decortella</i> (H.-S.), <i>Ectoedonia</i>	67, 202
<i>decorella</i> (Haw.), <i>Carpatolechia</i>	212
<i>defoliaria</i> (Cl.), <i>Erannis</i>	137, 141
<i>demarntana</i> (F. v R.), <i>Epinotia</i>	221
<i>demaryella</i> (Dup.), <i>Bucculatrix</i>	204
<i>dentella</i> (Fabr.), <i>Ypsolopha</i>	207
<i>denticulella</i> (Thunb.), <i>Callisto</i>	205
<i>Desertobia</i>	133-143
<i>diana</i> (Hb.), <i>Choreutis</i>	160
<i>diffinis</i> (Haw.), <i>Teleiopsis</i>	212
<i>dilectella</i> Zell., <i>Argyresthia</i>	208
<i>diminutalis</i> Snellen, <i>Parapoynx</i>	225
<i>diminutana</i> (Haworth), <i>Ancylis</i>	220
<i>distans</i> (Zell.), <i>Crombrugghia</i>	216
<i>distinctella</i> (Zell.), <i>Chionodes</i>	211
<i>dodonaea</i> (Stt.), <i>Tischeria</i>	203
<i>douglasella</i> Stt., <i>Depressaria</i>	210
<i>drurella</i> (Fabr.), <i>Chrysoesthia</i>	51

<i>dubitana</i> (Hb.), <i>Cochylis</i>	219
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	206
<i>dumicolana</i> (Zell.), <i>Clepsis</i> *	121-129
<i>dysodea</i> (D. & S.), <i>Hecatera</i>	91
<i>egenaria</i> H.-S., <i>Eupithecia</i>	151-152
<i>ekebladella</i> (Bjerk.), <i>Tischeria</i>	131
<i>eleochariella</i> (Stt.), <i>Elachista</i>	215
<i>elongella</i> (L.), <i>Caloptilia</i>	204
<i>elpenor</i> (L.), <i>Deilephila</i>	78-79
<i>emargana</i> (Fabr.), <i>Acleris</i>	218
<i>emberizaepenella</i> (Bouché), <i>Phyllonorycter</i>	206
<i>Enarmonia</i>	169
<i>ephemerella</i> (ID. & S.I.), <i>Acentria</i>	225
<i>epiphron</i> (Knoch), <i>Erebia</i>	45-47
<i>ericella</i> (Hb.), <i>Crambus</i>	225
<i>erxebella</i> (Fabr.), <i>Roeslerstammia</i>	204
<i>esperella</i> (Goeze), <i>Phyllonorycter</i>	206
<i>evonymella</i> (L.), <i>Yponomeuta</i>	207
<i>exclamatioides</i> (L.), <i>Agrotis</i>	77-79, 145
<i>extrema</i> (Hb.), <i>Chortodes</i>	114-115
<i>fagivora</i> (Frey), <i>Parornix</i>	205
<i>falciformis</i> (Haw.), <i>Epermenia</i>	217
<i>fasciapennella</i> (Stt.), <i>Kessleria</i>	198, 207
<i>fasciella</i> (Fabr.), <i>Nemophora</i>	203
<i>filicivora</i> (Meyr.), <i>Psychoides</i>	204
<i>filipendulae</i> (L.), <i>Zygaena</i>	130-131
<i>filipendulae</i> (Wocke), <i>Stigmella</i>	201
<i>flammealis</i> (D. & S.), <i>Endotricha</i>	146
<i>flammeata</i> (Kuznetsov), <i>Tetramoera</i>	169, 171
<i>flavalis</i> (Caradja), <i>Mecyna</i>	224
<i>flaviciliana</i> (Westw.), <i>Cochylis</i>	219
<i>flavidorsana</i> (Knaggs), <i>Dichrorampha</i>	222
<i>flavimitrella</i> (Hb.), <i>Lampronia</i>	203
<i>flavipalpella</i> Jäckh, <i>Stomopteryx</i>	241
<i>flavicella</i> (Haworth), <i>Stigmella</i>	201
<i>fluctuosa</i> (Hb.), <i>Tetheella</i>	155-156
<i>foenella</i> (L.), <i>Epiblema</i>	221
<i>forficella</i> (Scop.), <i>Harpella</i>	209
<i>forficella</i> (Thunb.), <i>Donacaula</i>	225
<i>formosana</i> (Scop.), <i>Enarmonia</i>	220
<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	208
<i>fovealis</i> (Zell.), <i>Duponchelia</i>	224
<i>fraudatrix</i> (Eversmann), <i>Cucullia</i>	51
<i>fraxinella</i> (Bjerkander), <i>Prays</i>	208
<i>freyerella</i> (Hb.), <i>Elachista</i>	215
<i>fugitivella</i> (Zell.), <i>Carpatolechia</i>	212
<i>fumatella</i> (Dougl.), <i>Chionodes</i>	211
<i>funesta</i> (Esper), <i>Aedia</i>	146
<i>fuscalis</i> (ID. & S.I.), <i>Anania</i>	224
<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	203
<i>fuscicornis</i> auct., <i>Coleophora</i>	213
<i>gallicana</i> (Guen.), <i>Pammene</i>	223
<i>gallii</i> (Rott.), <i>Hyles</i>	51, 62
<i>gallobrittannidactyla</i> Gibeaux, <i>Stenoptilia</i>	43
<i>gamma</i> (L.), <i>Autographa</i>	62, 113

<i>gangabella</i> (Zell.), <i>Elachista</i>	214
<i>geminana</i> (Don.), <i>Ancylis</i>	220
<i>geniculella</i> (Ragonot), <i>Phyllonorycter</i>	34
<i>genitalana</i> P. & M., <i>Cnephasia</i>	218
<i>geringana</i> (ID. & S.I.), <i>Philedone</i>	217
<i>giganteana</i> (Peyer), <i>Pammene</i>	222
<i>gigantella</i> (D. & S.), <i>Schoenobius</i>	225
<i>gilvago</i> (D. & S.), <i>Xanthia</i>	51
<i>gilvaria</i> (ID. & S.I.), <i>Aspilates</i>	178
<i>gilvata</i> (Fabr.), <i>Uresiphita</i>	223
<i>glaucata</i> (Scopoli), <i>Cilix</i>	176
<i>glaucicolella</i> Wood, <i>Coleophora</i>	213
<i>glaucinalis</i> (L.), <i>Hypsopygia</i>	223
<i>glaucinella</i> Zell., <i>Argyresthia</i>	208
<i>gleichenella</i> (Fabr.), <i>Elachista</i>	214
<i>goedartella</i> (L.), <i>Argyresthia</i>	73-74
<i>gonodactyla</i> (ID. & S.I.), <i>Platyptilia</i>	216
<i>graecarius</i> (Stdgr.), <i>Lycia</i>	136, 142
<i>griseana</i> (Hb.), <i>Zeiraphera</i>	221
<i>grisella</i> (Fabr.), <i>Achroia</i>	223
<i>griseola</i> (Hb.), <i>Eilema</i>	8-9
<i>grossulariata</i> (L.), <i>Abraxas</i>	24-25
<i>haasi</i> Stdgr., <i>Plutella</i>	46
<i>hamana</i> (L.), <i>Agapeta</i>	219
<i>hammoniella</i> (Sorh.), <i>Heliozela</i>	202
<i>harrisella</i> (L.), <i>Phyllonorycter</i>	131
<i>hastiana</i> (L.), <i>Acleris</i>	219
<i>haworthana</i> (Steph.), <i>Glyphipterix</i>	208
<i>heegeriella</i> (Zell.), <i>Phyllonorycter</i>	205
<i>hemargyrella</i> (Kollar), <i>Stigmella</i>	201
<i>hemidactylella</i> (D. & S.), <i>Caloptilia</i>	205
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	202
<i>heringi</i> (Toll), <i>Ectoedemia</i>	202
<i>hexadactyla</i> L., <i>Alucita</i>	216
<i>hibernica</i> (Birchall), f. of <i>aurinia</i> (Rottemburg) <i>Euphydryas</i>	15-19
<i>hohenwartiana</i> (ID. & S.I.), <i>Eucosma</i>	221
<i>horridella</i> (Tr.), <i>Ypsolopha</i>	207
<i>humarella</i> (ID. & S.I.), <i>Sophronia</i>	3
<i>humilis</i> (Zell.), <i>Elachista</i>	215
<i>hungaricella</i> Gozmány, <i>Stomopteryx</i>	240, 241, 243
<i>Hydraecia</i>	175
<i>hyemana</i> (Haw.), <i>Acleris</i>	219
<i>Hyphantria</i>	226-228
<i>ibipennella</i> Zell., <i>Coleophora</i>	213
<i>icarus</i> (Rott.), <i>Polyommatus</i>	15
<i>ignorata</i> (Kuzn.), <i>Pammene</i>	198, 222
<i>illutana</i> (H.-S.), <i>Cydia</i>	222
<i>imbecilla</i> (Fabr.), <i>Eriopygodes</i>	34
<i>immundella</i> (Zell.), <i>Trifurcula</i>	202
<i>imperialella</i> (Zell.), <i>Dialectica</i>	115
<i>implicitana</i> (Wocke), <i>Cochyliida</i>	219
<i>incarnatella</i> (Stuedel), <i>Rhigognostis</i>	207
<i>inspersella</i> (Hb.), <i>Scythris</i>	188-189
<i>instabilella</i> (Dougl.), <i>Scrobipalpa</i>	211
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	202
<i>inulae</i> Wocke, <i>Coleophora</i>	214

<i>io</i> (L.), <i>Inachis</i>	15
<i>ippsilon</i> (Hufn.), <i>Agrotis</i>	62, 113, 194
<i>irroredella</i> (Hb.), <i>Yponomeuta</i>	49
<i>islandica</i> (Fabr.), <i>Zeiraphera</i>	221
<i>islandicus</i> (Stdgr.), <i>Stenoptilia</i> ..41-47, 216	
<i>isodactylus</i> (Zell.), <i>Platyptilia</i>	216
<i>italica</i> Baldizzone, <i>Metalampra</i>	209
<i>ivella</i> (Haw.), <i>Argyresthia</i>	7
<i>janiszewskae</i> Riedl, <i>Sorhagenia</i>	210
<i>janthinana</i> (Dup.), <i>Grapholita</i>	222
<i>joannisi</i> Le Marchand, <i>Phyllonorycter</i>	149, 206
<i>josephinae</i> (Toll), <i>Pseudatemelia</i>	209
<i>juncicolella</i> (Stt.), <i>Coleophora</i>	67, 213
<i>juncta</i> Tutt, f. of <i>chrysis</i> (L.), <i>Diachrysa</i>	63
<i>junctella</i> (Dougl.), <i>Caryocolum</i>	212
<i>jungella</i> (Clerck), <i>Grapholita</i>	222
<i>junoniella</i> (Zell.), <i>Phyllonorycter</i>	205
<i>jurassicella</i> (Frey), <i>Mompha</i>	215
<i>kaeheritziana</i> (L.), <i>Agonopterix</i>	209
<i>kilmunella</i> (Stt.), <i>Elachista</i>	214
<i>klimeschi</i> Povolný, <i>Scrobipalpa</i>	69, 70
<i>kreosmaniella</i> (H.-S.), <i>Caryocolum</i>	212
<i>kuehniella</i> Zell., <i>Ephesia</i>	223
<i>kuhlweiniella</i> (Zell.), <i>Phyllonorycter</i>	131, 148-149
<i>laburnella</i> (Stt.), <i>Leucoptera</i>	208
<i>lacteana</i> Caradja, <i>Bactra</i>	220
<i>lacteella</i> (Steph.), <i>Mompha</i>	215
<i>lacticolella</i> Rebel, <i>Blastobasis</i>	216
<i>lacustrata</i> (Panz.), <i>Eudonia</i>	225
<i>laetus</i> (Zell.), <i>Crombrugghia</i>	216
<i>laevigella</i> (ID. & S.), <i>Monopis</i>	204
<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	203
<i>lancealana</i> (Hb.), <i>Bactra</i>	220
<i>langiella</i> (Hb.), <i>Mompha</i>	215
langmaidi Plant sp. nov. , <i>Tetramoera</i>	164-174
<i>lantanelle</i> (Schr.), <i>Phyllonorycter</i>	206
<i>laponica</i> (Wocke), <i>Stigmella</i>	200
<i>lappicella</i> (Hb.), <i>Coleophora</i>	213
<i>larseniella</i> (Gozm.), <i>Syncopacma</i>	210
<i>laterana</i> (Fabr.), <i>Acleris</i>	218
<i>lathonnellus</i> (Zinck.), <i>Crambus</i>	225
<i>ledereri</i> (Stdgr.), <i>Lithophane</i>	141, 143
<i>lemnata</i> (L.), <i>Cataclysta</i>	225
<i>lemniscella</i> (Zell.), <i>Stigmella</i>	201
<i>lentiginosella</i> (Zell.), <i>Mirificarma</i>	211
<i>leucapennella</i> (Steph.), <i>Povolnya</i>	205
<i>leucatella</i> (Clerck), <i>Recurvaria</i>	212
<i>leucodactyla</i> (ID. & S.), <i>Merrifieldia</i>	216
<i>leucographella</i> (Zell.), <i>Phyllonorycter</i>	206
<i>leucophaearia</i> (ID. & S.), <i>Agriopis</i>	133, 142
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	222
<i>limbata</i> (L.), <i>Evergestis</i>	224
<i>limospennella</i> (Dup.), <i>Coleophora</i>	213

<i>lineana</i> (ID. & S.), <i>Apotomis</i>	219
<i>lineatella</i> Zell., <i>Anarsia</i>	210
<i>linosyridella</i> Fuchs, <i>Coleophora</i> ..198, 214	
<i>lipsiella</i> (ID. & S.), <i>Diurnea</i>	209
<i>literana</i> (L.), <i>Acleris</i>	219
<i>literella</i> (Haworth), f. of <i>goedartella</i> (L.)	7, 74
<i>lobarzewski</i> (Nowicki), <i>Grapholita</i>	222
<i>lobella</i> (ID. & S.), <i>Luquetia</i>	209
<i>locupletella</i> (ID. & S.), <i>Mompha</i>	215
<i>logiana</i> (Cl.), <i>Acleris</i>	219
<i>longana</i> (Haw.), <i>Cnephasia</i>	218
<i>lotella</i> (Hb.), <i>Anerastia</i>	223
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	202
<i>lubricipeda</i> (L.), <i>Spilosoma</i>	226
<i>lucida</i> (Hufn.), <i>Acontia</i>	68
<i>lucidella</i> (Steph.), <i>Monochroa</i>	211
<i>luctuosa</i> (ID. & S.), <i>Tyta</i>	51, 109
<i>luculella</i> (Hb.), <i>Telediodes</i>	212
<i>lunaedactyla</i> (Haw.), <i>Marasmarcha</i>	216
<i>lunana</i> (Thunb.), <i>Philedonides</i>	9-11, 217
<i>lunula</i> (Hufn.), <i>Calophasia</i>	92
<i>lunulana</i> (ID. & S.), <i>Grapholita</i>	222
<i>lusciniapennella</i> (Treit.), <i>Coleophora</i>	213
lusitaniella Corley & Karsholt sp. nov. , <i>Stomopteryx</i>	229, 232, 236, 238-241, 243
<i>lusicomella</i> Zell., <i>Elachista</i>	214
<i>maccana</i> (Tr.), <i>Acleris</i>	218
<i>maculicerusella</i> Bru., <i>Elachista</i>	215
<i>magdalenae</i> (Klim.), <i>Stigmella</i>	201
<i>magna</i> (Zell.), <i>Nematopogon</i>	203
<i>manniana</i> (F. v. R.), <i>Phalonidia</i>	219
<i>margaritella</i> (D. & S.), <i>Catoptria</i>	225
<i>margarotana</i> Duponchel, <i>Aethes</i>	22-24, 198, 219
<i>margarotana</i> Heinemann, <i>Gravitarmata</i>	198, 221
<i>marginana</i> (Haw.), <i>Endothenia</i>	220
<i>marginaria</i> , <i>Phigaliohybernia</i> 136-137, 140	
<i>marginata</i> (Haw.), <i>Coptotriche</i>	203
<i>maritima</i> (Tengst.), <i>Phycitodes</i>	223
<i>maritima</i> Stt., <i>Bucculatrix</i>	204
<i>maritimella</i> Newman, <i>Coleophora</i>	214
<i>maroccanella</i> Amsel, <i>Blastobasis</i>	85-91, 197, 216
<i>marshalli</i> Butler, <i>Cacyreus</i>	190-192
<i>mengeli</i> Fernald, <i>Stenoptilia</i>	46
<i>mercuriella</i> (L.), <i>Eudonia</i>	225
<i>mercuriana</i> (Fröl.), <i>Epinotia</i>	221
<i>mespilella</i> (Hb.), <i>Phyllonorycter</i>	205
<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	205
<i>meticulosa</i> (L.), <i>Phlogophora</i> ..113, 192-193	
<i>metzneriella</i> (Stt.), <i>Metzneria</i>	211
<i>micacea</i> (Esper.), <i>Hydraecia</i>	175, 178-179, 183
<i>micana</i> (ID. & S.), <i>Phiaris</i>	220
<i>micella</i> (ID. & S.), <i>Argolamprotes</i>	211

<i>microtheriella</i> (Stt.), <i>Stigmella</i>	201
<i>millieridactyla</i> (Bruand), <i>Stenoptilia</i>	216
<i>milvipennis</i> (Zell.), <i>Coleophora</i>	213
<i>minimella</i> (Zett.), <i>Ectoedemia</i>	202
<i>ministrana</i> (L.), <i>Eulia</i>	219
<i>minusculella</i> (H.-S.), <i>Stigmella</i>	201
<i>minutana</i> (Hb.), <i>Gypsonoma</i>	221
<i>minutata</i> (Fabr.), <i>Eublemma</i>	53
<i>miscella</i> (ID. & S.), <i>Mompha</i>	215
<i>molesta</i> (Busck), <i>Grapholita</i>	222
<i>monodactyla</i> (L.), <i>Emmelina</i>	217
<i>monoglypha</i> (Hufn.), <i>Apamea</i>	77-78
<i>musculana</i> (Hb.), <i>Syndemis</i>	126
<i>musiva</i> (Hb.), <i>Albocosta</i>	175, 183, 184
<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	217
<i>myrtiliana</i> (Tr.), <i>Ancyliis</i>	220
<i>myrtillella</i> (Stt.), <i>Stigmella</i>	201
<i>nanana</i> (Tr.), <i>Epinotia</i>	221
<i>nebulata</i> (Scop.), <i>Euchoeca</i>	49
<i>nemoralis</i> (Scop.), <i>Agrotera</i>	224
<i>memorana</i> (Hb.), <i>Choreutis</i>	157-163
<i>nemorella</i> (L.), <i>Ypsolopha</i>	207
<i>nigrescentella</i> (Logan), <i>Phyllonorycter</i>	206
<i>nigricans</i> (L.), <i>Euxoa</i>	51
<i>nigriceila</i> (Chrétien), <i>Stomopteryx</i>	241
<i>nigripunctella</i> (Haworth), <i>Tenaga</i>	197, 203
<i>nisella</i> (Cl.), <i>Epinotia</i>	221
<i>nitentella</i> (Fuchs), <i>Scrobipalpa</i>	212
<i>nitidalis</i> (Walk.), <i>Musotima</i>	225
<i>nitidana</i> (Fabr.), <i>Strophedra</i>	223
nonscriptella Corley sp. nov.,	
<i>Agnoea</i>	229, 234, 238-239, 242
<i>notana</i> (Don.), <i>Acleris</i>	219
<i>notha</i> (Hübner), <i>Boudinotiana</i> 133, 134-135	
<i>nubiferana</i> (Haw.), <i>Hedya</i>	220
<i>nutantella</i> Mühlig & Frey, <i>Coleophora</i>	214
<i>nylandriella</i> (Tengst.), <i>Stigmella</i>	201
<i>nymphaeata</i> (L.), <i>Elophila</i>	225
<i>obelisca</i> (Tutt), <i>Euxoa</i>	53
<i>obliquella</i> (Hein.), <i>Stigmella</i>	201
<i>oblongana</i> (Haw.), <i>Endothenia</i>	220
<i>obsoleta</i> (Hb.), <i>Leucania</i>	153
<i>obsoletella</i> (F.-v. R.), <i>Scrobipalpa</i>	212
<i>obtusana</i> (Haw.), <i>Ancyliis</i>	220
<i>obiella</i> (ID. & S.), <i>Monopis</i>	204
<i>ocellaris</i> (Borkh.), <i>Xanthia</i>	51
<i>ochrata</i> (Scop.), <i>Idaea</i>	51
<i>ochrodactyla</i> (ID. & S.), <i>Gillmeria</i>	216
<i>ochroleucana</i> (Fröhl.), <i>Hedya</i>	220
<i>ocnerostomella</i> (Stt.), <i>Tinagma</i>	72, 73, 209
<i>ohridella</i> (Deschka & Dimic),	
<i>Cameraria</i>	197, 206
<i>olivialis</i> (ID. & S.), <i>Udea</i>	224
<i>omissella</i> (Stt.), <i>Leucospilapteryx</i>	71
<i>oppressana</i> (Tr.), <i>Gypsonoma</i>	221
<i>orana</i> (F. v R.), <i>Adoxophyes</i>	218
<i>orbona</i> (Hufn.), <i>Noctua</i>	155-156

<i>ornata</i> Christoph, <i>Melitaea</i>	176, 177
<i>orstadii</i> (Palm), <i>Elachista</i>	197, 215
<i>osteodactylus</i> (Zell.), <i>Hellinsia</i>	217
<i>oxyacanthella</i> (Stt.), <i>Stigmella</i>	201
<i>oxyacanthella</i> [sic] <i>Phyllonorycter</i>	93
<i>oxyacanthae</i> (Frey), <i>Phyllonorycter</i>	93, 205
<i>padella</i> (L.), <i>Yponomeuta</i>	207
<i>palealis</i> (D. & S.), <i>Sitochroa</i>	224
<i>paleana</i> (Hufn.), <i>Aphelia</i>	217
<i>pallida</i> (Curt.), <i>Eudonia</i>	225
<i>pallidactyla</i> (Haw.), <i>Gillmeria</i>	216
<i>pallidata</i> (Hufn.), <i>Evergestis</i>	224
<i>pallifrontana</i> (L. & Z.), <i>Grapholita</i>	222
<i>paludana</i> Barr., <i>Ancyliis</i>	220
<i>paludella</i> (Hb.), <i>Calamotropha</i>	225
<i>pamphilus</i> (L.), <i>Coenomympha</i>	15
<i>parasiella</i> auctt. = <i>unicolorella</i> Stldr.	223
<i>parenthesella</i> (L.), <i>Ypsolopha</i>	207
<i>pariana</i> (Clerck), <i>Choreutis</i>	160
<i>paripennella</i> Zell., <i>Coleophora</i>	214
<i>pauperella</i> (Heinemann),	
<i>Scrobipalpa</i>	69-70, 198, 211
<i>pectinea</i> Haw., <i>Incurvaria</i>	203
<i>pelidnodactyla</i> (Stein), <i>Stenoptilia</i>	42-47
<i>peliana</i> (Tr.), <i>Neofriseria</i>	2, 211
<i>perieresalis</i> (Walk.),	
<i>Diplopsseustis</i>	146-147, 163, 224
<i>perlucidalis</i> (Hb.), <i>Anania</i>	224
<i>permixtana</i> (ID. & S.),	
<i>Gynnidomorpha</i>	219
<i>persicariae</i> (L.), <i>Melanchnra</i>	77-78
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	67, 224
<i>phoebe</i> (Tóth & Varga), <i>Melitaea</i>	176
<i>phragmitella</i> (Hb.), <i>Chilo</i>	225
<i>picaepennis</i> (Haworth), <i>Scythris</i>	73, 216
<i>picardi</i> Gibeaux, <i>Stenoptilia</i>	43
<i>pilleriana</i> (ID. & S.), <i>Sparganothis</i>	217
<i>pilosellae</i> (Zell.), <i>Oxyptilus</i>	26-27
<i>pinella</i> (L.), <i>Catoptria</i>	225
<i>pinicolella</i> (Zell.), <i>Batrachedra</i>	67, 212
piresi Corley sp. nov.,	
<i>Denisia</i>	229, 231, 232, 234, 239
<i>platanoidella</i> (Joannis), <i>Phyllonorycter</i>	206
<i>plumigeralis</i> (Hb.), <i>Pechipogo</i>	68
<i>populana</i> (Fabr.), <i>Pammene</i>	222
<i>populetorum</i> (Zell.), <i>Caloptilia</i>	204
<i>porphyrana</i> (Hb.), <i>Eudemis</i>	219
<i>porphyrea</i> (ID. & S.),	
<i>Lycophotia</i>	34-36, 77-78,
<i>porrectella</i> (L.), <i>Plutella</i>	207
<i>postvittana</i> (Walker), <i>Epiphyas</i>	218
<i>poterii</i> (Stt.), <i>Stigmella</i>	201
<i>praeangusta</i> (Haw.), <i>Batrachedra</i>	212
<i>praelatella</i> (ID. & S.), <i>Incurvaria</i>	203
<i>procerella</i> (D. & S.), <i>Bisigna</i>	194
<i>procerella</i> (D. & S.), <i>Schiffermuellaria</i>	194
<i>pronuba</i> (L.), <i>Noctua</i>	4, 77-78
<i>propinquella</i> (Stt.), <i>Mompha</i>	215

<i>propinquella</i> (Tr.), <i>Agonopterix</i>	209
<i>prunalis</i> (D. & S.), <i>Udea</i>	224
<i>pruni</i> (L.), <i>Odonestis</i>	153-154
<i>pruniana</i> (Hb.), <i>Hedya</i>	220
<i>pruniella</i> (Clerck), <i>Argyresthia</i>	208
<i>prunifoliae</i> Doets, <i>Coleophora</i>	67, 213
<i>prunifoliella</i> (Hb.), <i>Lyonetia</i>	208
<i>pterodactyla</i> (L.), <i>Stenoptilia</i>	216
<i>pulla mediterranea</i> Ganev, <i>Boudinotiana</i>	133, 134-135, 138
<i>pulchella</i> (L.), <i>Utetheisa</i>	113-114
<i>pulchrimella</i> Chambers, <i>Cosmopterix</i> ..	210
<i>pulicariae</i> (Klimesch), <i>Digitivalva</i>	208
<i>pulverosella</i> (Stt.), <i>Bohemannia</i>	202
<i>pumicana</i> (Zeller), <i>Cnephasia</i>	218
<i>purdeyi</i> (Durrant), <i>Clavigesta</i>	221
<i>purpuralis</i> (L.), <i>Pyrausta</i>	223
<i>purpurea</i> (Haw.), <i>Agonopterix</i>	209
<i>puta</i> (Hb.), <i>Agrotis</i>	75
<i>putris</i> (L.), <i>Axylia</i>	77-78
<i>pyrella</i> (Villiers), <i>Swammerdamia</i>	207
<i>pyrrhulipennella</i> Zell., <i>Coleophora</i>	213
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	115, 210
<i>quadrinaculella</i> (Boh.), <i>Bohemannia</i> ..	202
<i>quadripuncta</i> (Haw.), <i>Oegoconia</i>	209
<i>quadripunctaria</i> (Poda), <i>Euplagia</i> ..	62, 178
<i>quercetica</i> Prout, <i>Eupithecia</i>	134-135
<i>rajella</i> (L.), <i>Phyllonorycter</i>	206
<i>raschkiella</i> (Zell.), <i>Mompha</i>	216
<i>ratzeburgiana</i> (Saxesen), <i>Zeiraphera</i>	67, 221
<i>recurvalis</i> (Fabr.), <i>Spoladea</i>	68, 224
<i>regiana</i> (Zell.), <i>Pammene</i>	222
<i>regiella</i> (H.-S.), <i>Stigmella</i>	201
<i>regina</i> Stgdr., <i>Eumera</i>	176
<i>repandata</i> (L.), <i>Alcis</i>	62
<i>reticularis</i> (L.), <i>Diasemia</i>	224
<i>reticulata</i> (Goeze), <i>Heliophobus</i>	51, 55
<i>retinella</i> Zell., <i>Argyresthia</i>	208
<i>rhamni</i> (L.), <i>Gonepteryx</i>	174
<i>rhombana</i> (D. & S.), <i>Acleris</i>	218
<i>rhomboidarius</i> (D. & S.), <i>Peribatodes</i> ..	126
<i>rhomboidella</i> (L.), <i>Hypatima</i>	1, 210
<i>rimicola</i> (D. & S.), <i>Eriogaster</i>	133, 134-135
<i>robustella</i> Jäckh, <i>Caloptilia</i>	230, 231
<i>rorrella</i> (Hb.), <i>Yponomeuta</i>	189
<i>rosana</i> (L.), <i>Archips</i>	217
<i>rosea</i> Cockayne, ab. of <i>bajularia</i> (D. & S.), <i>Comibaena</i>	76-77
<i>rubi</i> (L.), <i>Macrothylacia</i>	34
<i>rubi</i> L., <i>Callophrys</i>	186
<i>rubiginosana</i> (H.-S.), <i>Epinotia</i>	221, 225
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	201
<i>ruficeps</i> (Hein.), <i>Prays</i>	208
<i>rufimitrella</i> (Scop.), <i>Cauchas</i>	203
<i>rufipennella</i> (Hb.), <i>Caloptilia</i>	34, 204
<i>rupicola</i> (Curt.), <i>Cochylidia</i>	219

<i>ruralis</i> (Scop.), <i>Pleuroptya</i>	224
<i>ruinana</i> (L.), <i>Clepsis</i>	217
<i>salaciella</i> (Tr.), <i>Opostega</i>	202
<i>salicicolella</i> (Sircom), <i>Phyllonorycter</i> ..	206
<i>salicis</i> (Stt.), <i>Stigmella</i>	201
<i>salicorniae</i> (Zell.), <i>Scrobipalpa</i>	3
<i>salinella</i> (Zell.), <i>Scrobipalpa</i>	3
<i>salopiella</i> (Stt.), <i>Eriocrania</i>	200
<i>samadensis</i> (Pfaff.), <i>Scrobipalpa</i>	212
<i>sambucaria</i> (L.), <i>Ourapteryx</i>	192-193
<i>sangii</i> (Wood), <i>Eriocrania</i>	200
<i>saturatella</i> Stt., <i>Coleophora</i>	213
<i>sauciana</i> (Fröhl.), <i>Apotomis</i>	220
<i>saxicola</i> (Vaughan), <i>Phycitodes</i>	223
<i>schistaceana</i> Snellen, <i>Tetramoera</i>	171
<i>schreibella</i> (Fabr.), <i>Phyllonorycter</i> ..	206
<i>schulziana</i> , (Fabr.), <i>Phiaris</i>	220
<i>schumacherana</i> (Fabr.), <i>Olindia</i>	217
<i>schwarzella</i> (Fabr.), <i>Pancalia</i>	210
<i>schwarzziellus</i> Zell., <i>Nematopogon</i>	203
<i>scirpi</i> (Stt.), <i>Elachista</i>	215
<i>scotica</i> Cooke ssp. of <i>epiphron</i> Knoch, <i>Erebia</i>	45
<i>scoticella</i> (Stt.), <i>Parornix</i>	205
<i>scutellana</i> (D. & S.), <i>Epiblema</i>	221
<i>secalis</i> (L.), <i>Mesapamea</i>	78-79
<i>sedatana</i> Busck, <i>Dichrorampha</i>	221
<i>sehestediana</i> (Fabr.), <i>Prochoreutis</i>	217
<i>selasella</i> (Hb.), <i>Agriphila</i>	225
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	71, 72, 205
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	219
<i>semifusca</i> (Haw.), <i>Argyresthia</i>	208
<i>semirubella</i> (Scop.), <i>Oncocera</i> ..	51, 55, 223
<i>semitestacella</i> (Curt.), <i>Argyresthia</i>	208
<i>sentictetella</i> (Stgdr.), <i>Gelechia</i>	211
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	207
<i>sericopeza</i> (Zell.), <i>Ectoedemia</i> ..	70, 71, 202
<i>sexguttella</i> (Thunb.), <i>Chrysoesthia</i>	211
<i>shepherdana</i> (Steph.), <i>Acleris</i>	218
<i>signatana</i> (Dougl.), <i>Epinotia</i>	220
<i>silenella</i> auct., <i>Coleophora</i>	214
<i>similis</i> (Fuessly), <i>Euproctis</i>	226
<i>similis</i> (Stt.), <i>Bryotropha</i>	211
<i>simplicella</i> Hein., <i>Dioryctria</i>	223
<i>smeathmanniana</i> (Fabr.), <i>Aethes</i>	219
<i>sociana</i> (Haw.), <i>Gypsonoma</i>	221
<i>sodaliana</i> (Haw.), <i>Phitheochroa</i>	219
<i>sorbi</i> (Frey), <i>Phyllonorycter</i>	93-96, 205
<i>sororculella</i> (Hb.), <i>Gelechia</i>	211
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	207
<i>speciosa</i> (Frey), <i>Stigmella</i>	34
<i>spectrana</i> (Tr.), <i>Clepsis</i>	218
<i>Spilosoma</i>	226-228
<i>spiniana</i> (Dup.), <i>Pammene</i>	222
<i>spinicolella</i> (Zell.), <i>Phyllonorycter</i>	205
<i>spurcella</i> Dup., <i>Filatima</i>	237, 238
<i>squamosella</i> Stt, <i>Coleophora</i>	214
<i>stenochrysis</i> (Warren), <i>Diachrysia</i>	63-66

<i>stephensiana</i> (Doubleday), <i>Cnephasia</i>	218
<i>stettinensis</i> (Nic.), <i>Phyllonorycter</i>	206
<i>sticticana</i> (Fabr.), <i>Epiblema</i>	221
<i>stigmatella</i> (Fab.), <i>Caloptilia</i>	205
<i>straminea</i> (Haw.), <i>Cochylimorpha</i>	219
<i>striatipennella</i> Nyl., <i>Coleophora</i>	214
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	222
<i>strigulatella</i> (L. & Z.), <i>Phyllonorycter</i>	206
<i>striolella</i> (Matsumura), <i>Niditinea</i>	204
<i>strobilella</i> (L.), <i>Cydia</i>	222
<i>subalbidella</i> Schläg., <i>Elachista</i>	214
<i>suberivora</i> (Stt.), <i>Stigmella</i>	201
<i>subfasciella</i> (Steph.), <i>Cedestis</i>	207
<i>subnitidella</i> (Dup.), <i>Trifurcula</i>	202
<i>suffumata</i> (D. & S.), <i>Lampropteryx</i>	27
<i>suffumata</i> (Lambillon), f. of <i>aversata</i> (L.), <i>Idaea</i>	132
<i>suffusella</i> (Dougl.), <i>Monochroa</i>	211
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	209
<i>suspecta</i> (Hb.), <i>Parastichtis</i>	51
<i>svenssoni</i> (Johansson), <i>Stigmella</i>	201
<i>sylvella</i> (L.), <i>Ypsolopha</i>	207
<i>taeniipennella</i> H.-S., <i>Coleophora</i>	213
<i>taeniolella</i> (Zeller), <i>Syncopacma</i>	210
<i>taemesis</i> Waters, <i>Coleophora</i>	213
<i>telona</i> Fruhstorfer, <i>Melitaea</i>	176
<i>tenebrella</i> (Hb.), <i>Monochroa</i>	211, 240
<i>tenebrosana</i> (Dup.), <i>Grapholita</i>	222
<i>tephradactyla</i> (Hb.), <i>Hellinsia</i>	217
<i>terminella</i> (H. & W.), <i>Mompha</i>	215
<i>terminella</i> Fletch., <i>Ethmia</i>	210
<i>tetragonana</i> (Steph.), <i>Notocelia</i>	221
<i>tetragonella</i> (Stt.), <i>Monochroa</i>	211
<i>Tetraoera</i> *	169, 171
<i>textor</i> Harris, <i>Hyphantria</i>	227
<i>therinella</i> Tengst., <i>Coleophora</i>	214
<i>therites</i> (Cantener), <i>Polyommatus</i>	176
<i>thoracella</i> (Thunberg), <i>Bucculatrix</i> 9 7 , 204	
<i>thrasonella</i> (Scop.), <i>Glyphipterix</i>	207
<i>tibori</i> Hreblay, <i>Egira</i>	175, 181, 184
<i>tiliae</i> (Frey), <i>Stigmella</i>	200
<i>torquillella</i> (Zell.), <i>Parornix</i>	205
<i>triannulella</i> (H.- S.), <i>Helcystogramma</i>	197, 210
<i>triatoema</i> (Haw.), <i>Elachista</i>	214
<i>tridens</i> (Hufn.), <i>Calamia</i>	51, 55
<i>trifasciata</i> Stdgr., <i>Argyresthia</i>	67, 208
<i>trifasciella</i> (Haw.), <i>Phyllonorycter</i>	206
<i>trifolii</i> (Curtis), <i>Coleophora</i>	213
<i>trigammica</i> (Hufn.), <i>Charanyca</i>	151
<i>trimaculana</i> (Haw.), <i>Notocelia</i>	221
<i>tripoliana</i> (Barr.), <i>Eucosma</i>	221
<i>tripuncta</i> (Haw.), <i>Telechrysis</i>	210
<i>tritici</i> (L.), <i>Euxoa</i>	51
<i>trochillella</i> (Dup.), <i>Coleophora</i>	73
<i>turbidana</i> (Hb.), <i>Apotomis</i>	219
<i>turbidella</i> (Zell.), <i>Ectoedemia</i>	71, 72, 202

<i>turpella</i> (D. & S.), <i>Gelechia</i>	2
<i>tutti</i> Kostrowicki, f. of <i>chrysitis</i> (L.), <i>Diachrysis</i>	63
<i>uliginosellus</i> Zell., <i>Crambus</i>	225
<i>ulmella</i> Zell., <i>Bucculatrix</i>	204
<i>ulmifoliella</i> (Hb.), <i>Phyllonorycter</i>	206
<i>ulmivora</i> (Fol.), <i>Stigmella</i>	201
<i>undulana</i> (ID. & S.), <i>Orthotaenia</i>	220
<i>unicolorella</i> (Dup.), <i>Eulamprotes</i>	240
<i>unicolorella</i> Stdgr., <i>Ephestia</i>	223
<i>unipunctella</i> (Steph.), <i>Phyllocnistis</i>	206
<i>unitana</i> (Hb.), <i>Aphelia</i>	217
<i>urticae</i> (Esper), <i>Spilosoma</i>	226
<i>urticae</i> (L.), <i>Aglais</i>	15, 19
<i>utonella</i> (Frey), <i>Elachista</i>	215
<i>variegana</i> (ID. & S.), <i>Acleris</i>	218
<i>vectisana</i> (H. & W.), <i>Gynnidomorpha</i> ..	219
<i>verhuella</i> Bru., <i>Psychoides</i>	204
<i>vespertina</i> (L.), <i>Epione</i>	19-22
<i>vicinella</i> (Dougl.), <i>Caryocolum</i>	212
<i>vinella</i> (Banks), <i>Syncopacma</i>	210
<i>virgo</i> (Tr.), <i>Eucarta</i>	51, 55
<i>viridana</i> L., <i>Tortrix</i>	218
<i>viscariella</i> (Stt.), <i>Caryocolum</i>	212
<i>vitrella</i> (Rossi), <i>Palpita</i>	224
<i>vittata</i> (Wollaston), <i>Blastobasis</i>	85-91
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	212
<i>weirana</i> (Douglas), <i>Strophedra</i>	223
<i>wilkella</i> (L.), <i>Eulamprotes</i>	211
<i>wolffiella</i> Karsholt & Nielsen, <i>Nemapogon</i>	204
<i>xenia</i> Hering, <i>Phyllocnistis</i>	71, 207
<i>zinckenella</i> (Tr.), <i>Etiella</i>	198, 223

ARACHNIDA

<i>Schizotetranychus celarius</i> (Banks)	171
---	-----

COLEOPTERA

<i>Saperda populnea</i> (L.)	12
------------------------------------	----

HETEROPTERA

<i>Tuponia brevisrostris</i> Reuter	12-13
<i>Tuponia mixticolor</i> (A. Costa)	12-13
<i>Opsius stactagalus</i> Fieber	13

NEUROPTERA

<i>Chrysopa gibeauxi</i> (Leraut)	101
<i>Nineta afghanica</i> Hölzel	101
<i>Nineta carinthiaca</i> Hölzel	101
<i>Nineta flava</i> (Scop.)	97, 100, 101, 104
<i>Nineta guadarramensis</i> (Pictet)	101
<i>Nineta inpunctata</i> (Reuter)	97-108
<i>Nineta pallida</i> (Schneider)	97-108
<i>Nineta pomacea</i> Zakharenko	101
<i>Nineta principiae</i> Monserrat	101
<i>Nineta vittata</i> (Wesmael)	97, 100
<i>Nothochrysa fulviceps</i> (Stephens)	80-81

Pseudomallada abdominalis (Brauer) ...101
Pseudomallada marianus (Navás).....101

RAPHIDOPTERA

Subilla confinis (Stephens)150

SYMPHYTA

Cimbex luteus (L.)115-116
Heterarthrus aceris (Kaltenbach)28-34
Heterarthrus cuneifrons
(Altenhofer & Zombori)28-34

TRICHOPTERA

Agapetus fuscipes Curtis112
Beraea maurus (Curtis)112
Diplectrona felix McLachlan112
Mystacides azurea (L.).....112
Sericostoma personatum
(Kirby & Spence).....112
Silo pallipes (Fabr.).....112
Tinodes maclachlani Kimmins110-113
Wormaldia occipitalis (Pictet)110-113