

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 136 (2024)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2024 is £35.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: colinwplant@gmail.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S., F.L.S.

Proof Reader: Keith Palmer B.A.

Indexer: Mark A. Yeates F.R.E.S., F.L.S.

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue pdf files in place of paper reprints. These are sent automatically to the first named author of Papers and Notes. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publication are also subject to the GDPR and must adhere to the published AES policy.

Cover image: Millet Skipper butterfly *Pelopidas thrax* (Hübner), Kerkyra (Corfu), October 2023.

Photograph copyright © Dan (G. W.) Danahar

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

- A further record of *Bactra venosana* (Zeller, 1847) (Lep.: Tortricidae: Olethreutinae: Bactrini) for Great Britain and Ireland and some diagnostic notes. *Mark Sterling*, 61-63
- A survey of the Liquorice Piercer moth *Grapholita pallifrontana* Lienig & Zeller 1846 (Lep.: Tortricidae) in Cambridgeshire (VC29) and surrounding areas. *Chris Smith & Yali Xue*, 189-199
- Acalyptis platani* (Müller-Rutz, 1934) (Lep.: Nepticulidae) new to the British Isles. *Nigel G. J. Richards*, 36-38

C

- Checklist of the butterflies and moths (Lepidoptera) of the Burren region of Western Ireland. *Brian Nelson, Michael O'Donnell, Ken G.M. Bond, Aine O Connor, Ferdia Marnell, Stephen Cotter. Supplement 1 – 94.*
- Cochylimorpha woliniana* (Schleich, 1868) (Lep.: Tortricidae) new to Britain from Wormwood *Artemisia absinthium* in South Essex, *Mark G. Telfer & Peter R. Hall*, 157-160
- Coleophora hydrolapathella* (Hering, 1921) (Lep.: Coleophoridae) breeding on *Rumex crispus* L. in southern England. *William B. V. Langdon*, 107-118
- Conistra gallica* (Lederer) – a new species for Italy (Lep.: Noctuidae). *Peter Huemer*, 131-135

D

- Dialectica hedemanni* (Rebel, 1896) (Lep. Gracillariidae: Acrocercopinae) new to the United Kingdom and its origin according to DNA barcoding. *Martin C. Townsend, Peter R. Hall, Mark J. Sterling and David C. Lees*, 53-60
- DNA-based faunistics – exemplified by surveys of Lepidoptera in Greece. *Peter Huemer*, 27-35

M

- Macromoth species accumulation over time in a South Cambridgeshire garden: Recording method contributions, inferred origins and wider context. *Chris Tyler-Smith & Yali Xue*, 136-144
- Microlepidoptera Review of 2023. *A.M. Davis and G.M. Tordoff*, 261-287

P

- Pseudozarba bipartita* (Herrich-Schaffer, [1850]), (Lep.: Noctuidae) recorded in Britain. *David Wallace*, 105-106

S

- Seventh update to *A Checklist of the Lepidoptera of the British Isles*, 2013 on account of subsequently published and received data. *David J. L. Agassiz, S. D. Beavan & R. J. Heckford*, 1-6
- Some observations on the paucity of records of *Colias croceus* form *cremonaehelice* Russell *et al.*, 2003 (Lep.: Pieridae). *Peter J. C. Russell*, 200-204
- Spiny Hook-tip *Watsonalla uncinula* (Borkhausen, 1790) (Lep.: Drepanidae) first confirmed records from Britain. *S. T. Buckton & G. M. Tordoff*, 45-48
- Stigmella zelleriella* (Snellen, 1875) (Lep.: Nepticulidae) discovered at Dungeness, Kent. A second British site. *William B. V. Langdon*, 8-24
- The biology and nomenclature of *Scrobipalpa freyii* (Scott, 1859) sp. rev., comb. nov. (Lep.: Gelechiidae), previously *S. pauperella* (Heinemann, 1870) syn. nov., and comparison of the larva, pupa, adult and genitalia with those of *Scrobipalpa acuminatella* (Sircom, 1850). *S. D. Beavan & R. J. Heckford*, 161-181

T

- The discovery of Spiny Hook-tip *Watsonalla uncinula* (Borkhausen, 1790) (Lep.: Drepanidae) in Guernsey, Channel Islands. *P. H. Sterling, T. N. D. Peet & D. J. L. Agassiz*, 40-44
- The early stages of *Micropterix calthella* (Linnaeus) Lepidoptera, Micropterigidae. *Adrian Spalding*, 209-215
- The immigration of Lepidoptera to the British Isles in 2020. *Sean P. Clancy*, 216-255
- The macro-Lepidoptera of Park Farm, Kidlington, Oxfordshire, 1976-2000. *Paul Waring*, 73-98

The Millet Skipper *Pelopidas thrax* (Hübner, [1821]) (Lepidoptera: Hesperidae) new to the Greek island of Kerkyra (Corfu). *Dan (G. W.) Danahar & Anne F. Sordinas*, 49-52

V

Variation in post-mating behaviour in *Capnia atra* Morton, 1896 (Plecoptera: Capniidae) observed in British and Irish populations. *Hugh B. Feeley & Craig R. Macadam*, 145-149

W

Wood Barley *Hordelymus europaeus* (L.) Jess. ex Harz: A foodplant for *Elachista apicipunctella* (Stainton, 1849), *Elachista luticomella* (Zeller, 1839) and *Elachista obliquella* (Stainton, 1854) (Lep.: Elachistidae). *William B. V. Langdon*, 65-70

2: NOTES

A

Additions to the List of the Lepidoptera of Shetland, 2022-23. *M. G. Pennington & P. V. Harvey*, 181-182
Aethes francillana (Fabricius, 1794) (Lep.: Tortricidae) feeding on Rock Samphire *Crithmum maritimum* L. *W. B. V. Langdon, P. H. Sterling, J. Oughton & P. R. Hall*, 205-208

An infestation of the Mediterranean Flour moth *Ephestia kuehniella* Zeller, 1879 (Lepidoptera: Pyralidae). *Rob Edmunds*, 186-187

Another UK record of *Bactra venosana* (Zeller, 1847) (Lep.: Tortricidae). *Richard Fox & Tony Davis*, 130
Apparently the first British record of the larva of *Crociosema plebejana* Zeller, 1874 (Lep.: Tortricidae) feeding on *Malva sylvestris* L. *Miss S. D. Beavan & R. J. Heckford*, 26

C

Celastrina argiolus (L. 1758), Holly Blue (Lep.: Lycaenidae) an unusually polyphagous larva that covers its tracks. *Barry Henwood*, 99-103

Celastrina argiolus (L. 1758), Holly Blue (Lep.: Lycaenidae): Egg-laying on *Ceanothus thyrsiflorus* (Eschsch.), (Rosales: Rhamnaceae) and subsequent larval development. *Graham Jackson*, 103-104

Chamomile Shark *Cucullia chamomillae* [D. & S.] (Lep.: Noctuidae) flying in late September. *Barry Dickerson*, 130

Cosmopterix feminella Sinev, 1988 (Lep.: Gelechioidea) new to Hungary and new to Slovenia. *Peter Davey*, 38-39

Cosmopterix pulchrimella Chalmers, 1875 (Lep.: Cosmopterigidae) new to East Gloucestershire (VC33). *Robert Homan*, 64

E

Ectoedemia atricollis (Stainton, 1857) (Lep.: Nepticulidae) mining Blackthorn *Prunus spinosa* L. and Rowan *Sorbus aucuparia* L. *William B. V. Langdon & James E. Hammond*, 122-125

F

First Welsh records of *Sorhagenia janiszewskae* (Riedl) (Lep.: Cosmopterigidae) and *Monochroa arundinetella* (Boyd) (Lep.: Gelechioidea). *George Tordoff*, 119-122

G

Green Hairstreak *Callophrys rubi* (L., 1758) (Lep.: Lycaenidae): First identified use of Bell Heather *Erica cinerea* L. as European larval foodplant. *Chris Stamp and Ben Freeman*, 255-256

H

Harpella forcicella (Scop.) (Lep.: Oecophoridae) new micro moth species to Scotland. *Mark Cubitt*, 24-25
Helichrysum (Asteraceae) – A previously unrecorded foodplant (in Great Britain) for *Tebenna micalis* (Mann, 1857) (Choreutidae). *Phil Barden*, 302-305

Helsby – a hotspot for *Luffia lapidella* (Lep.: Psychidae) in Cheshire (VC 58)? *Tom Smith*, 128-129

Hypsopygia nostralis (Guenée, 1854), (Lep.: Pyralidae), the Southern Hayworm: New to Britain. *Harry Wits*, 258-260

Likely local breeding of Clifden Nonpareil *Catocala fraxini* (L.) (Lep.: Erebidae) in Scotland. *Katty Baird & Mark Cubitt*, 25-26

M

Monochroa palustrellus (Douglas) (Lep.: Gelechiidae) living and pupating within a mobile case. *Sean Clancy*, 256-257

O

Observations on second-generation *Papilio machaon* L. (Lep.: Papilionidae) in the Norfolk Broads. *Kevin Radley & Hannah Breach*, 125-128
Oleander Hawk-moth *Daphnis nerii* (L.) (Lep.: Sphingidae) of Crete. *Henry Edmunds*, 149-150

P

Pammene albuginana Guenée, 1845 (Lep.: Tortricidae): First modern record for Cumbria (Westmoreland VC69). *Gerry Rawcliffe*, 188
Pexicopia malvella (Hübner, [1805]) (Lep.: Gelechiidae) larvae found feeding on *Malva sylvestris* L. in Britain. *Miss S. D. Beavan and R. J. Heckford*, 290-293
Post-hibernation leaf-mining in *Cnephasia incertana* (Tr.) (Lep.: Tortricidae). *Colin W. Plant & William Bishop*, 183-184

S

Satellite *Eupsilia transversa* (Huf.) and Chestnut *Conistra vaccinii* (L.) (Lep.: Noctuidae) feeding on a squashed fly. *Roy Leverton*, 48
Saturnia pavoniella Scopoli, 1793, (Lep.: Bombycoidea) in western Hungary. *Peter Davey*, 152-154
Significant records of *Antispila treitschkiella* (Fischer von Röslerstamm, 1843) (Lep.: Heliozelidae) from central southern England in 2023. *Robert Homan*, 70-72
Speckled Wood *Pararge aegeria* (L.) and Red Admiral *Vanessa atalanta* (L.) (Lep.: Nymphalidae) visiting sugar. *Roy Leverton*, 6-7

T

The Liquorice Piercer moth *Grapholita pallifrontana* Zeller 1846 (Lep.: Tortricidae) in Huntingdonshire, VC31. *Yali Xue, Chris Tyler-Smith and Barry Dickerson*, 288-290
The occurrence of *Scrobipalpa clintoni* Povolny, 1968 on the Moray Coast, well away from its usual localities on the western coast of Scotland. *Mark Young*, 150-152
Tischeria ekebladella (Bjerkander, 1795) (Lep.: Tischeriidae) mining a leaf of a semi-evergreen oak (*Quercus x crenata*) in Shropshire. *Andy Law*, 258

V

Vapourer *Orgyia antiqua* (L.) (Lep.: Erebidae) cocoon attended by egg parasitoid wasps *Telenomus dalmanni* (Rarzeburg) (Hym.: Scelionidae) several days before the adult moth emerged. *Roy Leverton*, 184-185
Vapourer *Orgyia antiqua* (L.) (Lep.: Erebidae): hatching and dispersal of first-instar larvae. *Roy Leverton*, 293-296

W

Willow tree defoliation and *Yponomeuta rorrella* Hubn. (Lep.: Yponomeutidae) June 2024 – an unusual event in the Severn Valley. *Robert Homan*, 296-301

3: BOOK REVIEWS

Bibliography of Irish Insects (1802 – 2020), 305
Click-beetles of Great Britain and Ireland: An atlas and natural history, 306
The ant collective. Inside the world of an ant colony, 306
The Larger Moths of Scotland, 154-155
The Little Book of... [Beetles], [Trees], [Spiders], [Butterflies], 156

4. ADDENDA & CORRIGENDA

Addenda et corrigenda, 307-308

5: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

<i>Agassiz David J. L</i>	1-6; 40-44	<i>Lees David C.</i>	53-60
<i>Baird, Katty</i>	25-26	<i>Leverton Roy,</i>	6-7; 48; 184-185; 293-296
<i>Barden, Phil</i>	302-305	<i>Macadam Craig R</i>	145-149
<i>Beavan S. D.</i>	1-6; 26; 161-181	<i>Marnell, F.</i>	<i>s1 – s94</i>
<i>Bishop, William</i>	183-184	<i>Nelson, Brian</i>	s1 – s94
<i>Bond, Ken G. M.</i>	s1 – s94	<i>O'Connor, Áine</i>	s1 – s94
<i>Breach Hannah</i>	125-128	<i>O'Donnel, M.</i>	s1 – s94
<i>Buckton S. T.</i>	45-48	<i>Oughton J.</i>	205-208
<i>Clancy Sean</i>	216-255; 256-257	<i>Peeet T. N. D.</i>	40-44
<i>Cotter, S.</i>	s1 – s94	<i>Pennington M. G.</i>	181-182
<i>Cubitt Mark</i>	24 – 25; 25-26	<i>Plant Colin W.</i>	183-184
<i>Danahar Dan (G. W.)</i>	9-52	<i>Radley Kevin</i>	125-128
<i>Davey, Peter</i>	38-39; 152-154	<i>Rawcliffe, Gerry</i>	188
<i>Davis A.M.</i>	261-287	<i>Richards Nigel G. J.</i>	36-38
<i>Davis Tony</i>	130	<i>Russell Peter J. C</i>	200-204
<i>Dickerson Barry</i>	130; 288-290	<i>S. D. Beavan</i>	290-293
<i>Edmunds, Henry</i>	149-150	<i>Smith Chris</i>	189-199
<i>Edmunds, Rob</i>	186-187	<i>Smith, Tom</i>	128-129
<i>Feeley Hugh B.</i>	145-149	<i>Sordinas Anne F</i>	9-52
<i>Fox Richard</i>	130	<i>Spalding Adrian</i>	209-215
<i>Freeman Ben</i>	255-256	<i>Stamp, Chris</i>	255-256
<i>Hall P. R.</i>	53-60; 157-160; 205-208;	<i>Sterling Mark</i>	53-60; 61-63
<i>Hammond James E.</i>	122-125	<i>Sterling P. H.</i>	40-44; 205-208
<i>Harvey P. V.</i>	181-182	<i>Telfer Mark G.</i>	157-160
<i>Heckford R. J.</i> ...	1-6; 26; 161-181; 290-293	<i>Tordoff G. M.</i>	45-48; 119-122; 261-287
<i>Henwood, Barry</i>	99-103	<i>Townsend Martin C.</i>	53-60
<i>Homan, Robert</i>	64; 70-72; 296-301	<i>Tyler-Smith Chris</i>	136-144; 288-290
<i>Huemer Peter</i>	27-35; 131-135	<i>Wallace David</i>	105-106
<i>Jackson, Graham</i>	103-104	<i>Waring Paul</i>	73-98
<i>Langdon W. B. V.</i>	8-24; 65-70; 107-118; 122-125; 205-208	<i>Witts, Harry</i>	258-260
<i>Law, Andy</i>	258	<i>Xue Yali</i>	136-144; 189-199; 288-290
		<i>Young, Mark</i>	150-152

SPECIAL INDEX

Compiled by Mark Yeates

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are indicated by an asterisk*.

Page numbers prefixed with an “s” refer to the Supplement issued with Part 5 (September/October 2024).

	Page	Page
LEPIDOPTERA		
<i>abbreviana</i> (Fabr.), <i>Epinotia</i>	s40	
<i>abbreviata</i> Steph., <i>Eupithecia</i>	91, s62	
<i>abdominalis</i> Zell., <i>Argyresthia</i>	s15, s25	
<i>abietaria</i> (Goeze), <i>Eupithecia</i>	226, s62	
<i>abietella</i> ([D.& S.]), <i>Dioryctria</i>	s53	
<i>abruptaria</i> (Thunb.), <i>Menophra</i>	92	
<i>abscisana</i> (Doubl.), <i>Lobesia</i>	278	
<i>absinthiata</i> (Clerck), <i>Eupithecia</i>	91, s63	
<i>absoluta</i> (Meyr.), <i>Tuta</i>	218, 272	
<i>acanthadactyla</i> (Hüb.), <i>Amblyptilia</i>	275, s34	
<i>aceriana</i> (Dup.), <i>Gypsonoma</i>	s80	
<i>aceris</i> (Linn.), <i>Acronicta</i>	94	
<i>aceris</i> (Frey), <i>Stigmella</i>	263	
<i>achatana</i> ([D.& S.]), <i>Ancylis</i>	s40	
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	181, 269	
<i>acuminatana</i> (Lien. & Zell.), <i>Dichrorampha</i>	s41	
<i>acuminatella</i> (Sirc.), <i>Scrobipalpa</i>	161, 163, 165-173 (photos), 174, s30	
<i>acuta</i> (Walk.), <i>Chrysodeixis</i>	231	
<i>acutellus</i> (Evers.), <i>Sclerocona</i>	222	
<i>adjunctella</i> Hodgkinson, <i>Coleophora</i>	273	
<i>adusta</i> (Esp.), <i>Mniotype</i>	s75	
<i>adustata</i> ([D.& S.]), <i>Ligdia</i>	91, s64	
<i>adustella</i> (Walsingham), <i>Blastobasis</i>	181, s34	
<i>advenella</i> (Zinck.), <i>Acrobasis</i>	281, s53	
<i>aegeria</i> (Linn.), <i>Pararge</i> 6, 7 (photo), 86, 98, s50		
<i>aenealis</i> ([D.& S.]), <i>Evergestis</i>	283	
<i>aeneofasciella</i> (H.-S.), <i>Stigmella</i>	286	
<i>aeratana</i> (P. & M.), <i>Dichrorampha</i>	s41	
<i>aeratella</i> (Zell.), <i>Augasma</i>	272	
<i>aerugula</i> (Hüb.), <i>Nola</i>	237	
<i>aescularia</i> ([D.& S.]), <i>Alsophila</i>	92, s65	
<i>aestimaria</i> (Hüb.), <i>Chiasmia</i>	226	
<i>aestivaria</i> (Hüb.), <i>Hemithea</i>	93, s67	
<i>affinis</i> (Haw.), <i>Bryotropha</i>	270, s29	
<i>affinis</i> (Braun), <i>Cryptolectica</i>	56	
<i>affinitana</i> (Dougl.), <i>Phalonia</i>	277, s37	
<i>affinitata</i> (Steph.), <i>Perizoma</i>	83, 84, 91	
<i>agathina</i> (Dup.), <i>Xestia</i>	s79	
<i>aglaja</i> (Linn.), <i>Speyeria</i>	s51	
<i>agnotana</i> Rebel, <i>Pammene</i>	286	
<i>ahenella</i> Hein., <i>Coleophora</i>	273, s15, s31	
<i>albicapitella</i> (Scharf.), <i>Paraswammerdamia</i>	268, s24, s80	
<i>albiceps</i> (Zell.), <i>Parachronistis</i>	272	
<i>albicillata</i> (Linn.), <i>Mesoleuca</i>	s59	
<i>albicosta</i> (Haw.), <i>Coleophora</i>	s31	
<i>albidella</i> Nylander, <i>Elachista</i>	274, s33	
<i>albidella</i> ([D. & S.]), <i>Coleophora</i>	s31	
<i>albifrontella</i> (Hüb.), <i>Elachista</i>	s33	
<i>albigipunctata</i> (Hufn.), <i>Cyclophora</i>	s58	
<i>albistria</i> (Haw.), <i>Argyresthia</i>	s26	
<i>albitarsella</i> Zell., <i>Coleophora</i>	273	
<i>alboater</i> (Hub.), <i>Noctua</i>	4	
<i>albuginana</i> (Guen.), <i>Pammene</i>	188	
<i>albulata</i> ([D. & S.]), <i>Perizoma</i>	83, 84, 91, s62	
<i>albulata</i> (Hufn.), <i>Asthena</i>	s61	
<i>alchemillata</i> (Linn.), <i>Perizoma</i>	91, 182, s62	
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	s23	
<i>alchymista</i> ([D. & S.]), <i>Catephia</i>	230	
<i>algae</i> (Fabr.), <i>Cryphia</i>	140	
<i>algae</i> (Esp.), <i>Globia</i>	s73	
<i>algira</i> (Linn.), <i>Dysgonia</i>	230	
<i>alni</i> (Linn.), <i>Acronicta</i>	94, s70	
<i>alniaria</i> (Linn.), <i>Ennomos</i>	92, s65	
<i>alpella</i> ([D. & S.]), <i>Ypsolopha</i>	268	
<i>alpestrana</i> ([Zell.]), <i>Dichrorampha</i>	280	
<i>alpinana</i> (Treits.), <i>Dichrorampha</i>	280, s42	
<i>alpinella</i> Staint., <i>Elachista</i>	274, s32	
<i>alsinella</i> (Zell.), <i>Caryocolum</i>	s30	
<i>alternana</i> (Steph.), <i>Cochylimorpha</i>	158, 160	
<i>alternata</i> (Müll.), <i>Epirrhoe</i>	77, 90, s59	
<i>alticolella</i> Zell., <i>Coleophora</i>	s31	
<i>ambigua</i> ([D. & S.]), <i>Hoplodrina</i>	94, s72	
<i>ambigialis</i> (Treits.), <i>Scoparia</i>	s55	
<i>amethystinella</i> Rag., <i>Coleophora</i>	273, 286	
<i>amotella</i> (Walk.), <i>Sphyrelata</i>	218	
<i>amplana</i> (Hüb.), <i>Cydia</i>	239, 280	
<i>anatipennella</i> (Hüb.), <i>Coleophora</i>	s80	
<i>anceps</i> ([D. & S.]), <i>Apamea</i>	81, 82, 95	
<i>ancipitella</i> (L. a Harpe), <i>Scoparia</i>	283	
<i>angelicella</i> (Hüb.), <i>Agonopterix</i>	s27	
<i>anglicella</i> (Staint.), <i>Parornix</i>	s23	
<i>angulifasciella</i> (Staint.), <i>Ectoedemia</i>	s20	
<i>angustana</i> (Hüb.), <i>Eupoecilia</i>	s38	
<i>angustea</i> (Curtis), <i>Eudonia</i>	s55	
<i>angustella</i> (Hüb.), <i>Nephoterix</i>	281	
<i>angustiorana</i> (Haw.), <i>Ditula</i>	s35	
<i>annulatella</i> (Curtis), <i>Rhigognostis</i>	s25	
<i>anomala</i> (Haw.), <i>Stilbia</i>	s71	
<i>anomalella</i> (Goeze), <i>Stigmella</i>	s19	
<i>anthemidella</i> (Wocke), <i>Isophrictis</i>	218, 270	
<i>anthyllidella</i> (Hüb.), <i>Aproaerema</i>	270, s28	

<i>antiopa</i> (Linn.), <i>Nymphalis</i>	219, 220
<i>antiqua</i> (Linn.), <i>Orgyia</i>	93, 184, 185 (photo), 293- 295 (photos), 296, s68
<i>apicipunctella</i> Staint., <i>Elachista</i> ..	65, 66 (photo), 68 (photo), 69, 274, s33
<i>apiformis</i> (Clerck), <i>Sesia</i>	139
<i>aprica</i> (Hüb. n.), <i>Acontia</i>	2, 4
<i>aprilina</i> (Linn.), <i>Gripesia</i>	84, 96, s75
<i>arbutella</i> (Linn.), <i>Argyroproce</i>	s15, s39
<i>arceuthina</i> Zell., <i>Argyresthia</i>	s25
<i>arctostaphyli</i> Meder, <i>Coleophora</i>	272
<i>arcatella</i> (H.-S.), <i>Ectoedemia</i>	123
<i>arenella</i> ([D. & S.]), <i>Agonopterix</i>	182, s27
<i>areola</i> (Haw.), <i>Xylocampa</i>	94, s71
<i>argentana</i> (Clerck), <i>Eana</i>	285
<i>argentella</i> (Clerck), <i>Elachista</i>	s32
<i>argentina</i> P. & M., <i>Psamathocrita</i> ..	29, 31 (photo)
<i>argentimaculella</i> (Staint.), <i>Infurcitinea</i>	264
<i>argiades</i> (Pall.), <i>Cupido</i>	220
<i>argiolus</i> (Linn.), <i>Celastrina</i>	86, 98-101, 101 (photo), 102-104, 104 (photo), s53
<i>argyrana</i> (Hüb. n.), <i>Pammene</i>	280
<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	s20
<i>armigera</i> (Hüb. n.), <i>Helicoverpa</i>	248, 249, s71
<i>artemisiella</i> (Treits.), <i>Scrobipalpa</i>	s30
<i>aruncella</i> (Scop.), <i>Micropterix</i>	215, s18
<i>arundinetella</i> (Boyd), <i>Monochroa</i>	119, 121 (photo), 122, 271
<i>asiatica</i> Martynova, <i>Phyllocnistis</i>	1
<i>asinalis</i> (Hüb. n.), <i>Mecyna</i>	s55
<i>aspersana</i> (Hüb. n.), <i>Acleris</i>	s37
<i>aspidiscana</i> (Hüb. n.), <i>Eucosma</i>	s41
<i>asseclata</i> ([D. & S.]), <i>Cnephasia</i>	s36
<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	268
<i>assimilata</i> Doubl., <i>Eupithecia</i>	s63
<i>assimilella</i> (Treits.), <i>Agonopterix</i>	269, s27
<i>associatella</i> (Zell.), <i>Adela</i>	68
<i>astrantiae</i> (Hein.), <i>Agonopterix</i>	s27
<i>atalanta</i> (Linn.), <i>Vanessa</i>	6, 7 (photo), 86, 98, 240, s51
<i>atomaria</i> (Linn.), <i>Ematurga</i>	s66
<i>atomella</i> ([D. & S.]), <i>Agonopterix</i>	269
<i>atrata</i> (Linn.), <i>Odezia</i>	s61
<i>atrella</i> ([D. & S.]), <i>Oxypteryx</i>	271, s29
<i>atricapitana</i> (Steph.), <i>Cochylischroa</i>	s38
<i>atricollis</i> (Staint.), <i>Ectoedemia</i>	122, 123, 124 (photo), 125
<i>atricomella</i> Staint., <i>Elachista</i>	65, s32
<i>atrifrontella</i> (Staint.), <i>Zimmermannia</i>	284
<i>atriplicis</i> Meyr., <i>Coleophora</i>	273
<i>atriplicis</i> (Linn.), <i>Trachea</i>	234
<i>atropos</i> (Linn.), <i>Acherontia</i>	62, 223, 224, s57
<i>atropunctana</i> (Zett.), <i>Hedya</i>	s38
<i>augur</i> (Fabr.), <i>Graphiphora</i>	81, 82, 97, s79
<i>aurago</i> ([D. & S.]), <i>Tiliacea</i>	95
<i>aurana</i> (Fabr.), <i>Pammene</i>	281, s42
<i>aurantiaria</i> (Hüb. n.), <i>Agriopis</i>	s65
<i>aureatella</i> (Scop.), <i>Micropterix</i>	215
<i>aurella</i> (Fabr.), <i>Stigmella</i>	s20
<i>aurinia</i> (Rott.), <i>Euphydryas</i>	s51
<i>aurita</i> Razowski, <i>Pammene</i>	285
<i>aurofasciana</i> (Haw.), <i>Celypha</i>	s39
<i>auroguttella</i> Steph., <i>Euspilapteryx</i>	s23
<i>auromarginella</i> (Richardson), <i>Stigmella</i> ..	s15, s20
<i>autumnata</i> (Borkh.), <i>Epirria</i>	90
<i>autumnitella</i> Curtis, <i>Acrolepia</i>	s25
<i>avellanella</i> (Hüb. n.), <i>Semioscopis</i>	269
<i>aversata</i> (Linn.), <i>Idaea</i>	89, s58
<i>azaleella</i> (Brants), <i>Caloptilia</i>	266
<i>badiana</i> ([D. & S.]), <i>Ancyliis</i>	s39
<i>badiata</i> ([D. & S.]), <i>Earophila</i>	90, s59
<i>badiella</i> (Hüb. n.), <i>Depressaria</i>	269, s27
<i>baja</i> ([D. & S.]), <i>Xestia</i>	s79
<i>bankiana</i> (Fabr.), <i>Deltote</i>	232
<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	270
<i>basistrigalis</i> Knaggs, <i>Scoparia</i>	s81
<i>batis</i> (Linn.), <i>Thyatira</i>	s56
<i>beatricella</i> (Walsingham), <i>Aethes</i>	3, 208
<i>bembeciformis</i> (Hüb. n.), <i>Sesia</i>	s42
<i>benanderella</i> (Wolff), <i>Stigmella</i>	15
<i>berbera</i> Rungs, <i>Amphipyra</i>	s81
<i>berbera svenssoni</i> Fletch., <i>Amphipyra</i> ..	83, 94
<i>berberata</i> ([D. & S.]), <i>Pareulype</i>	75, 79, 82, 90
<i>bergmanniana</i> (Linn.), <i>Acleris</i>	s37
<i>betulae</i> (Linn.), <i>Thecla</i>	s11, s47 (photo), s51
<i>betulæ</i> (Staint.), <i>Parornix</i>	s23
<i>betularia</i> (Linn.), <i>Biston</i>	78, 92, 98, s65
<i>betulella</i> Hein., <i>Coleophora</i>	273, s31
<i>betuletana</i> (Haw.), <i>Apotomis</i>	s38
<i>betulicola</i> (Staint.), <i>Stigmella</i>	s19
<i>betulicola</i> (Hering), <i>Caloptilia</i>	2
<i>bicolorana</i> (Fuessly), <i>Bena</i>	85, 98
<i>bicolorata</i> (Hufn.), <i>Hecatera</i>	96, s76
<i>bicostella</i> (Clerck), <i>Pleurota</i>	269, s26
<i>bicuris</i> (Hufn.), <i>Hadena</i>	97, s76
<i>bidentata</i> (Clerck), <i>Odontopera</i>	92, s65
<i>bifaciata</i> (Haw.), <i>Perizoma</i>	s62
<i>bifasciana</i> (Haw.), <i>Piniphila</i>	278
<i>bifasciata</i> Petagna, <i>Grammodes</i>	216, 230
<i>bigramma</i> (Esp.), <i>Agrotis</i>	252
<i>bilbaensis</i> (Rössler), <i>Aethes</i>	207, 208
<i>bilineata</i> (Linn.), <i>Campogramma</i>	90, s59
<i>bimaculata</i> (Fabr.), <i>Lomographa</i>	77, 92, s66
<i>binaevella</i> (Hüb. n.), <i>Phycitodes</i>	s53
<i>binaria</i> (Hufn.), <i>Watsonalla</i>	40, 41, 42 (photo), 43 (photo), 44-48, 85, 89
<i>bipartita</i> (H.-S.), <i>Pseudozarba</i> ..	1, 105 (photo), 106
<i>bipunctidactyla</i> (Scop.), <i>Stenoptilia</i>	s34, s80
<i>biren</i> (Goeze), <i>Papestra</i>	s76
<i>biselata</i> (Hufn.), <i>Idaea</i>	89, s58
<i>bisselliella</i> Hummel, <i>Tineola</i>	181, s22
<i>bistriatella</i> (Hulst), <i>Apomyeloidis</i>	281
<i>bistriga</i> (Haw.), <i>Cryptoblabes</i>	s53
<i>bistrigella</i> (Haw.), <i>Phylloporia</i>	s21
<i>bisulcella</i> (Dup.), <i>Elachista</i>	s32
<i>biviella</i> (Zell.), <i>Vitula</i>	282

<i>bjerkandrella</i> (Thunb.), <i>Tebenna</i>	305
<i>blanda</i> ([D. & S.]), <i>Hoplodrina</i>	94, s72
<i>blandella</i> (Fabr.), <i>Brachmia</i>	270
<i>blandiata</i> ([D. & S.]), <i>Perizoma</i>	s62
<i>blattariella</i> (Hübner.), <i>Anacamptis</i>	3, 270
<i>boeticus</i> (Linn.), <i>Lampides</i>	220
<i>bombycina</i> (Hufn.), <i>Polia</i>	75, 79, 83, 96
<i>bonnetella</i> (Linn.), <i>Argyresthia</i>	s26
<i>bractea</i> ([D. & S.]), <i>Autographa</i>	s70
<i>bradleyi</i> Riedl, <i>Mompha</i>	275
<i>branderiana</i> (Linn.), <i>Pseudosciaphila</i>	277
<i>brassicae</i> (Linn.), <i>Mamestra</i>	96, s76
<i>brassicae</i> (Linn.), <i>Pteris</i>	86, 98, s50
<i>breviculata</i> (Donzel), <i>Eupithecia</i>	216, 226
<i>britannica</i> (Turner), <i>Thera</i>	s60
<i>brockeella</i> (Hübner.), <i>Argyresthia</i>	s25
<i>brongiardella</i> (Fabr.), <i>Acrocercops</i>	57, 266
<i>brumata</i> (Linn.), <i>Operophtera</i>	90, s61
<i>brunnea</i> ([D. & S.]), <i>Diarsia</i>	s78
<i>brunnearia</i> (Villers), <i>Selidosema</i>	s66
<i>brunneata</i> (Thunb.), <i>Macaria</i>	226
<i>brunnichella</i> (Linn.), <i>Stephensia</i>	274
<i>bucephala</i> (Linn.), <i>Phalera</i>	78, 93, s68
<i>buettneri</i> (Hering), <i>Sedina</i>	235
<i>buoliana</i> ([D. & S.]), <i>Rhyacionia</i>	279
<i>caecana</i> Schläger, <i>Grapholita</i>	280
<i>caecimaculana</i> (Hübner.), <i>Pelochrista</i>	279
<i>caeruleocephala</i> (Linn.), <i>Diloba</i>	78, 81, 82, 94, s44 (photo), s70
<i>caesalis</i> Walk., <i>Glyphodes</i>	1
<i>caesia</i> ([D. & S.]), <i>Hadena</i>	s77
<i>caesiata</i> ([D. & S.]), <i>Entephria</i>	s60
<i>caesiella</i> (Hübner.), <i>Swammerdamia</i>	s80
<i>caespititiella</i> Zell., <i>Coleophora</i>	273
<i>cagnagella</i> (Hübner.), <i>Yponomeuta</i>	297, s24
<i>caja</i> (Linn.), <i>Arctia</i>	75, 78, 80, 82, 93, s69
<i>c-album</i> (Linn.), <i>Polygona</i>	86, 98, s13, s51
<i>caledoniana</i> (Steph.), <i>Acleris</i>	182, 285
<i>calendulae</i> Treits., <i>Cucullia</i>	216, 233
<i>calodactyla</i> ([D. & S.]), <i>Platyptilia</i>	s80
<i>calthella</i> (Linn.), <i>Micropterix</i>	209-214, 214 (photo), 215, s18
<i>camilla</i> (Linn.), <i>Limenitis</i>	86, 98
<i>campoliliana</i> ([D. & S.]), <i>Eucosma</i>	279, s41
<i>cana</i> (Haw.), <i>Eucosma</i>	s41
<i>canapennella</i> (Hübner.), <i>Elachista</i>	s33
<i>candidula</i> ([D. & S.]), <i>Pseudeustrotia</i>	234
<i>caprana</i> (Fabr.), <i>Epinotia</i>	s40
<i>capreana</i> (Hübner.), <i>Apotomis</i>	s38
<i>capreolaria</i> ([D. & S.]), <i>Pungeleria</i>	226
<i>capreolella</i> (Zell.), <i>Agonopterix</i>	s15, s27
<i>caprimulgella</i> (Staint.), <i>Triaxomera</i>	2
<i>caprimulgella</i> (Staint.), <i>Triaxomasia</i>	265, 284
<i>captiuncula</i> (Treits.), <i>Photedes</i>	s8, s13, s48 (photo), s73
<i>capucina</i> (Linn.), <i>Ptilodon</i>	93, s68
<i>cararia</i> (Hübner.), <i>Stegania</i>	226, 251
<i>cardamines</i> (Linn.), <i>Anthocharis</i>	86, 98, 102, s50
<i>cardui</i> (Linn.), <i>Vanessa</i>	98, 149, 240, s51
<i>carmelita</i> (Esp.), <i>Odontostia</i>	s68
<i>carpinata</i> (Borkh.), <i>Trichopteryx</i>	s64
<i>carpinella</i> (Hein.), <i>Stigmella</i>	8
<i>casta</i> (Pall.), <i>Psyche</i>	s22
<i>castanea</i> (Esp.), <i>Xestia</i>	s79
<i>catalaunalis</i> (Dup.), <i>Antigastra</i>	222, 283
<i>catharticella</i> (Staint.), <i>Stigmella</i>	s19
<i>cautella</i> (Walk.), <i>Cadra</i>	182
<i>celerio</i> (Linn.), <i>Hippotion</i>	225
<i>celeusti</i> (Frey), <i>Capperia</i>	33 (photo), 34
<i>centaureata</i> ([D. & S.]), <i>Eupithecia</i>	91, s63
<i>centrago</i> (Haw.), <i>Atethmia</i>	78, 96, s75
<i>cerasana</i> (Hübner.), <i>Pandemis</i>	s36
<i>cerasi</i> (Fabr.), <i>Orthostia</i>	77, 96, s75
<i>cerasicolella</i> (H.-S.), <i>Phyllonorycter</i>	266
<i>cervinalis</i> (Scop.), <i>Rheumaptera</i>	84, 90
<i>cespitana</i> (Hübner.), <i>Celypha</i>	s39
<i>cespitis</i> ([D. & S.]), <i>Tholera</i>	81, 82, 96, s76
<i>chaerophyllella</i> (Goeze), <i>Epermenia</i>	181, 276, s35
<i>chalcites</i> (Esp.), <i>Chrysoideixis</i>	216, 231, 247
<i>chamomillae</i> ([D. & S.]), <i>Cucullia</i>	130, s71
<i>chenopodiata</i> (Linn.), <i>Scotopteryx</i>	90, s58
<i>chenopodiphaga</i> (Ramb.), <i>Eremohadena</i>	1
<i>chi</i> (Linn.), <i>Antitype</i>	83, 96, s75
<i>chingana</i> (Danilevsky), <i>Tebenna</i>	305
<i>chlamilulalis</i> (Hübner.), <i>Nola</i>	2, 4
<i>chlorosata</i> (Scop.), <i>Petrophora</i>	91, s64
<i>christyi</i> (Allen), <i>Epirrita</i>	90, s61
<i>chrysitis</i> (Linn.), <i>Diachrysia</i>	94, s70
<i>chrysolepidella</i> (Zell.), <i>Eriocrania</i>	s18
<i>chrysoprasaria</i> (Esp.), <i>Hemistola</i>	85, 93
<i>ciliella</i> (Staint.), <i>Agonopterix</i>	s27
<i>cinctaria</i> ([D. & S.]), <i>Cleora</i>	s66
<i>cinctella</i> (Clerck), <i>Aproaerema</i>	s28
<i>cinerea</i> (Hufn.), <i>Acronicta</i>	s71
<i>cinereana</i> (Haw.), <i>Epinotia</i>	3
<i>cinerella</i> (Clerck), <i>Acompsia</i>	s28
<i>cinereopunctella</i> (Haw.), <i>Elachista</i>	274, s33
<i>cingulata</i> (Linn.), <i>Pyrausta</i>	s54
<i>cinnamomeana</i> (Treits.), <i>Pandemis</i>	276
<i>circellaris</i> (Hufn.), <i>Agrochola</i>	84, 95
<i>circumvoluta</i> (Geoff.), <i>Myelois</i>	281
<i>cirsiana</i> (Zell.), <i>Epiblema</i>	s41
<i>citrata</i> (Linn.), <i>Dysstroma</i>	90, s61
<i>citralis</i> (Scop.), <i>Hypercallia</i>	s9, s15, s17 (photo), s28
<i>clathrata</i> (Linn.), <i>Chiasmia</i>	78, 83, 91, s64
<i>clathrata hugginsi</i> (Baynes), <i>Chiasmia</i>	s16, s64
<i>clavaria</i> Haw., <i>Larentia</i>	90
<i>clavipalpis</i> (Scop.), <i>Caradrina</i>	94, s72
<i>clavis</i> (Hufn.), <i>Agrotis</i>	97, s78
<i>clematella</i> (Fabr.), <i>Nemapogon</i>	s22
<i>clerkella</i> (Linn.), <i>Lyonetia</i>	s26
<i>clintoni</i> Povolný, <i>Scrobipalpa</i>	116, 118, 150, 151 (photo), 152, 272
<i>cloacella</i> (Haw.), <i>Nemapogon</i>	s22
<i>cnicana</i> (Westwood), <i>Aethes</i>	s38

<i>enicella</i> (Treits.), <i>Agonopterix</i>	269
<i>c-nigrum</i> (Linn.), <i>Xestia</i>	78, 97, s79
<i>cocciferellum</i> (Chrétien), <i>Acrocarpous</i>	57
<i>cognata</i> (Thunb.), <i>Thera</i>	s60
<i>comae</i> A. Schmidt, <i>Timandra</i>	89
<i>comariana</i> (Lien. & Zell.), <i>Acleris</i>	182, 277
<i>combinella</i> (Hübner), <i>Pseudoswammerdamia</i>	s24
<i>comes</i> (Hübner), <i>Noctua</i>	97, s79
<i>comitata</i> (Linn.), <i>Pelurga</i>	83, 90, s59
<i>comma</i> (Linn.), <i>Leucania</i>	97, s77
<i>comparella</i> (Dup.), <i>Phyllonorycter</i>	267
<i>complana</i> (Linn.), <i>Eilema</i>	83, 84, 93, s69
<i>compositella</i> (Fabr.), <i>Grapholita</i>	280, s42
<i>compta</i> ([D. & S.]), <i>Hadena</i>	85, 97
<i>comptana</i> (Fröhl.), <i>Ancylys</i>	s80
<i>confusa</i> (Hufn.), <i>Hadena</i>	85, 97, s76
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	231, 232
<i>confusalis</i> (H.-S.), <i>Nola</i>	182, s79
<i>confusella</i> Berggren et al., <i>Batrachedra</i>	272
<i>confusella</i> (Wood), <i>Stigmella</i>	s19
<i>congelatella</i> (Clerck), <i>Exapate</i>	276
<i>coniferana</i> (Ratz.), <i>Cydia</i>	280
<i>conigera</i> ([D. & S.]), <i>Mythimna</i>	97, s77
<i>conjugella</i> Zell., <i>Argyresthia</i>	s25
<i>consimilana</i> (Hübner), <i>Clepsis</i>	s36
<i>consociella</i> (Hübner), <i>Acrobasis</i>	s53
<i>consonaria</i> (Hübner), <i>Paradarisa</i>	s66
<i>consortana</i> Steph., <i>Dichrorampha</i>	279
<i>consortella</i> Staint., <i>Elachista</i>	274, s33
<i>conspersana</i> Dougl., <i>Cnephasia</i>	s36
<i>conspersella</i> (H.-S.), <i>Monochroa</i>	271
<i>conspicuellla</i> Zell., <i>Coleophora</i>	273
<i>conspurcatella</i> (Zell.), <i>Bankesia</i>	264
<i>conterminana</i> (Guen.), <i>Eucosma</i>	279
<i>conterminella</i> (Zell.), <i>Agonopterix</i>	3
<i>contigua</i> ([D. & S.]), <i>Lacanobia</i>	s76
<i>continuellla</i> (Staint.), <i>Stigmella</i>	s20
<i>convexella</i> (Led.), <i>Ancylosis</i>	1, 285
<i>convolvuli</i> (Linn.), <i>Agrius</i>	139, 242, 243, s57
<i>conwagana</i> (Fabr.), <i>Pseudargyrotoza</i>	s37
<i>coriacanus</i> (Rebel), <i>Clepsis</i>	5
<i>coronata</i> (Hufn.), <i>Anania</i>	s54
<i>coronillae</i> Zell., <i>Coleophora</i>	1, 285
<i>corylana</i> (Fabr.), <i>Pandemis</i>	276, s36
<i>corylata</i> (Thunb.), <i>Electrophaes</i>	85, 90, s60
<i>coryli</i> (Linn.), <i>Colocasia</i>	s70
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	s23
<i>cosius</i> (Linn.), <i>Cossus</i>	s14
<i>costaestrigalis</i> (Steph.), <i>Schranksia</i>	s69
<i>costella</i> (Hump. & Westw.), <i>Scrobipalpa</i>	272, s30
<i>costipunctana</i> (Haw.), <i>Epiblema</i>	s41
<i>crassalis</i> (Fabr.), <i>Hypena</i>	227, s68
<i>crataegella</i> (Klim.), <i>Stigmella</i>	s19
<i>crataegella</i> (Linn.), <i>Scythropia</i>	269
<i>crataegi</i> (Linn.), <i>Trichiura</i>	78, 80, 82, 89, s57
<i>crenata</i> (Hufn.), <i>Apamea</i>	95, s73
<i>crepuscularia</i> ([D. & S.]), <i>Ectropis</i>	92, s66
<i>crepusculella</i> (Zell.), <i>Pseudopostega</i>	s21
<i>cribraria</i> (Linn.), <i>Coscina</i>	216, 227
<i>cribrumalis</i> (Hübner), <i>Macrochilo</i>	3
<i>crinanensis</i> (Burrows), <i>Amphipoea</i>	s73
<i>cristatella</i> (Zell.), <i>Bucculatrix</i>	265, s22
<i>crocealis</i> (Hübner), <i>Anania</i>	282, s54
<i>croceus</i> (Geoff.), <i>Colias</i>	149, 200-204, 239, 240, s50
<i>croceus</i> forms, <i>Colias</i>	202, 203 (photo), 204
<i>croceus</i> f. <i>cremonae</i> , <i>Colias</i>	200, 201 (photo)
<i>croceus</i> f. <i>cremonae</i> f. <i>alba</i> , <i>Colias</i>	200
<i>croceus</i> f. <i>cremonaehelice</i> , <i>Colias</i>	200, 201 (photo)
<i>croesella</i> (Scop.), <i>Adela</i>	s21
<i>croseus</i> f. <i>helice</i> , <i>Colias</i>	201 (photo)
<i>cruciana</i> (Linn.), <i>Epinotia</i>	s40
<i>cruda</i> ([D. & S.]), <i>Orthostia</i>	96, s75
<i>culculla</i> (Hufn.), <i>Catarhoe</i>	s8, s45 (photo), s59
<i>cucullatella</i> (Linn.), <i>Nola</i>	97
<i>culmella</i> (Linn.), <i>Chrysoteuchia</i>	s55
<i>cultraria</i> (Fabr.), <i>Watsonalla</i>	141, s56
<i>cuprella</i> ([D. & S.]), <i>Adela</i>	264
<i>cupriacella</i> (Hübner), <i>Nemophora</i>	264
<i>cursoria</i> (Hufn.), <i>Euxoa</i>	s77
<i>curtula</i> (Linn.), <i>Clostera</i>	93
<i>curvatula</i> (Borkh.), <i>Drepana</i>	223
<i>curvella</i> (Linn.), <i>Argyresthia</i>	284
<i>cynosbatella</i> (Linn.), <i>Notocelia</i>	s41
<i>cytisella</i> (Curtis), <i>Monochroa</i>	271, s29
<i>dahlia</i> (Hübner), <i>Diarsia</i>	s78
<i>daubei</i> (Boisd.), <i>Thysanophusia</i>	216, 230
<i>daucella</i> ([D. & S.]), <i>Depressaria</i>	s27
<i>dealbana</i> (Fröhl.), <i>Gypsonoma</i>	279, s41, s80
<i>deauratella</i> Lien. & Zell., <i>Coleophora</i>	284, s31
<i>decentella</i> (H.-S.), <i>Etainia</i>	2, 263
<i>deceptorata</i> (Scop.), <i>Deltote</i>	232
<i>decimialis</i> (Poda), <i>Tholera</i>	96, s14, s76
<i>defoliaria</i> (Clerck), <i>Erannis</i>	s65
<i>degenerana</i> (Hübner), <i>Nycteola</i>	1, 2
<i>delunella</i> (Staint.), <i>Eudonia</i>	222, 283, s55
<i>demarniana</i> (F.v.R.), <i>Epinotia</i>	278
<i>demaryella</i> (Dup.), <i>Bucculatrix</i>	266, s22
<i>dentaria</i> (Fabr.), <i>Selenia</i>	92, s65
<i>dentella</i> (Fabr.), <i>Ypsolopha</i>	s24
<i>denticulella</i> (Thunb.), <i>Callisto</i>	s23
<i>depressa</i> (Esp.), <i>Eilema</i>	s69
<i>derivata</i> ([D. & S.]), <i>Anticlea</i>	90, s59
<i>desertella</i> (Dougl.), <i>Bryotropha</i>	s29
<i>designata</i> (Hufn.), <i>Xanthorhoe</i>	84, 90, s59
<i>despicata</i> (Scop.), <i>Pyrausta</i>	282, s54
<i>devoniella</i> (Staint.), <i>Parornix</i>	2, 266, s23
<i>dicommatias</i> (Meyr.), <i>Simacauda</i>	1
<i>didyma</i> auctt., <i>Mesapamea</i>	s74
<i>didymata</i> (Linn.), <i>Mesotype</i>	91, s62
<i>diffinis</i> (Haw.), <i>Teleiopsis</i>	272, s30
<i>diffinis</i> (Linn.), <i>Cosmia</i>	96
<i>dilucidana</i> (Steph.), <i>Aethes</i>	208
<i>dilutata</i> agg., <i>Epirrita</i>	98
<i>dilutella</i> ([D. & S.]), <i>Delplanqueia</i>	s53
<i>dimidiata</i> (Hufn.), <i>Idaea</i>	89, s58

<i>discordella</i> Zell., <i>Coleophora</i>	s31	<i>extrema</i> (Hüb.), <i>Photedes</i>	235
<i>dispar</i> (Linn.), <i>Lymantria</i>	227	<i>fabriciana</i> (Linn.), <i>Anthophila</i>	s35
<i>dispunctella</i> (Dup.), <i>Elachista</i>	s32	<i>fagaria</i> (Thunb.), <i>Dyscia</i>	s67
<i>dissoluta</i> (Treits.), <i>Archana</i>	s73	<i>fagella</i> ([D. & S.]), <i>Diurnea</i>	s26
<i>distans</i> (Zell.), <i>Oxyptilus</i>	251	<i>fagiglandana</i> (Zell.), <i>Cydia</i>	280, s42
<i>distinctaria</i> H.-S., <i>Eupithecia</i>	s63	<i>falcataria</i> (Linn.), <i>Drepana</i>	85, 89, s56
<i>distinctella</i> (Zell.), <i>Chionodes</i>	271	<i>falconipennella</i> (Hüb.), <i>Caloptilia</i>	266
<i>divisella</i> H.-S., <i>Mompha</i>	274, 286	<i>fallouella</i> (Rag.), <i>Acrobasis</i>	216, 221
<i>dodecella</i> (Linn.), <i>Exoteleia</i>	s30	<i>fascelina</i> (Linn.), <i>Dicallomera</i>	s68
<i>dodonea</i> Staint., <i>Tischeria</i>	264	<i>fascelinella</i> (Hüb.), <i>Pediasia</i>	284
<i>dodoneata</i> Guen., <i>Eupithecia</i>	s63	<i>fasciana</i> (Linn.), <i>Pammene</i>	281, s42
<i>dolabraria</i> (Linn.), <i>Plagodis</i>	92, s64	<i>fasciaria</i> (Linn.), <i>Hylaea</i>	92, s66
<i>domestica</i> (Haw.), <i>Bryotropha</i>	270, s29	<i>fasciuncula</i> (Haw.), <i>Oligia</i>	95, s74
<i>domestica</i> (Hufn.), <i>Bryophila</i>	94, s71	<i>feminella</i> Sinev, <i>Cosmopterix</i>	38, 39 (photo)
<i>dominula</i> (Linn.), <i>Callimorpha</i>	139	<i>fenestratella</i> (Heyd.), <i>Monopis</i>	265
<i>douglasella</i> Staint., <i>Depressaria</i>	269	<i>ferrago</i> (Fabr.), <i>Mythimna</i>	97, s77
<i>dromedarius</i> (Linn.), <i>Notodonta</i>	78, 93, s67	<i>ferrugalis</i> (Hüb.), <i>Udea</i>	237, 241, s54
<i>drurella</i> (Fabr.), <i>Chrysoesthia</i>	270	<i>ferrugana</i> ([D. & S.]), <i>Acleris</i>	s80
<i>dryadella</i> (O. Hofmann), <i>Stigmella</i>	s15, s20	<i>ferrugata</i> (Clerck), <i>Xanthorhoe</i>	90, s59
<i>dubitata</i> (Hüb.), <i>Neochochylis</i>	s38	<i>ferruginea</i> (Esp.), <i>Rusina</i>	94, s72
<i>dubitata</i> (Linn.), <i>Triphosa</i>	s61	<i>festaliella</i> (Hüb.), <i>Schreckensteintia</i>	275, s35
<i>dumetata</i> (Treits.), <i>Odontognophos</i>	s11, s16, s46	<i>festucae</i> (Linn.), <i>Plusia</i>	85, 94, s70
(photo), s66		<i>fibulella</i> ([D. & S.]), <i>Cauchas</i>	28 (photo), 29, 30 (photo)
<i>dumetata hibernica</i> , <i>Odontognophos</i>	s16, s66	<i>fidella</i> (Reutti), <i>Caloptilia</i>	266
<i>duplaris</i> (Linn.), <i>Ochropacha</i>	s56	<i>filicivora</i> (Meyr.), <i>Psychoides</i>	265, s22
<i>duplicella</i> (Geoff.), <i>Narycia</i>	264	<i>filipendulae</i> (Linn.), <i>Zygæna</i>	s49
<i>efformata</i> (Guen.), <i>Aplocera</i>	91	<i>filipendulae</i> (Wocke), <i>Stigmella</i>	263
<i>effractella</i> Zell., <i>Eccopisa</i>	285	<i>fimbrialis</i> (Scop.), <i>Thalera</i>	226
<i>ekbladella</i> (Bjerk.), <i>Tischeria</i>	258	<i>fimbriata</i> (Schreb.), <i>Noctua</i>	97, s78
<i>electa</i> (View.), <i>Catocala</i>	229	<i>firmata</i> (Hüb.), <i>Pennithera</i>	s60
<i>eleochariella</i> Staint., <i>Elachista</i>	s33	<i>flammea</i> (Esp.), <i>Trigonophora</i>	235
<i>elinguaria</i> (Linn.), <i>Crocallis</i>	92, s65	<i>flammea</i> (Curtis), <i>Senta</i>	237
<i>elongata</i> (Linn.), <i>Caloptilia</i>	s23	<i>flammea</i> ([D. & S.]), <i>Panolis</i>	s75
<i>elpenor</i> (Linn.), <i>Deilephila</i>	75, 77, 89, s58	<i>flammealis</i> ([D. & S.]), <i>Endotricha</i>	282
<i>emargana</i> (Fabr.), <i>Acleris</i>	s37	<i>flavago</i> ([D. & S.]), <i>Gortyna</i>	95, s72
<i>emarginata</i> (Linn.), <i>Idaea</i>	89	<i>flaviciliana</i> (Westwood), <i>Cochylis</i>	277, s38
<i>emberizaepenella</i> (Bouché), <i>Phyllonorcyctes</i>	267	<i>flavicincta</i> ([D. & S.]), <i>Polymixis</i>	96
<i>ephemerella</i> ([D. & S.]), <i>Acentria</i>	284, s56	<i>flavicornis</i> (Linn.), <i>Achlya</i>	89
<i>epilobiella</i> ([D. & S.]), <i>Mompha</i>	275	<i>flavofasciata</i> (Thunb.), <i>Perizoma</i>	84, 91, s62
<i>epomidion</i> (Haw.), <i>Apamea</i>	95, s73	<i>flexula</i> ([D. & S.]), <i>Laspeyria</i>	78, 93
<i>eremita</i> (Fabr.), <i>Dryobotodes</i>	96, s75	<i>floslactata</i> (Haw.), <i>Scopula</i>	89, s58
<i>ericella</i> (Hüb.), <i>Crambus</i>	283	<i>floslactella</i> (Haw.), <i>Stigmella</i>	8, s19
<i>ericetana</i> (Hump. & Westw.), <i>Endothenia</i>	s39	<i>fluctuata</i> (Linn.), <i>Xanthorhoe</i>	77, 90, s59
<i>ericetella</i> (Geyer), <i>Neofaculta</i>	s28	<i>fluctuosa</i> (Hüb.), <i>Tethella</i>	s56
<i>erosaria</i> ([D. & S.]), <i>Ennomos</i>	92	<i>fluxa</i> (Hüb.), <i>Photedes</i>	95
<i>erxlebella</i> (Fabr.), <i>Roeslerstammia</i>	265	<i>forficalis</i> (Linn.), <i>Evergestis</i>	s55
<i>erythrocephala</i> ([D. & S.]), <i>Conistra</i>	235	<i>forficella</i> (Thunb.), <i>Donacaula</i>	s56
<i>erythrogenella</i> (Joannis), <i>Ectoedemia</i>	263	<i>forficella</i> (Scop.), <i>Harpella</i>	24 (photo), 25, 269
<i>euphorbiae</i> (Linn.), <i>Hyles</i>	224	<i>formicaeformis</i> (Esp.), <i>Synanthedon</i>	s42
<i>euphosyne</i> (Linn.), <i>Boloria</i>	s9, s13, s47 (photo), s51	<i>formosa</i> (Haw.), <i>Rhodophaea</i>	281
<i>eurema</i> (Tutt), <i>Trifurcula</i>	s20	<i>forsskalæana</i> (Linn.), <i>Acleris</i>	276, s37
<i>evonymella</i> (Linn.), <i>Yponomeuta</i>	298, s24	<i>forsterana</i> (Fabr.), <i>Lozotaenia</i>	s36
<i>exanthemata</i> (Scop.), <i>Cabera</i>	92, s66	<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	268, s25
<i>exclamationis</i> (Linn.), <i>Agrotis</i>	78, 97, s78	<i>fovealis</i> Zell., <i>Duponchelia</i>	222, 283
<i>exigua</i> (Hüb.), <i>Spodoptera</i>	234, 249, s71	<i>francillana</i> (Fabr.), <i>Aethes</i>	205-207 (photos), 208, 277
<i>exiguata</i> (Hüb.), <i>Eupithecia</i>	91, s64	<i>franguella</i> (Goeze), <i>Bucculatrix</i>	s22
<i>extimalis</i> (Scop.), <i>Evergestis</i>	222, 283		

<i>fraternella</i> (Dougl.), <i>Caryocolum</i>	272, s30
<i>fraxinella</i> (Bjerk.), <i>Prays</i>	s26
<i>fraxini</i> (Linn.), <i>Catocala</i>	25, 26, 228, 229
<i>freyrella</i> (Hüb. n.), <i>Elachista</i>	s33
<i>freyii</i> (Scott), <i>Scrobipalpa</i>	161-178 (photos), 179, 180
<i>friesei</i> Svens., <i>Ocnerostoma</i>	268
<i>frischella</i> (Linn.), <i>Coleophora</i>	273, s31, s80
<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	s80
<i>fucosa</i> (Frey.), <i>Amphipoea</i>	s72
<i>fugitivella</i> (Zell.), <i>Carpatolechia</i>	272
<i>fuliginaria</i> (Linn.), <i>Parascotia</i>	228
<i>fuliginosa</i> (Linn.), <i>Phragmatobia</i>	93, s68
<i>fulvalis</i> (Hüb. n.), <i>Udea</i>	282
<i>fulvata</i> (Forst.), <i>Cidaria</i>	90, s60
<i>fulviguttella</i> (Zell.), <i>Phaulernis</i>	s35
<i>fulvimitrella</i> (Sodoffsky), <i>Triaxomera</i>	265
<i>funebrana</i> (Treits.), <i>Grapholita</i>	188, 280, s42
<i>funebri</i> (Ström), <i>Anania</i>	119, s54
<i>funesta</i> (Esp.), <i>Aedia</i>	232
<i>furcata</i> (Thunb.), <i>Hydriomena</i>	90, s60
<i>furcula</i> (Clerck), <i>Furcula</i>	93, s67
<i>furfurana</i> (Haw.), <i>Bactra</i>	s39
<i>furuncula</i> ([D. & S.]), <i>Mesoligia</i>	95, s74
<i>furva</i> ([D. & S.]), <i>Apamea</i>	s74
<i>fusca</i> (Haworth), <i>Pyla</i>	s53
<i>fuscalis</i> ([D. & S.]), <i>Anania</i>	s54
<i>fuscantaria</i> (Haw.), <i>Ennomos</i>	81, 82, 92, 141
<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	264
<i>fuscella</i> (Linn.), <i>Niditinea</i>	s22
<i>fuscescens</i> (Haw.), <i>Borkhausenia</i>	269, s26
<i>fuscocuprella</i> H.-S., <i>Coleophora</i>	s31
<i>fuscobulbosa</i> (De Geer), <i>Korscheltellus</i>	s19
<i>fuscovenosa</i> (Goeze), <i>Idaea</i>	89
<i>galbulipennella</i> Zell., <i>Coleophora</i>	3
<i>galiata</i> ([D. & S.]), <i>Epirrhoe</i>	s59
<i>gallica</i> (Lederer), <i>Conistra</i>	131-133 (photos), 134, 135
<i>gallicana</i> (Guen.), <i>Pammene</i>	188, 281, s42
<i>gallii</i> (Rott.), <i>Hyles</i>	224, 225
<i>gamma</i> (Linn.), <i>Autographa</i>	86, 94, 237, 247, 248, s70
<i>gangabella</i> Zell., <i>Elachista</i>	274
<i>geminana</i> (Don.), <i>Ancylis</i>	3, s39
<i>geniculea</i> (Haw.), <i>Agriphila</i>	s56
<i>genistella</i> (Dup.), <i>Pempelia</i>	281
<i>germingana</i> ([D. & S.]), <i>Philedone</i>	s35
<i>giganteana</i> (Pey.), <i>Pammene</i>	188, 280, s42
<i>gigantella</i> ([D. & S.]), <i>Schoenobius</i>	284
<i>gilvaria</i> ([D. & S.]), <i>Aspitates</i>	s67
<i>gilvaria burrenensis</i> Cockayne, <i>Aspitates</i> ..	s16, s67
<i>gilvata</i> (Fabr.), <i>Uresiphita</i>	222, 282
<i>glandulella</i> (Riley), <i>Blastobasis</i>	1, 275
<i>glauca</i> (Esp.), <i>Eugnorisma</i>	83, 97, s79
<i>glauca</i> (Scop.), <i>Cilix</i>	89, s56
<i>glaucolella</i> Wood, <i>Coleophora</i>	s31
<i>glaucoinalis</i> (Linn.), <i>Hypsopygia</i>	260
<i>glauchenella</i> (Fabr.), <i>Elachista</i>	274, s32
<i>glyphica</i> (Linn.), <i>Euclidia</i>	s70
<i>gnoma</i> (Fabr.), <i>Pheosia</i>	78, 93, s67
<i>gonodactyla</i> ([D. & S.]), <i>Platyptilia</i>	s34
<i>gothica</i> (Linn.), <i>Orthosia</i>	77, 96, s75
<i>gracilis</i> ([D. & S.]), <i>Orthosia</i>	96, s75
<i>graminis</i> (Linn.), <i>Cerapteryx</i>	s76
<i>grandaevana</i> (Lien. & Zell.), <i>Epiblema</i>	279
<i>grandis</i> (Desvignes), <i>Schiffermuelleria</i>	284
<i>granitana</i> (H.-S.), <i>Epinotia</i>	278
<i>grisealis</i> ([D. & S.]), <i>Herminia</i>	93, s69
<i>griseana</i> (Hüb. n.), <i>Zeiraphera</i>	s40
<i>griseola</i> (Hüb. n.), <i>Eilema</i>	93, s69
<i>grossulariata</i> (Linn.), <i>Abraxas</i>	91, s64
<i>grotiana</i> (Fabr.), <i>Epagoge</i>	s35
<i>gryphipennella</i> (Hüb. n.), <i>Coleophora</i>	s31
<i>halterata</i> (Hufn.), <i>Lobophora</i>	s64
<i>hamana</i> (Linn.), <i>Agapeta</i>	277, s38
<i>hammoniella</i> Sorh., <i>Heliozela</i>	s21
<i>harrisella</i> (Linn.), <i>Phyllonorycter</i>	s23
<i>hartigiana</i> (Sax.), <i>Cymolomia</i>	278
<i>hastata</i> (Linn.), <i>Rheumaptera</i>	s61
<i>hastiana</i> (Linn.), <i>Acleris</i>	s37
<i>haworthana</i> (Steph.), <i>Glyphipterix</i>	268
<i>haworthiata</i> Doubl., <i>Eupithecia</i>	s62
<i>haworthii</i> (Curtis), <i>Celaena</i>	s72
<i>hecta</i> (Linn.), <i>Phymatopus</i>	s19
<i>hedemanni</i> (Rebel), <i>Dialectica</i>	52, 54 (photo), 55-58, 58 (photo), 59, 286
<i>hellerella</i> (Dup.), <i>Blastodacna</i>	s33
<i>helvola</i> (Linn.), <i>Anchoscelis</i>	s74
<i>helvola</i> (Linn.), <i>Agrochola</i>	95
<i>hemargyrella</i> (Kollar), <i>Stigmella</i>	s20
<i>hemidactylella</i> ([D. & S.]), <i>Caloptilia</i>	266
<i>heparana</i> ([D. & S.]), <i>Pandemis</i>	s36
<i>hepariella</i> Staint., <i>Zelleria</i>	268, s24
<i>heracliana</i> (Linn.), <i>Agonopterix</i>	s27
<i>hexadactyla</i> Linn., <i>Alucita</i>	s34
<i>hilarella</i> (Zett.), <i>Phyllonorycter</i>	s23
<i>hirtaria</i> (Clerck), <i>Lycia</i>	92, s65
<i>histrionana</i> (Fröl.), <i>Dichelia</i>	3, 29, 31 (photo)
<i>hohenwartiana</i> ([D. & S.]), <i>Eucosma</i>	279, s41
<i>holmiana</i> (Linn.), <i>Acleris</i>	s37
<i>honoratella</i> (Rebel), <i>Caloptilia</i>	266, 284
<i>hornigi</i> (Stdgr), <i>Monochroa</i>	271
<i>hortulata</i> (Linn.), <i>Anania</i>	s54
<i>hospes</i> (Frey.), <i>Athetis</i>	234
<i>hostis</i> Triberti, <i>Phyllonorycter</i>	s23
<i>humidialis</i> Doubl., <i>Hyphenodes</i>	s69
<i>humuli</i> (Linn.), <i>Heplialus</i>	89, s19
<i>hybnerella</i> (Hüb. n.), <i>Stigmella</i>	263, s19
<i>hydrolapatella</i> Hering, <i>Coleophora</i>	107-117 (photos), 118, 257, 272, 284
<i>hyemana</i> (Haw.), <i>Acleris</i>	s37
<i>hyperantus</i> (Linn.), <i>Aphantopus</i>	86, 98, s51
<i>hyperici</i> ([D. & S.]), <i>Chloantha</i>	234, 235
<i>icarus</i> (Rott.), <i>Polyommatus</i>	86, 98, s53
<i>icterata</i> (Villers), <i>Eupithecia</i>	91, s64
<i>icteritia</i> (Hufn.), <i>Cirrhia</i>	78, 95, s74

<i>idaeella</i> Hofmann, <i>Coleophora</i>	272	<i>jurassicella</i> (Frey), <i>Mompha</i>	275
<i>ignorata</i> Kuznetsov, <i>Pammene</i>	285	<i>jurtina</i> (Linn.), <i>Maniola</i>	98, s51
<i>illutana</i> (H.-S.), <i>Cydia</i>	280	<i>juventina</i> (Stoll), <i>Calloplistria</i>	234
<i>imella</i> (Hüb. n.), <i>Monopis</i>	265, s80	<i>juvernica</i> Williams, <i>Leptidea</i>	s80
<i>imitaria</i> (Hüb. n.), <i>Scopula</i>	89	<i>kaekeritziana</i> (Linn.), <i>Agonopterix</i>	s27
<i>immaculatella</i> (Dougl.), <i>Oxypteryx</i> 271, s15, s29		<i>klemannella</i> (Fabr.), <i>Phyllonorycter</i>	267
<i>immundana</i> (F.v.R.), <i>Epinotia</i>	278, s40	<i>kochiella</i> (Goeze), <i>Acleris</i>	277
<i>immundella</i> (Zell.), <i>Trifurcula</i>	263	<i>koenigi</i> (Capez), <i>Nemapogon</i>	265
<i>immutata</i> (Linn.), <i>Scopula</i>	89, s58	<i>kuehniella</i> (Zell.), <i>Ephestia</i>	186, 187 (photo)
<i>imperialella</i> (Zell.), <i>Dialectica</i>	52, 56-58, 58 (photo)	<i>lacertinaria</i> (Linn.), <i>Falcaria</i>	85, 89, 102, s56
<i>implicitana</i> (Wocke), <i>Cochylidia</i>	277, 285	<i>lacteana</i> Caradja, <i>Bactra</i>	278, s39
<i>impluviata</i> ([D. & S.]), <i>Hydriomena</i>	s60	<i>lactearia</i> (Linn.), <i>Jodis</i>	84, 93, s67
<i>impura</i> (Hüb. n.), <i>Mythimna</i>	97, s77	<i>lacteella</i> (Steph.), <i>Mompha</i>	274
<i>incanana</i> (Steph.), <i>Eana</i>	276	<i>lacticolella</i> Rebel, <i>Blastobasis</i>	s34
<i>incarnatana</i> (Hüb. n.), <i>Notocelia</i>	279, s41	<i>lacunana</i> ([D. & S.]), <i>Celypha</i>	s39
<i>incarnatella</i> (Stuedel), <i>Rhigognostis</i>	s25	<i>lacustrata</i> (Panz.), <i>Eudonia</i>	s55
<i>incerta</i> (Hufn.), <i>Orthosia</i>	77, 96, s75	<i>laetus</i> (Zell.), <i>Oxyptilus</i>	219
<i>incertana</i> (Treits.), <i>Cnephasia</i>	183 (photo), 184, 276, s36	<i>laevigella</i> ([D. & S.]), <i>Monopis</i>	s22
<i>incognitella</i> (H.-S.), <i>Stigmella</i>	263	<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	264
<i>inconspicuenta</i> (Staint.), <i>Dahlia</i>	264	<i>l-album</i> (Linn.), <i>Mythimna</i>	236
<i>infantula</i> Kitt, <i>Nola</i>	2	<i>lancealana</i> (Hüb. n.), <i>Bactra</i>	s39
<i>innotata</i> (Hufn.), <i>Eupithecia</i>	s63	<i>lancealis</i> ([D. & S.]), <i>Anania</i>	282
<i>inoxiella</i> Gregersen & Karsholt, <i>Anarsia</i>	270	<i>lanestris</i> (Linn.), <i>Eriogaster</i>	s57
<i>inopinata</i> (Bigot & Picard), <i>Stenoptilia</i>	219	<i>langiella</i> (Hüb. n.), <i>Mompha</i>	275, 285, s33
<i>inquinatana</i> ([D. & S.]), <i>Cydia</i>	280	<i>lantanelia</i> (Schrank), <i>Phyllonorycter</i>	266
<i>inquinatella</i> ([D. & S.]), <i>Agriphila</i>	s56	<i>lapidella</i> (Goeze), <i>Luffia</i> 128, 129, 129 (dist map)	
<i>inscriptella</i> (Dup.), <i>Delplanqueia</i>	281, 285	<i>laponica</i> (Wocke), <i>Stigmella</i>	s19
<i>insignitella</i> (Zell.), <i>Phyllonorycter</i>	s24	<i>lappovimella</i> (Sven.), <i>Stigmella</i>	19
<i>inspersella</i> (Hüb. n.), <i>Scythris</i>	275	<i>laricana</i> (Hein), <i>Spilonota</i>	278, s40
<i>insulana</i> (Boisd.), <i>Earias</i>	237	<i>lariciata</i> (Frey.), <i>Eupithecia</i>	91, s63
<i>interjecta</i> (Hüb. n.), <i>Noctua</i>	97, s79	<i>lassella</i> Stdgr, <i>Coleophora</i>	s7, s80
<i>interrogationis</i> (Linn.), <i>Syngrapha</i>	232, 252	<i>laterana</i> (Fabr.), <i>Acleris</i>	s37
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	8, 263	<i>lateritia</i> (Hufn.), <i>Apamea</i>	235
<i>intricata</i> (Zett.), <i>Eupithecia</i>	s63	<i>lathamella</i> Fletch., <i>Chrysoclista</i>	274
<i>intricata arceuthata</i> (Frey.), <i>Eupithecia</i>	91	<i>lathonia</i> (Linn.), <i>Issoria</i>	219
<i>intricata hibernica</i> Mere, <i>Eupithecia</i>	s16, s63	<i>lathoniellus</i> (Zinck.), <i>Crambus</i>	s55
<i>inturbata</i> (Hüb. n.), <i>Eupithecia</i>	141	<i>latruncula</i> ([D. & S.]), <i>Oligia</i>	s74
<i>inulae</i> Wocke, <i>Coleophora</i>	273	<i>lautella</i> (Zell.), <i>Phyllonorycter</i>	267, s24
<i>io</i> (Linn.), <i>Aglais</i>	86, 98, s51	<i>lazaroi</i> Landry, <i>Cryptolectica</i>	56
<i>ippsilon</i> (Hufn.), <i>Agrotis</i> ..86, 97, 237, 250, 251, s78		<i>leautieri</i> (Boisd.), <i>Lithophane</i>	86, 96, s75
<i>iris</i> (Linn.), <i>Apatura</i>	48	<i>lehmanni</i> Hoppe & Fibiger, <i>Thalersatria</i>	106
<i>irrorella</i> (Linn.), <i>Setina</i>	s43 (photo), s69	<i>lemnata</i> (Linn.), <i>Cataclysta</i>	284, s56
<i>irvorella</i> (Hüb. n.), <i>Yponomeuta</i>	218, 267	<i>lemniscella</i> (Zell.), <i>Stigmella</i>	s20
<i>isertana</i> (Fabr.), <i>Zeiraphera</i>	286, s40	<i>leplastriana</i> (Curtis), <i>Selania</i>	3
<i>isodactylus</i> (Zell.), <i>Platyptilia</i>	s34	<i>leporina</i> (Linn.), <i>Acronica</i>	94, 102, s71
<i>italica</i> Balduzzone, <i>Metalampra</i>	269	<i>leucapennella</i> (Steph.), <i>Povolnya</i>	s23
<i>jacobaeae</i> (Linn.), <i>Tyria</i>	93, s69	<i>leucatella</i> (Clerck), <i>Recurvaria</i>	272, s15, s30
<i>janiszewskae</i> Riedl, <i>Sorhagenia</i> 119, 120, 122, 270		<i>leucodactyla</i> ([D. & S.]), <i>Merrifieldia</i>	275, s35
<i>janthe</i> (Borkh.), <i>Noctua</i>	97, s79	<i>leucogaster</i> (Frey.), <i>Ochropleura</i> ..216, 237, 251	
<i>janthinana</i> (Dup.), <i>Grapholita</i>	s42	<i>leucographella</i> (Zell.), <i>Phyllonorycter</i>	36, 266, 286, s23
<i>joannisi</i> (Le Marchand), <i>Phyllonorycter</i>	267	<i>leucostigma</i> (Hüb. n.), <i>Helotropha</i>	s72
<i>josephinae</i> (Toll), <i>Agnoea</i>	269, s26	<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	219, 252
<i>jota</i> (Linn.), <i>Autographa</i>	78, 94, s70	<i>libatrix</i> (Linn.), <i>Scoliopteryx</i>	93, s68
<i>juncicolella</i> Staint., <i>Coleophora</i>	273, s31	<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	226, s67
<i>jungiella</i> (Clerck), <i>Grapholita</i>	s42	<i>lichenella</i> (Linn.), <i>Dahlia</i>	264
<i>juniperata</i> (Linn.), <i>Thera</i>	75, 84, 90, s60	<i>ligula</i> (Esp.), <i>Conistra</i>	95, s74
		<i>ligustri</i> (Linn.), <i>Sphinx</i>	77

ligustri (D. & S.), *Craniophora*.....s71
limacodes (Linn.), *Apoda*139
limbata (Linn.), *Evergestis*285
limbirena (Guen.), *Ctenoplusia*216, 230, 231
limoniana (Mill.), *Lobesia*32 (photo), 34
linearia (Hüb.), *Cyclophora*84, 90, s58
lineatella Zell., *Anarsia*218
lineola (Curtis), *Eudonia*283, s55
lipsiella (D. & S.), *Diurnea*s26
literana (Linn.), *Acleris*277
literosa (Haw.), *Litoligia*95, s74
lithogyrinella Zell., *Coleophora*273
lithodactyla (Treits.), *Oidaematophorus*275
lithoxylaea (D. & S.), *Apamea*95, 182, s74
litoralis (Curtis), *Mythimna*s77
littoralis (Westwood & Humphreys),
Lobesia278, s39
littoralis (Boisd.), *Spodoptera*234
litura (Linn.), *Agrochola*82, 83, 95
liturata (Clerck), *Macaria*91, s64
liturosa (Haw.), *Agonopterix*s27
livornica (Esp.), *Hyles*225, s58
lixella Zell., *Coleophora*273, s31
L-nigrum (Müll.), *Arctornis*227
lobarzewskii (Nowicki), *Grapholita*280
locupletella (D. & S.), *Mompha*275
loeflingiana (Linn.), *Aleimma*s37
logiana (Clerck), *Acleris*277
longana (Haw.), *Cnephasia*276, s36
loniceræ (Scheven), *Zygaena*s49
lophyrella (Dougl.), *Sorhagenia*119, s28
loreyi (Dup.), *Leucania*236, 237
lota (Clerck), *Agrochola*95
lota (Clerck), *Leptologia*s74
lotella (Staint.), *Leucoptera*s26
louisella (Sirc.), *Etainia*263
lubricipeda (Linn.), *Spilosoma*93, s68
lucens (Frey.), *Amphipoea*s73
lucernea (Linn.), *Standfussiana*s78
lucida (Hufn.), *Acontia*4, 216, 232
lucidella (Steph.), *Monochroa*s29
lucipara (Linn.), *Euplexia*95, s72
luctuosa (D. & S.), *Tyta*75, 76, 79, 82,
94, 232, 233
lueneburgensis (Frey.), *Aporophyla* .2, 4, 96, s75
lunana (Thunb.), *Philedonides*276, s35
lunaris (D. & S.), *Minucia*230
lunosa (Haw.), *Anchoscelis*95, s74
lumulana (D. & S.), *Grapholita*s42
lumularia (Hüb.), *Selenia*84, 92, s65
lupulina (Linn.), *Korscheltellus*89, s19
luridata (Hufn.), *Scotopteryx*s58
lurideola (Zinck.), *Eilema*93, s69
luscinaepennella (Treits.), *Coleophora* .272, s31
lutatella (H.-S.), *Helcystogramma*270
lutea (Linn.), *Spilosoma*93, s68
lutealis (Hüb.), *Udea*s54
luteella (Staint.), *Stigmella*s19

luteolata (Linn.), *Opisthographis*77, 92, s65
luticomella Zell., *Elachista*65, 66, 67 (photo),
68 (photo), 69, 274, s33
lutosa (Hüb.), *Rhizedra*83, 85, 95, s73
lutulenta (D. & S.), *Aporophyla*2, 4
lutulentella (Zell.), *Monochroa*271, s29
luzella (Hüb.), *Lampronia*s21
lychnidis (D. & S.), *Agrochola*75, 81, 82, 95,
141, s74
machaon (Linn.), *Papilio*125-128, 219
macilenta (Hüb.), *Leptologia*s74
macilenta (Hüb.), *Agrochola*95
macularia (Linn.), *Pseudopanthera*s65
maculicerusella (Bruand), *Elachista*s33
maculosana (Haw.), *Hysterothorax*277
maestingella (Müll.), *Phyllonorycter*s23
magdalenae (Klimesch), *Stigmella*s19
magna (Zell.), *Nematopogon*s15, s21
malella (Staint.), *Stigmella*263, s19
malvacea (Wals.), *Dialectica*52, 56
malvella (Hüb.), *Pexicopia* 270, 290, 291 (photo),
292, 293
mansuetella Zell., *Micropterix* 215, s15, s16, s18
margaritaria (Linn.), *Campaea*92, s66
margaritella (D. & S.), *Catoptria*s56
marginana (Haw.), *Endothenia*s39
marginaria (Fabr.), *Agriopsis*92, s65
marginaria (Linn.), *Lomasipilis*91, s64
marginata (Haw.), *Coptotriche*s22
marginella (Fabr.), *Dichomeris*s28
maritima (Tengst.), *Phycitodes*282, s53
maritima Staint., *Bucculatrix*s22
maritimella Newman, *Coleophora*273
marmorea (Haw.), *Caryocolum*s30
marmorea (Haw.), *Acrobasis*s53
masculella (D. & S.), *Incurvaria*264, s21
matura (Hufn.), *Thalophila*94, s72
maura (Linn.), *Mormo*75, 78, 84, 94, s72
mayrella (Hüb.), *Coleophora*273, s31
mediterranea Corley & Rosete,
Mondeguina29, 30 (photo)
megacephala (D. & S.), *Acrionicta*s71
megacephala (D. & S.), *Subacronicta*94
megera (Linn.), *Lasiommata*86, 98, s50
megerella Hüb., *Tinea*68
megerella (Hüb.), *Elachista*69
mellinata (Fabr.), *Eulithis*90
mendica (Clerck), *Diaphora*93, s68
mendica (Fabr.), *Diarsia*s78
menyanthidis (Esp.), *Acrionicta*s71
mercuriella (Linn.), *Eudonia*s55
mespilella (Hüb.), *Phyllonorycter*266
messaniella (Zell.), *Phyllonorycter*s23
metallella (D. & S.), *Antispila*263
metaxella (Hüb.), *Nematopogon*s21
meticulosa (Linn.), *Phlogophora*94, s72
metzneriella (Staint.), *Metzneria*s29
mi (Clerck), *Callistige*s70

miata (Linn.), *Chloroclysta*s61
micacea (Esp.), *Hydraecia*78, 95, s72
micalis (Mann), *Tebenna*219, 252,
302-305 (photos)
micella ([D. & S.]), *Argolamprotes*271
microdactyla (Hübner), *Adaina*s35
microthieriella (Staint.), *Stigmella*s19
milhauseri (Fabr.), *Harpysia*3, 216, 227
millieridactyla (Bruand), *Stenoptilia*183, s34
milvipennis Zell., *Coleophora*272
miniata (Forst.), *Mitochrista*s8, s14,
s44 (photo), s69
minima (Haw.), *Photedes*95, s73
minimella ([D. & S.]), *Nemophora*s21
minimus (Fuessly), *Cupido*s7, s51
miniosa ([D. & S.]), *Orthosia*235, 236
ministrana (Linn.), *Eulia*s37
minorata (Treits.), *Perizoma*s16,
s45 (photo), s62
minutana (Hübner), *Gypsonoma*279
mitterbacheriana ([D. & S.]), *Ancylys*278
molesta (Busck), *Grapholita*280
molliculana Zell., *Neocochylys*277
moneta (Fabr.), *Polychrysis*79, 94
monodactyla (Linn.), *Emmelina*s35
monodecta (Meyr.), *Cryptolectica*56
monoglypha (Hufn.), *Apamea*78, 95, s73
montanata ([D. & S.]), *Xanthorhoe*90, s59
morosa Zell., *Lampronia*264
morpheus (Hufn.), *Caradrina*94, s71
mouffetella (Linn.), *Athrips*s29
mucronata (Scop.), *Scotopteryx*s58
mucronella (Scop.), *Ypsolopha*s24
mucronella ([D. & S.]), *Donacaula*s56
mulinella (Zell.), *Mirificarma*s30
mulliganae Sterling, *Tachystola*1, 285
multistrigaria (Haw.), *Colostygia*s61
munda ([D. & S.]), *Anorthoa*s75
mundana (Linn.), *Nudaria*93, s69
muralis (Forst.), *Bryopsis*s71
murinella (Dup.), *Scrobipalpa*s30
muscaeformis (Esp.), *Pyropteron*s14, s42
muscerda (Hufn.), *Pelosis*228
muscosella Zell., *Gelechia*271
musculana (Hübner), *Syndemis*s36
mygindiana ([D. & S.]), *Stictea*s15, s39
myllerana (Fabr.), *Prochoreutis*276
myopaeformis (Borkh.), *Synanthedon*139
myrtilana (Hump. & Westw.), *Rhopobota*278
myrtilli (Linn.), *Anarta*s76
naevana (Hübner), *Rhopobota*s40
nana (Haw.), *Thyraylia*s38
nanana (Treits.), *Epinotia*278
nanata (Hübner), *Eupithecia*s63
nanella ([D. & S.]), *Recurvaria*272
napi (Linn.), *Pieris*86, 98, s50
nebulosa (Goeze), *Paraswammerdamia*s24
nebulosa (Hufn.), *Polia*s76

nemorialis (Scop.), *Agrotera*222, 282
nemorana (Hübner), *Choreutis*276
nemorella (Linn.), *Ypsolopha*s24
nemorivaga (Tengst.), *Epinotia*s40
nerii (Linn.), *Daphnis*149, 150 (photo), 224
nervosa (Haw.), *Agonopterix*s27
neustria (Linn.), *Malacosoma*80, 82, 89, s57
ni (Hübner), *Trichoplusia*s70
nicellii (Staint.), *Phyllonorycter*267, s24, s80
nigra (Haw.), *Gelechia*271
nigra (Haw.), *Aporophyla*83, 85, 96, s75
nigrescentella (Logan), *Phyllonorycter*s23
nigricana (Fabr.), *Cydia*280, 290, s42
nigricana (H.-S.), *Epinotia*279
nigricans (Linn.), *Euxoa*81, 82, 97, 141, s78
nigricomella (Zell.), *Bucculatrix*s22
nigropunctata (Hufn.), *Scopula*225
nimbella (Dup.), *Homoeosoma*282
nisella (Clerck), *Epinotia*s40
nitentella (Fuchs), *Scrobipalpa*271, s30
nitidalis (Walker), *Musotima*284, 286
nitidulata (Hufn.), *Nymphula*s56
noctuella ([D. & S.]), *Nomophila*237, 242, s55
nostralis (Guen.), *Hypsopygia*258,
259 (photo), 260
nostrodamus (Fabr.), *Gegenes*49
notana (Don.), *Acleris* 277s80
notatella (Hübner), *Carpatolechia*272, s30
novimundi (Busck), *Oegoconia*269
nubiferana (Haw.), *Hedya*s38
nubilalis (Hübner), *Ostrinia*282
nupta (Linn.), *Catocala*75, 78, 93
nymphaea (Linn.), *Elophila*s56
obductella (Zell.), *Uncinus*285
obelisca ([D. & S.]), *Euxoa*s77
obeliscata (Hübner), *Thera*s60
obfusca ([D. & S.]), *Gnophos*s66
obliquella Staint., *Elachista*65, 66, 67 (photo),
68 (photo), 69, 274
obliquella (Hein.), *Stigmella*263
oblitella (Dup.), *Ancylosis*3, 281
obscurata ([D. & S.]), *Charissa*s66
obscuripunctella (Staint.), *Perittia*273
obsoletella (F.v.R.), *Scrobipalpa*271
obstipata (Fabr.), *Nycterosea*245, 246, s59
obtusana (Haw.), *Ancylys*s15, s39
obumbratana (Lien. & Zell.), *Eucosma*s41
obiella ([D. & S.]), *Monopis*265
oculta (Linn.), *Eurois*237, s79
ocellana ([D. & S.]), *Spilonota*s40
ocellana (Fabr.), *Agonopterix*s27
ocellaris (Borkh.), *Cirrhia*235
ocellata (Linn.), *Cosmorhoe*90, s60
ocellata (Linn.), *Smerinthus*77, 89, s57
ocellatella (Boyd), *Scrobipalpa*3, 181, 271, 284
ocellea (Haw.), *Euchromius*222
ochraceella (Curtis), *Mompha*274
ochrata (Scop.), *Idaea*225

<i>ochroleuca</i> (D. & S.), <i>Eremobia</i>	95
<i>ochsenheimeriana</i> (Lien. & Zell.), <i>Pammene</i>	281
<i>octogenaria</i> (Goeze), <i>Hoplodrina</i>	78, 94, s72
<i>ocularis</i> (Linn.), <i>Tethea</i>	89
<i>oculea</i> (Linn.), <i>Amphipoea</i>	95, s73
<i>oehlmanniella</i> (Hüb.), <i>Incurvaria</i>	264, s21
<i>ohridella</i> Deschka & Dimic, <i>Cameraria</i>	267
<i>ohrestrella</i> (Mill.), <i>Zelleria</i>	218, 268
<i>oleracea</i> (Linn.), <i>Lacanobia</i>	96, s76
<i>olivialis</i> (D. & S.), <i>Udea</i>	s54
<i>olivata</i> (D. & S.), <i>Colostygia</i>	s61
<i>ophiogramma</i> (Esp.), <i>Laterologia</i>	95, s74
<i>opima</i> (Hüb.), <i>Orthosia</i>	s75
<i>orbona</i> (Hufn.), <i>Noctua</i>	97, s81
<i>orichalcea</i> Staint., <i>Cosmopterix</i>	s28
<i>orichalcea</i> (Fabr.), <i>Thysanoplusia</i>	216, 230
<i>ornata</i> (Scop.), <i>Scopula</i>	139, 225
<i>ornatella</i> (D. & S.), <i>Pempeliella</i>	s53
<i>ornitopus</i> (Hufn.), <i>Lithophane</i>	84, 95, s75
<i>orobi</i> (Staint.), <i>Leucoptera</i>	s26
<i>osteana</i> (Scop.), <i>Eana</i>	s36
<i>osteodactylus</i> (Zell.), <i>Hellinsia</i>	275
<i>ostrina</i> (Hüb.), <i>Eublemma</i>	s69
<i>ostrinalis</i> (Hüb.), <i>Pyrausta</i>	s54
<i>otidipennella</i> (Hüb.), <i>Coleophora</i>	285, s31
<i>oxyacanthae</i> (Linn.), <i>Allophyes</i>	94, s71
<i>oxyacanthae</i> (Frey), <i>Phyllonorycter</i>	s23
<i>pactolana</i> (Zell.), <i>Cydia</i>	280
<i>pallida</i> Meyr., <i>Dryadula</i>	265
<i>padella</i> (Linn.), <i>Yponomeuta</i>	s24
<i>paleana</i> (Hüb.), <i>Zelothereses</i>	276, s36
<i>pallens</i> (Linn.), <i>Mythimna</i>	97, s77
<i>pallida</i> (Curtis), <i>Eudonia</i>	283, s55
<i>pallidactyla</i> (Haw.), <i>Gillmeria</i>	275, s34
<i>pallidata</i> (Hufn.), <i>Evergestis</i>	283, s55
<i>pallifrontana</i> Zell., <i>Grapholita</i>	100, 189-194, 194 (dist map), 195-197, 197 (dist map), 198, 199, 288-290
<i>pallorella</i> (Zell.), <i>Agonopterix</i>	269, s27
<i>palpina</i> (Clerck), <i>Pterostoma</i>	78, 93, s67
<i>paludum</i> (Zell.), <i>Buckleria</i>	275
<i>palustrana</i> (Lien. & Zell.), <i>Phiaris</i>	s39
<i>palustrellus</i> (Dougl.), <i>Monochroa</i>	257, 257 (photo), s15, s29
<i>pamphilus</i> (Linn.), <i>Coenonympha</i>	s51
<i>pandalis</i> (Hüb.), <i>Paratalanta</i>	s54
<i>paphia</i> (Linn.), <i>Argynnis</i>	s51
<i>papilionaria</i> (Linn.), <i>Geometra</i>	s67
<i>pappiferella</i> Hofmann, <i>Coleophora</i>	s32
<i>paradoxa</i> (Frey), <i>Stigmella</i>	s19
<i>parasitella</i> (Hüb.), <i>Triaxomera</i>	265
<i>parenthella</i> (Linn.), <i>Ypsolopa</i>	268, s24
<i>paripennella</i> Zell., <i>Coleophora</i>	s32
<i>paripunctella</i> (Thunb.), <i>Pseudotelphusa</i>	s30
<i>parva</i> (Hüb.), <i>Eublemma</i>	228
<i>parvidactyla</i> (Haw.), <i>Oxyptilus</i>	s34
<i>pascuella</i> (Linn.), <i>Crambus</i>	s55
<i>pastinura</i> (Treits.), <i>Lygephila</i>	75, 84, 85, 93
<i>paupella</i> (Zell.), <i>Ptocheuusa</i>	270
<i>pauperella</i> (Hein.), <i>Scrobipalpa</i>	161
<i>pavonia</i> (Linn.), <i>Saturnia</i>	152, s57
<i>pavoniella</i> (Scop.), <i>Saturnia</i>	152 (photo), 153 (photo), 154
<i>pectinataria</i> (Knoch), <i>Colostygia</i>	90, s61
<i>pectinea</i> Haw., <i>Incurvaria</i>	s21
<i>pellionella</i> Linn., <i>Tinea</i>	s22
<i>peltigera</i> (D. & S.), <i>Heliothis</i>	233, 248, s71
<i>pennaria</i> (Linn.), <i>Colotois</i>	92, s65
<i>pennella</i> (D. & S.), <i>Coleophora</i>	108
<i>pentadactyla</i> (Linn.), <i>Pterophorus</i>	s34
<i>penziana</i> (Thunb.), <i>Eana</i>	s36
<i>peribenanderi</i> Toll, <i>Coleophora</i>	285, s32
<i>perieresalis</i> (Walk.), <i>Diplopsseustis</i>	282, 286
<i>peritana</i> (Clemens), <i>Clepsis</i>	1, 276
<i>perlella</i> (Scop.), <i>Crambus</i>	s55
<i>perlucidalis</i> (Hüb.), <i>Anania</i>	282
<i>permixtana</i> (D. & S.), <i>Gynnidomorpha</i>	s37
<i>permutana</i> (Dup.), <i>Acleris</i>	s37
<i>perplexa</i> (D. & S.), <i>Hadena</i>	97, s77
<i>perpygmaeella</i> (Doubl.), <i>Stigmella</i>	263, s20
<i>persicariae</i> (Linn.), <i>Melanchnra</i>	96, s76
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	283
<i>petiverella</i> (Linn.), <i>Dichrorampha</i>	s42
<i>petryi</i> Martini, <i>Antispila</i>	70, 264
<i>phlaeas</i> (Linn.), <i>Lycæna</i>	86, 98, s51
<i>phragmitella</i> Staint., <i>Limnaecia</i>	270
<i>phragmitella</i> (Hüb.), <i>Chilo</i>	283, 286, s55
<i>picaepennis</i> (Haw.), <i>Scythris</i>	s34
<i>piercei</i> Obr., <i>Aethes</i>	s38
<i>pigra</i> (Hufn.), <i>Clostera</i>	s68
<i>pilosaria</i> (D. & S.), <i>Phigalia</i>	s65
<i>pimpinellata</i> (Hüb.), <i>Eupithecia</i>	s63
<i>pinella</i> (Linn.), <i>Catoptria</i>	s56
<i>pini</i> (Linn.), <i>Dendrolimus</i>	223
<i>pinaria</i> (Linn.), <i>Bupalus</i>	s66
<i>pinicolana</i> (Doubl.), <i>Rhyacionia</i>	279
<i>pisi</i> (Linn.), <i>Ceramica</i>	96, s76
<i>plagiata</i> (Linn.), <i>Aplocera</i>	91, s64
<i>plagicolella</i> (Staint.), <i>Stigmella</i>	263, s20
<i>plantaginis</i> (Linn.), <i>Parasemia</i>	s68
<i>platani</i> (Stodr), <i>Phyllonorycter</i>	36, 37, 266
<i>platani</i> (Müller-Rutz) van Nieukerken,	<i>Acalyptis</i> 36, 37 (photo), 38, 263
<i>plebeja</i> (Linn.), <i>Hada</i>	96, s76
<i>plebejana</i> Zell., <i>Crociosema</i>	26, 279
<i>plecta</i> (Linn.), <i>Ochropleura</i>	97, s78
<i>plexippus</i> (Linn.), <i>Danaus</i>	219
<i>plumbagana</i> (Treits.), <i>Dichrorampha</i>	s42
<i>plumbana</i> (Scop.), <i>Dichrorampha</i>	s41
<i>plumbella</i> (D. & S.), <i>Yponomeuta</i>	s24
<i>plumbeolata</i> (Haw.), <i>Eupithecia</i>	s62
<i>poae</i> (Staint.), <i>Elachista</i>	274
<i>podana</i> (Scop.), <i>Archips</i>	s35
<i>politella</i> (Staint.), <i>Bryotropha</i>	s29
<i>polychloros</i> (Linn.), <i>Nymphalis</i>	220
<i>polygrammata</i> (Borkh.), <i>Costaconvexa</i>	251

populata (Linn.), *Eulithis*s60
populeti (Fabr.), *Orthosia*84, 96, 141
populetorum (Zell.), *Caloptilia*2, 266, s23
populi (Linn.), *Laothoe*77, 89, s57
populi (Linn.), *Poecilocampa*89, s57
porcellus (Linn.), *Deilephila*89, s58
porphyra (Hübner.), *Eudemis*3
porphyrea (D.& S.), *Lycophotia*s78
porrectella (Linn.), *Plutella*s25
postvittana (Walk.), *Epiphyas*181, 276, s36
potatoria (Linn.), *Euthrix*89, s57
potentillae Elisha, *Coleophora*273, s31
poterii (Staint.), *Stigmella*s20
praeangusta (Haw.), *Batrachedra*s30
praecox (Linn.), *Actebia*s14, s77
praelatella (D.& S.), *Incurvaria*s21
prasinata (D.& S.), *Anaplectoides*s79
prasinana (Linn.), *Pseudoips*s79
pretiosana (Dup.), *Tebenna*305
primaria (Haw.), *Theria*92, s66
proboscidalis (Linn.), *Hypena*93, s68
processionea (Linn.), *Thaumetopoea* 216, 227, 246
promissa (D.& S.), *Catocala*229, 230
pronuba Linn., *Noctua*78, 97, s78
pronuba (Hübner.), *Cacoecimorpha*276, 285
propinquella (Treits.), *Agonopterix*s27
propinquella (Staint.), *Mompha*274, s33
proximella (Hübner.), *Carpatolechia*272, s30
pruinata (Hufn.), *Pseudoterpna*s67
prunalis (D.& S.), *Udea*s54
prunata (Linn.), *Eulithis*90, s60
pruniana (Hübner.), *Hedya*s38
pruniella (Clerck), *Argyresthia*286, s25
prunifoliae Doets, *Coleophora*272
prunifoliella (Hübner.), *Lyonetia*2, 268
pseudospretella (Staint.), *Hofmannophila*s26
psi (Linn.), *Acronicta*s71
pterodactyla (Linn.), *Stenoptilia*s34
pubicornis (Haw.), *Lampronia*s22
pudibunda (Linn.), *Calliteara*78, 93, s68
pudorina (D.& S.), *Mythimna*s77
pulchella (Linn.), *Utetheisa*105, 149, 227
pulchellata Steph., *Eupithecia*91, s62
pulcherrimella Staint., *Depressaria*s27
pulchrimella (Chambers), *Cosmopterix*64,
270, 284
pulchrina (Haw.), *Autographa*78, 94, s70
pulicariae (Klim.), *Digitivalva*s25
pulveralis (Hübner.), *Psammodis*222, 251
pulveraria (Linn.), *Plagodis*s64
pulverosella (Staint.), *Bohemannia*s20
pumilio (Hoffmansegg), *Gegenes*49, 51
punctalis (Fabr.), *Synaphe*282
punctaria (Linn.), *Cyclophora*90
punctidactyla (Haw.), *Amblyptilia*s34
punctilinearia (Leech), *Plesiomorpha*226
punctinalis (Scop.), *Hypomecis*92
punctulata (D.& S.), *Aethalura*92, s66

puppillaria (Hübner.), *Cyclophora*225, 226
purpuralis (Brünnich), *Zygaena*s7, s8, s13,
s43 (photo), s49
purpuralis (Linn.), *Pyrausta*282, s54
purpurea (Haw.), *Agonopterix*s27
purpurina (D.& S.), *Eublemma*3, 139, 216,
228, 246, 247
pusaria (Linn.), *Cabera*s92, s66
pusillata (D.& S.), *Eupithecia*91, s63
puta (Hübner.), *Agrotis*97, s81
putris (Linn.), *Axylia*97, s78
pygarga (Hufn.), *Protodeltote*s70
pygmaeana (Hübner.), *Epinotia*279
pygmaeata (Hübner.), *Eupithecia*s62
pygmaeella (D.& S.), *Argyresthia*s25
pygmina (Haw.), *Denticucullus*85, 95, s73
pyralella (D.& S.), *Scoparia*s55
pyraliata (D.& S.), *Gandaritis*90, s60
pyralina (D.& S.), *Cosmia*96
pyramidea (Linn.), *Amphipyra*94, s71
pyri (Glitz), *Stigmella*263
pyrina (Linn.), *Zeuzera*89
pyritoides (Hufn.), *Habrosyne*89, s56
pyrrhulipennella Zell., *Coleophora*s31
quadra (Linn.), *Lithosia*228, s69
quadrana (Hübner.), *Eriopsela*278, s16, s40
quadrillella (Goeze), *Ethmia*269
quadriraculana (Haw.), *Endothenia*s39
quercana (Fabr.), *Carcina*s26
quercifolia (D.& S.), *Gastropacha*84, 89
quercifoliella (Zell.), *Phyllonorycter*s23
quercinaria (Hufn.), *Ennomos*92, s65
quercus (Linn.), *Favonius*s51
quercus (Linn.), *Lasiocampa*s57
quinqueguttella (Staint.), *Phyllonorycter* 8, 19, 267
rajella (Linn.), *Phyllonorycter*267, s23
ramburialis (Dup.), *Diasemiopsis*222
ramella (Linn.), *Epinotia*s40
ramosella Zell., *Coleophora*s15, s32
ramulicola Langmaid & Corley, *Phyllocnistis* 284
rapae (Linn.), *Pieris*86, 98, s50
raschkiella (Zell.), *Mompha*s33
ratzeburgiana (Sax.), *Zeiraphera*s40
ravida (D.& S.), *Spaelotis*79, 83, 97
reali Reissinger, *Leptidea*s80
rectangulata (Linn.), *Pasiphila*91, s62
rectifasciana (Haw.), *Isotrias*276
recurvalis (Fabr.), *Spoladea*130, 222, 283
regiana (Zell.), *Pammene*s42
regificella Sircom, *Elachista*274
reliquana (Hübner.), *Lobesia*278
remissa (Hübner.), *Apamea*95, s73
rendalli Wals., *Dialectica*52
repandalis (D.& S.), *Paracorsia*221
repandana (Fabr.), *Acrobasis*221
repandaria (Hufn.), *Epione*84, 92, s65
repandata (Linn.), *Alcis*92, s66

<i>repentiella</i> (Wolff), <i>Stigmella</i>	8
<i>resplendella</i> (Staint.), <i>Heliozela</i>	s21
<i>reticularis</i> (Linn.), <i>Diasemia</i>	282
<i>reticulata</i> (Goetze), <i>Sideridis</i>	236
<i>retinella</i> Zell., <i>Argyresthia</i>	s25
<i>retusa</i> (Linn.), <i>Ipimorpha</i>	s81
<i>rhamni</i> (Linn.), <i>Gonepteryx</i>	98, s8, s50
<i>rhamniiella</i> (Zell.), <i>Sorhagenia</i>	119, s15, s28
<i>rhediiella</i> (Clerck), <i>Pammene</i>	s42
<i>rhenella</i> (Zinck.), <i>Sciota</i>	220
<i>rhododactyla</i> (D. & S.), <i>Cnaemidophorus</i>	219, 275
<i>rhombana</i> (D. & S.), <i>Acleris</i>	277, s37
<i>rhomboidaria</i> (D. & S.), <i>Peribatodes</i>	92, s66
<i>rhomboidella</i> (Linn.), <i>Hypatima</i>	s28
<i>ribeata</i> (Clerck), <i>Deileptenia</i>	s66
<i>rivulana</i> (Scop.), <i>Celypha</i>	s39
<i>rivularis</i> (Fabr.), <i>Sideridis</i>	96, s76
<i>roborana</i> (D. & S.), <i>Notocelia</i>	279, s41
<i>roborella</i> (D. & S.), <i>Phycita</i>	s53
<i>roborella</i> (Johansson), <i>Stigmella</i>	263
<i>rorrella</i> (Hüb.), <i>Yponomeuta</i>	267, 285, 296, 297, 297 (dist map), 298-301
<i>rosaecolana</i> (Doubl.), <i>Notocelia</i>	s41
<i>rosana</i> (Linn.), <i>Archips</i>	s36
<i>ruberata</i> (Frey.), <i>Hydriomena</i>	s60
<i>rubi</i> (View.), <i>Diarsia</i>	97, s78
<i>rubi</i> (Linn.), <i>Callophrys</i>	255, 256 (photo), s51
<i>rubi</i> (Linn.), <i>Macrothylacia</i>	s57
<i>rubigana</i> (Treits.), <i>Aethes</i>	277, s38
<i>rubiginata</i> (Hufn.), <i>Scopula</i>	225
<i>rubiginosa</i> (Scop.), <i>Conistra</i>	131, 133
<i>rubiginosana</i> (H.-S.), <i>Epinotia</i>	279, s40
<i>rubivora</i> (Wocke), <i>Ectoedemia</i>	123, 125, s15, s21
<i>rubricollis</i> (Linn.), <i>Atolmis</i>	7, s69
<i>rubricosa</i> (D. & S.), <i>Cerastis</i>	97, s78
<i>rufa</i> (Haw.), <i>Coenobia</i>	s73
<i>rufana</i> (Scop.), <i>Celypha</i>	219, 278
<i>rufescens</i> (Haw.), <i>Helcystogramma</i>	s29
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	s20
<i>ruficeps</i> (Hein.), <i>Prays</i>	268, 284
<i>ruficiliana</i> (Haw.), <i>Falseuncaria</i>	s38
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	226
<i>ruficornis</i> (Hufn.), <i>Drymonia</i>	77, 93
<i>rufifasciata</i> (Haw.), <i>Gymnoscelis</i>	91, 182, s62
<i>rufimitrella</i> (Scop.), <i>Cauchas</i>	264, s21
<i>rufocinerea</i> (Haw.), <i>Elachista</i>	s33
<i>rumicis</i> (Linn.), <i>Acrionia</i>	94, s71
<i>ruralis</i> (Curtis), <i>Cochylidia</i>	277, s38
<i>ruralis</i> (Scop.), <i>Patania</i>	s55
<i>rurea</i> (Esp.), <i>Gluphisia</i>	227
<i>uricollata</i> (Staint.), <i>Nemapogon</i>	265
<i>urinatoria</i> (Linn.), <i>Clepsis</i>	s36
<i>sacchari</i> (Bojer), <i>Opogona</i>	265
<i>sacraria</i> (Linn.), <i>Rhodometra</i>	86, 216, 244, 245, s58
<i>salicata</i> (Hüb.), <i>Coenotephria</i>	s61
<i>salicella</i> (Linn.), <i>Hedya</i>	278
<i>salicicolella</i> (Sirc.), <i>Phyllonorycter</i>	267, s23
<i>salicis</i> (Staint.), <i>Stigmella</i>	15, s20
<i>salicis</i> (Linn.), <i>Leucoma</i>	93, 227
<i>samadensis</i> (Pfaffenzeller), <i>Scrobipalpa</i>	272, s30
<i>sambucaria</i> (Linn.), <i>Oourapteryx</i>	92, s65
<i>samiatella</i> (Zell.), <i>Stigmella</i>	2
<i>sangiella</i> (Staint.), <i>Aproaerema</i>	s28
<i>sanguinalis</i> (Linn.), <i>Pyrausta</i>	282, s13, s17 (photo), s54
<i>sanguinaria</i> (Dup.), <i>Lythria</i>	252
<i>sannio</i> (Linn.), <i>Diacrista</i>	141, 182, s68
<i>sarcitrella</i> (Linn.), <i>Endrosis</i>	s26
<i>satyrata</i> (Hüb.), <i>Eupithecia</i>	s63
<i>saucia</i> (Hüb.), <i>Peridroma</i>	86, 97, 139, 250, s77
<i>sauciana</i> (Fröhl.), <i>Apotomis</i>	278
<i>saxicola</i> (Vaughan), <i>Phycitodes</i>	282, s53
<i>saxicolella</i> Dup., <i>Coleophora</i>	s32
<i>saxifragae</i> (Staint.), <i>Kessleria</i>	183
<i>scabrella</i> (Linn.), <i>Ypsolopha</i>	s24
<i>scalariella</i> (Zell.), <i>Dialectica</i>	52, 56-58, 266
<i>schalleriana</i> (Linn.), <i>Acleris</i>	s37
<i>schoenicolella</i> Boyd, <i>Glyphipterix</i>	268, s25
<i>schreiberella</i> (Fabr.), <i>Phyllonorycter</i>	267
<i>schreibersiana</i> (Fröhl.), <i>Phtheochroa</i>	277
<i>schulziana</i> (Fabr.), <i>Phiaris</i>	s39
<i>schwarzella</i> (Fabr.), <i>Pancalia</i>	270, s28
<i>schwarzellus</i> Zell., <i>Nematopogon</i>	285, s21
<i>scopariella</i> (Zell.), <i>Phyllonorycter</i>	267
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	269
<i>scotinella</i> H.-S., <i>Gelechia</i>	271
<i>scribatella</i> Zell., <i>Cosmopterix</i>	64, 270
<i>scutulana</i> (D. & S.), <i>Epilema</i>	s41
<i>secalis</i> (Linn.), <i>Mesapamea</i>	78, s74
<i>secalis</i> agg., <i>Mesapamea</i>	98, 182
<i>secundaria</i> (D. & S.), <i>Peribatodes</i>	226
<i>sedella</i> (Treits.), <i>Yponomeuta</i>	267
<i>segetum</i> (D. & S.), <i>Agrotis</i>	97, s78
<i>sehestediana</i> (Fabr.), <i>Prochoreutis</i>	276, 285
<i>selasella</i> (Hüb.), <i>Agriphila</i>	284, s56
<i>semele</i> (Linn.), <i>Hipparchia</i>	s51
<i>semele clarensis</i> Lattin, <i>Hipparchia</i>	s16, s51
<i>semibrunnea</i> (Haw.), <i>Lithophane</i>	84, 95
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	266
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	s38
<i>semifulvella</i> Haw., <i>Tinea</i>	s22
<i>semifusca</i> (Haw.), <i>Argyresthia</i>	268, s25
<i>semipurpurella</i> (Steph.), <i>Eriocrania</i>	262, s19
<i>semirubella</i> (Scop.), <i>Oncocera</i>	281
<i>senecionana</i> (Hüb.), <i>Clepsis</i>	s36
<i>senex</i> (Hüb.), <i>Thumatha</i>	75, 83, 93, s69
<i>septembrella</i> (Staint.), <i>Fomoria</i>	s20
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	268
<i>seriata</i> (Schrank), <i>Idaea</i>	89
<i>sericeoidis</i> (Scop.), <i>Rivula</i>	s68
<i>sericiella</i> (Haw.), <i>Heliozela</i>	s21
<i>sericopeza</i> (Zell.), <i>Etainia</i>	2, 263
<i>serratella</i> (Linn.), <i>Coleophora</i>	s31
<i>servillana</i> (Dup.), <i>Cydia</i>	280

<i>sexalata</i> (Retzius), <i>Pterapherapteryx</i>	s64
<i>sexguttella</i> (Thunb.), <i>Chrysoesthia</i>	s29
<i>sexpunctella</i> (Fabr.), <i>Prolita</i>	271
<i>sexstrigata</i> (Haw.), <i>Xestia</i>	97, s79
<i>siccifolia</i> Staint., <i>Coleophora</i> s15, s17 (photo), s31	
<i>signaria</i> (Hübner.), <i>Macaria</i>	226
<i>signatana</i> (Dougl.), <i>Epinotia</i>	s40
<i>silaceata</i> ([D. & S.]), <i>Ecliptopera</i>	85, 90, s60
<i>similaria</i> (Hufn.), <i>Paractropis</i>	84, 92
<i>similella</i> (Zinck.), <i>Elegia</i>	220
<i>similis</i> (Fuessly), <i>Euproctis</i>	93
<i>similis</i> (Staint.), <i>Bryotropha</i>	270
<i>simplicella</i> (Hein.), <i>Dioryctria</i>	281
<i>simpliciana</i> (Haw.), <i>Dichrorampha</i>	s41
<i>simpliciata</i> (Haw.), <i>Eupithecia</i>	s63
<i>simpliciella</i> (Steph.), <i>Glyphipterix</i>	s25
<i>simulans</i> (Hufn.), <i>Rhyacia</i>	79, 83, 97, 237
<i>sinapis</i> (Linn.), <i>Leptidea</i>	s7, s13, s49
<i>sinuella</i> (Fabr.), <i>Homoiosoma</i>	281
<i>siterata</i> (Hufn.), <i>Chlorochysta</i>	s60
<i>socia</i> (Hufn.), <i>Lithophane</i>	s75
<i>sociella</i> (Linn.), <i>Aphomia</i>	s53
<i>sodaliana</i> (Haw.), <i>Phtheochroa</i>	s37
<i>solfneri</i> (Gregor & Povolný), <i>Dialectica</i>	57, 58
<i>solandriana</i> (Linn.), <i>Epinotia</i>	s40
<i>somnulentella</i> (Zell.), <i>Bedellia</i>	268, s26
<i>sorbi</i> (Staint.), <i>Stigmella</i>	122, s20
<i>sordens</i> (Hufn.), <i>Apamea</i>	95, s73
<i>sordidana</i> (Hübner.), <i>Epinotia</i>	278
<i>sororculana</i> (Zett.), <i>Apotomis</i>	278, s38
<i>sororculella</i> (Hübner.), <i>Gelechia</i>	271, s30
<i>spadicearia</i> ([D. & S.]), <i>Xanthorhoe</i>	77, 90, s59
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	268, s25
<i>sparganii</i> (Esp.), <i>Globia</i>	s73
<i>sparrmannella</i> (Bosc), <i>Eriocrania</i>	262
<i>sparsana</i> ([D. & S.]), <i>Acleris</i>	s37
<i>spartiella</i> (Schränk), <i>Anarsia</i>	270, s28
<i>speciosa</i> (Frey), <i>Stigmella</i>	2
<i>spectrana</i> (Treits.), <i>Clepsis</i>	276, s36
<i>sphinx</i> (Hufn.), <i>Asteroscopus</i>	94
<i>spinella</i> (Schränk), <i>Coleophora</i>	s31
<i>spiniana</i> (Dup.), <i>Pammene</i>	281, s42
<i>spinicolella</i> (Zell.), <i>Phyllonorycter</i>	s23
<i>spinosella</i> (Joannis), <i>Ectoedemia</i>	122
<i>spinosella</i> Staint., <i>Argyresthia</i>	s25
<i>spinosissimae</i> (Waters), <i>Stigmella</i>	284, s19
<i>splendana</i> (Hübner.), <i>Cydia</i>	280, s42
<i>splendens</i> (Hübner.), <i>Lacanobia</i>	236
<i>splendidissimella</i> (H.-S.), <i>Stigmella</i>	s20
<i>splendidulana</i> (Guen.), <i>Pammene</i>	280
<i>sponsa</i> (Linn.), <i>Catocala</i>	229, 251
<i>squamosella</i> Staint., <i>Coleophora</i>	285
<i>stachydalis</i> (Germar), <i>Anania</i>	282
<i>stagnana</i> ([D. & S.]), <i>Rhopobota</i>	278, s40
<i>statices</i> (Linn.), <i>Adscita</i>	s49
<i>steinkellneriana</i> ([D. & S.]), <i>Semioscopis</i>	s27
<i>stellatarum</i> (Linn.), <i>Macroglossum</i>	78, 86, 89, 237, 238, 243, 244, s58
<i>stephensi</i> (Staint.), <i>Dystebenna</i>	274
<i>stephensiana</i> (Doubl.), <i>Cnephasia</i>	s36
<i>sternipennella</i> (Zett.), <i>Coleophora</i>	273
<i>steropodes</i> Meyr., <i>Calicotis</i>	275
<i>sticticalis</i> (Linn.), <i>Loxostege</i>	221
<i>stigmatella</i> (Fabr.), <i>Caloptilia</i>	s23
<i>stigmatica</i> (Hübner.), <i>Xestia</i>	83, 84, 97
<i>straminata</i> (Borkh.), <i>Idaea</i>	s58
<i>straminea</i> (Haw.), <i>Cochylimorpha</i>	158, 160, s37
<i>straminea</i> (Treits.), <i>Mythimna</i>	s77
<i>straminella</i> ([D. & S.]), <i>Agriphila</i>	s56
<i>strataria</i> (Hufn.), <i>Biston</i>	s65
<i>stratiotata</i> (Linn.), <i>Paraponyx</i>	s56
<i>striana</i> ([D. & S.]), <i>Celypha</i>	s38
<i>striatipennella</i> Nylander, <i>Coleophora</i>	s32
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	33 (photo), 34, 280, s42
<i>strigilis</i> (Linn.), <i>Oligia</i>	s74
<i>strigilis</i> agg., <i>Oligia</i>	98
<i>strigillaria</i> (Hübner.), <i>Perconia</i>	s67
<i>strigosa</i> ([D. & S.]), <i>Acronicta</i>	233
<i>strigulatella</i> (Lien. & Zell.), <i>Phyllonorycter</i>	267
<i>stultana</i> Walsingham, <i>Platynota</i>	276
<i>sturnipennella</i> (Treits.), <i>Mompha</i>	275
<i>suasa</i> ([D. & S.]), <i>Lacanobia</i>	s76
<i>subalbidella</i> Schläger, <i>Elachista</i>	274, s32
<i>subarcuana</i> (Dougl.), <i>Ancyliis</i>	s39
<i>subbimaculella</i> (Haw.), <i>Ectoedemia</i>	263, s20
<i>subbistrigella</i> (Haw.), <i>Mompha</i>	s33
<i>subcinerea</i> (Haw.), <i>Platyedra</i>	26, 293
<i>subfusca</i> Haw., <i>Scoparia</i>	s55
<i>subfuscata</i> (Haw.), <i>Eupithecia</i>	91, s64
<i>sublustris</i> (Esp.), <i>Apamea</i>	s48 (photo), s74
<i>subnigrella</i> Dougl., <i>Elachista</i>	s33
<i>subnitidella</i> (Dup.), <i>Trifurcula</i>	s20
<i>subocellana</i> (Don.), <i>Epinotia</i>	s40
<i>subocellea</i> (Steph.), <i>Elachista</i>	274, s32
<i>subochreella</i> (Doubl.), <i>Agnoea</i>	3
<i>subpropinquella</i> (Staint.), <i>Agonopterix</i>	s27
<i>subpurpurella</i> (Haw.), <i>Dysericocrania</i>	s18
<i>subsequana</i> (Haw.), <i>Epinotia</i>	279
<i>subsequana</i> (H.-S.), <i>Acroclita</i>	278
<i>subsericeata</i> (Haw.), <i>Idaea</i>	s58
<i>subtusa</i> ([D. & S.]), <i>Ipimorpha</i>	84, 96, s75, s81
<i>subumbata</i> ([D. & S.]), <i>Eupithecia</i>	s64
<i>subcenturiata</i> (Linn.), <i>Eupithecia</i>	91
<i>suffumata</i> ([D. & S.]), <i>Lampropteryx</i>	s61
<i>suffusella</i> (Dougl.), <i>Monochroa</i>	271, s29
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	269, s26
<i>suspectana</i> (Lien. & Zell.), <i>Pammene</i>	188, 280, 281, 285
<i>swammerdamella</i> (Linn.), <i>Nematopogon</i>	264, s21
<i>sylvanus</i> (Esp.), <i>Ochloides</i>	51, 86, 98, 102
<i>sylvata</i> ([D. & S.]), <i>Hydrelia</i>	s61
<i>sylvaticella</i> Wood, <i>Coleophora</i>	273
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	86, 98
<i>sylvicolana</i> (Hein.), <i>Dichrorampha</i>	279
<i>sylvina</i> (Linn.), <i>Triodia</i>	89

<i>syringaria</i> (Linn.), <i>Apeira</i>	83, 84, 92, s65
<i>syringella</i> (Fabr.), <i>Gracillaria</i>	s23
<i>taeniolella</i> (Zell.), <i>Apraerema</i>	s28
<i>tages</i> (Linn.), <i>Erynnis</i>	s7, s8, s13, s49
<i>tages baynesi</i> Huggins, <i>Erynnis</i>	s16
<i>tamesis</i> Waters, <i>Coleophora</i>	273, s31
<i>tantillaria</i> Boisd., <i>Eupithecia</i>	91, s63
<i>tarsipennalis</i> (Treits.), <i>Herminia</i>	93, s69
<i>taurella</i> ([D. & S.]), <i>Ochsenheimeria</i>	268, s25
<i>tedella</i> (Clerck), <i>Epinotia</i>	s40
<i>temerata</i> ([D. & S.]), <i>Lomographa</i>	77, 92, s66
<i>tenebrosa</i> (Hüb.), <i>Monochroa</i>	s29
<i>tenebrosana</i> Dup., <i>Grapholita</i>	280
<i>tenerana</i> ([D. & S.]), <i>Epinotia</i>	279, s40
<i>tentaculella</i> (Hüb.), <i>Ancylolomia</i>	223
<i>temuata</i> (Hüb.), <i>Eupithecia</i>	83, 84, 91, s62
<i>tephradactyla</i> (Hüb.), <i>Hellinsia</i>	275, s35
<i>terebrella</i> (Zinck.), <i>Assara</i>	221
<i>terminella</i> Fletch., <i>Eithmia</i>	269
<i>terminella</i> (Hump. & Westw.), <i>Mompha</i>	s33
<i>terrella</i> ([D. & S.]), <i>Bryotropha</i>	s29
<i>tersata</i> ([D. & S.]), <i>Horisme</i>	91
<i>tesseradactyla</i> (Linn.), <i>Platyptilia</i>	s13, s34
<i>tesserana</i> ([D. & S.]), <i>Aethes</i>	29, 32 (photo)
<i>testacea</i> ([D. & S.]), <i>Luperina</i>	78, 95, s73
<i>testalis</i> (Fabr.), <i>Hodebertia</i>	283
<i>testata</i> (Linn.), <i>Eulithis</i>	s60
<i>tetragonana</i> (Steph.), <i>Notocelia</i>	279, s16, s41
<i>teralunaria</i> (Hufn.), <i>Selenia</i>	92
<i>tetrapunctella</i> (Thunb.), <i>Athrips</i>	s17 (photo), s29
<i>tetraquetra</i> (Haw.), <i>Epinotia</i>	279, s40
<i>thalassina</i> (Hufn.), <i>Lacanobia</i>	96, s76
<i>thoracella</i> (Thunb.), <i>Bucculatrix</i>	265
<i>thrasonella</i> (Steph.), <i>Glyphipterix</i>	s25
<i>thrax</i> (Hüb.), <i>Pelopidas</i>	49 (photo), 50, 50 (photo), 51, 52
<i>tiliae</i> (Linn.), <i>Mimas</i>	77, 89
<i>tithonus</i> (Linn.), <i>Pyronia</i>	86, 98, s14
<i>tityrella</i> (Staint.), <i>Stigmella</i>	s20
<i>tityus</i> (Linn.), <i>Hemaris</i>	s57, s58
<i>togata</i> (Esp.), <i>Xanthia</i>	78, 95, s74
<i>torquillella</i> (Zell.), <i>Parornix</i>	284, s23
<i>tragopoginis</i> (Clerck), <i>Amphipyra</i>	94, s71
<i>transversa</i> (Hufn.), <i>Eupsilia</i>	48, s75
<i>transversata</i> (Hufn.), <i>Philereme</i>	84, 90, s61
<i>trapeziella</i> Staint., <i>Elachista</i>	274, s33
<i>trapezina</i> (Linn.), <i>Cosmia</i>	96, s75
<i>treitschkiella</i> (F.v.R.), <i>Antispila</i>	70, 71 (photo), 72 (dist map), 264
<i>tremula</i> (Clerck), <i>Pheosia</i>	78, 93, s67
<i>triangulum</i> (Hufn.), <i>Xestia</i>	97, s79
<i>tricolorella</i> (Haw.), <i>Caryocolum</i>	272
<i>tridactyla</i> (Linn.), <i>Merrifieldia</i>	s13, s35
<i>tridens</i> (Hufn.), <i>Calamia</i>	s1, s3, s9, s10, s12 (photo), s13, s16, s46 (photo), s72
<i>tridens occidentalis</i> Cockayne, <i>Calamia</i>	s16
<i>tridens/psi</i> , <i>Acronicta</i>	98
<i>trifasciata</i> Stdgr, <i>Argyresthia</i>	268
<i>trifasciella</i> (Haw.), <i>Phyllonorycter</i>	s24
<i>trifolii</i> (Curtis), <i>Coleophora</i>	3, s80
<i>trifolii</i> (Hufn.), <i>Anarta</i>	96, s81
<i>trifolii</i> (Esp.), <i>Zygaena</i>	s80
<i>trigonella</i> (Linn.), <i>Epinotia</i>	s40
<i>trigrammica</i> (Hufn.), <i>Charanyca</i>	94, s72
<i>trimaculana</i> (Haw.), <i>Notocelia</i>	279, s41
<i>trimaculata</i> (Villers), <i>Stegania</i>	226
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	263
<i>tringipennella</i> (Zell.), <i>Aspilapteryx</i>	s23
<i>trinitella</i> Thunberg, <i>Tinea</i>	265, s22
<i>tripartita</i> (Hufn.), <i>Abrostola</i>	93, s70
<i>triplasia</i> (Linn.), <i>Abrostola</i>	s70
<i>tripuncta</i> (Haw.), <i>Telechrysis</i>	s15, s17 (photo), s28
<i>tripunctaria</i> H.-S., <i>Eupithecia</i>	91, s63
<i>tristata</i> (Linn.), <i>Epirrhoe</i>	s59
<i>tristella</i> ([D. & S.]), <i>Agriphila</i>	s56
<i>tristrigella</i> (Haw.), <i>Phyllonorycter</i>	2
<i>tritici</i> (Linn.), <i>Euxoa</i>	s77
<i>truncata</i> (Hufn.), <i>Dysstroma</i>	90, s61
<i>truncicolella</i> (Staint.), <i>Eudonia</i>	s55
<i>tullia</i> (Müll.), <i>Coenonympha</i>	s7, s14, s80, s81
<i>tumidana</i> ([D. & S.]), <i>Acrobasis</i>	216, 221, 240, 281
<i>tunbergella</i> (Fabr.), <i>Micropterix</i>	215
<i>turbidana</i> (Treits.), <i>Epiblema</i>	279
<i>turbidana</i> Hüb., <i>Apotomis</i>	286, s38
<i>turnpella</i> ([D. & S.]), <i>Gelechia</i>	271
<i>typhae</i> (Thunb.), <i>Nonagria</i>	85, 95, s73
<i>typica</i> (Linn.), <i>Naenia</i>	97, s79
<i>uddmanniana</i> (Linn.), <i>Notocelia</i>	s41
<i>ulicetana</i> (Haw.), <i>Cydia</i>	s42
<i>ulicicolella</i> (Staint.), <i>Phyllonorycter</i>	2, 267
<i>uliginosellus</i> Zell., <i>Crambus</i>	283, s55
<i>ulmella</i> Zell., <i>Bucculatrix</i>	266
<i>ulmifoliella</i> (Hüb.), <i>Phyllonorycter</i>	s24
<i>umbra</i> (Hufn.), <i>Pyrrhia</i>	s71
<i>umbrana</i> (Hüb.), <i>Acleris</i>	277
<i>umbratica</i> (Linn.), <i>Cucullia</i>	94, s71
<i>unbrossella</i> (Zell.), <i>Bryotropha</i>	s29
<i>unangulata</i> (Haw.), <i>Euphyia</i>	s59
<i>unanymis</i> (Hüb.), <i>Apamea</i>	95, 182, s73
<i>uncella</i> ([D. & S.]), <i>Ancylis</i>	278, s39
<i>uncinula</i> (Borkh.), <i>Watsonalla</i>	40, 41, 42 (photo), 43 (photo), 44, 45, 46 (photo), 47, 48
<i>uncula</i> (Clerck), <i>Deltote</i>	s70
<i>undalis</i> (Fabr.), <i>Hellula</i>	62, 283
<i>undulana</i> ([D. & S.]), <i>Orthotaenia</i>	s38
<i>undulata</i> (Linn.), <i>Rheumaptera</i>	s61
<i>unguicella</i> (Linn.), <i>Ancylis</i>	s39
<i>unicolorella</i> (Dup.), <i>Oxypteryx</i>	s29
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	130, 249, 250, s77
<i>unipunctella</i> (Steph.), <i>Phyllocnistis</i>	267
<i>unitana</i> (Hüb.), <i>Zelotherses</i>	276, s36
<i>urella</i> F.v.R., <i>Ochsenheimeria</i>	268
<i>urticae</i> (Linn.), <i>Aglais</i>	86, 98, s51
<i>ustella</i> (Clerck), <i>Ypsolopha</i>	s24

<i>vaccinii</i> (Linn.), <i>Conistra</i>	48, 95, 574
<i>vacuella</i> F.v.R., <i>Ochsenheimeria</i>	268
<i>valerianata</i> (Hüb.), <i>Eupithecia</i>	s63
<i>variata</i> (Clemens), <i>Nemapogon</i>	265
<i>variegana</i> ([D.& S.]), <i>Acleris</i>	s37
<i>v-ata</i> (Haw.), <i>Chloroclystis</i>	91, s62
<i>vectisana</i> (Hump. & Westw.), <i>Gynnidomorpha</i>	277
<i>velocella</i> (Zell.), <i>Aroga</i>	271
<i>venosana</i> (Zell.), <i>Bactra</i> ...61 (photo), 62 (photo), 63, 130, 278	
<i>venosata</i> (Fabr.), <i>Eupithecia</i>	s62
<i>verbascalis</i> ([D. & S.]), <i>Anania</i>	3, 286
<i>verbasci</i> (Linn.), <i>Cucullia</i>	94
<i>verellus</i> (Zinck.), <i>Catoptria</i>	222, 223
<i>verhuella</i> Bruand, <i>Psychoides</i>	265, s22
<i>versicolor</i> (Borkh.), <i>Oligia</i>	s74
<i>versurella</i> Dup., <i>Coleophora</i>	273, s32
<i>vestigialis</i> (Hufn.), <i>Agrotis</i>	s78
<i>vetulata</i> ([D. & S.]), <i>Philereme</i>	s61
<i>vetusta</i> (Hüb.), <i>Xylena</i>	235, s75
<i>viburnana</i> ([D. & S.]), <i>Aphelia</i>	s36
<i>vicinella</i> (Dougl.), <i>Caryocolum</i>	s30
<i>viminialis</i> (Fabr.), <i>Brachylomia</i>	96
<i>viminiella</i> (Sirc.), <i>Phyllonorycter</i>	266
<i>vinula</i> (Linn.), <i>Cerura</i>	77, 93, 102, s67
<i>violacea</i> (Ström), <i>Coleophora</i>	272
<i>viretata</i> (Hüb.), <i>Acasis</i>	91, 101, s64
<i>virgaureae</i> Staint., <i>Coleophora</i>	s32
<i>virgaureata</i> Doubl., <i>Eupithecia</i>	s63
<i>virginiensis</i> (Drury), <i>Vanessa</i>	260
<i>viridana</i> (Linn.), <i>Tortrix</i>	276, s37
<i>viridaria</i> (Clerck), <i>Phytometra</i>	s69
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	233
<i>viscariella</i> (Staint.), <i>Caryocolum</i>	s15, s30
<i>vitalbata</i> ([D. & S.]), <i>Horisme</i>	85, 91
<i>vitellina</i> (Hüb.), <i>Mythimna</i>	237, 249, s77
<i>vitrata</i> (Fabr.), <i>Maruca</i>	222, 282
<i>vitrealis</i> (Rossi), <i>Palpita</i>	216, 241, 242, 283
<i>vittata</i> (Borkh.), <i>Orthonama</i>	83, 84, 90, s58
<i>vittata</i> (Woll.), <i>Blastobasis</i>	275
<i>vittella</i> (Linn.), <i>Ypsolopha</i>	s24
<i>vulgana</i> (Frölich), <i>Capua</i>	s35
<i>vulgata</i> (Haw.), <i>Eupithecia</i>	91, s63
<i>vulgata clarensis</i> Huggins, <i>Eupithecia</i>	s16
<i>vulgella</i> ([D. & S.]), <i>Teleiodes</i>	s30
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	s17 (photo), s30
<i>wauaria</i> (Linn.), <i>Macaria</i>	79, 82, 83, 91
<i>weaverella</i> (Scott), <i>Monopis</i>	2
<i>wisteria</i> (Kuroko), <i>Psydrocercops</i>	56

<i>w-latinum</i> (Hufn.), <i>Lacanobia</i>	84, 96
<i>woliniana</i> (Schleich), <i>Cochylimorpha</i>	157, 158, 159 (photo), 160, 285
<i>woodiella</i> Richards & Thomson, <i>Ephestia</i>	282
<i>xanthographa</i> ([D. & S.]), <i>Xestia</i>	78, 97, s79
<i>xylostella</i> (Linn.), <i>Plutella</i>	237-239, s25
<i>yeatiana</i> (Fabr.), <i>Agonopterix</i>	s27
<i>ypsillon</i> ([D. & S.]), <i>Apterogenum</i>	96
<i>zelleriella</i> (Snellen), <i>Stigmella</i>	8, 9 (photo), 10-18 (photos), 19-23
<i>ziczac</i> (Linn.), <i>Notodonta</i>	78, 93, s67
<i>zieglerella</i> (Hüb.), <i>Cosmopterix</i>	64
<i>zinckenella</i> (Treits.), <i>Etiella</i>	216, 220, 221
<i>zoegana</i> (Linn.), <i>Agapeta</i>	277, s38
<i>zonaria</i> ([D. & S.]),	<i>Lycia</i> s81

AVES

<i>Petrochelidon pyrrhonota</i> [Aves: Passeriformes]	260
--	-----

COLEOPTERA

<i>Mordellistena parvula/pseudoparvula</i> [Coleoptera: Mordellidae]	158
<i>Rhamphus pulicarius</i> [Coleoptera: Curculionidae]	13
<i>Dryope</i> sp. [Diptera: Dryomyzidae]	48

HYMENOPTERA

<i>Agathis anglica</i> [Hymenoptera: Braconidae]	168
<i>Telenomus dalmanni</i> [Hymenoptera: Scelionidae]	184, 185
<i>Apis mellifera</i> [Hymenoptera: Apidae]	s8
<i>Apanteles metacarpalis</i> [Hymenoptera: Braconidae]	168
<i>Lasius niger</i> [Hymenoptera: Formicidae]	103
<i>Campoplex psammae</i> [Hymenoptera: Ichneumonidae]	168
<i>Rhysipolis</i> sp. [Hymenoptera: Braconidae]	10
<i>Temelucha</i> sp. [Hymenoptera: Ichneumonidae]	168

PLECOPTERA

<i>Capnia atra</i> [Plecoptera: Capniidae]	145, 146 (photo), 147, 148
<i>Dinocras cephalotes</i> [Plecoptera: Perlidae]	148
<i>Diura bicaudata</i> [Plecoptera: Perlodidae]	145
<i>Hemimelaena flaviventris</i> [Plecoptera: Perlodidae]	148
<i>Togoperla tricolor</i> [Plecoptera: Perlodidae]	148

FOODPLANTS OF LEPIDOPTERA

	Page		Page
<i>Acer campestre</i>	263, 266	<i>Cirsium vulgare</i>	174
<i>Acer platanoides</i>	263, 267	<i>Clematis</i> sp.	74, 85
<i>Acer pseudoplatanus</i>	266	<i>Cornus mas</i>	70, 71 (photo), 72 (dist map), 264
<i>Achillea millefolium</i>	265	<i>Cornus sanguinea</i>	70, 101 (photo), 263, 264
<i>Aesculus hippocastanum</i>	267	<i>Cornus</i> sp.	70
<i>Aesculus</i> sp.	267	<i>Corylus avellana</i>	73, s4 (photo)
<i>Agrimonia</i> sp.	286	<i>Corylus</i> sp.	266, 267
<i>Alcea rosea</i>	26	<i>Crataegus monogyna</i>	73, 133, 297
<i>Alliaria petiolata</i>	86	<i>Crataegus</i> sp.	123, 263, 266
<i>Alnus alnobetula</i>	133	<i>Crithmum maritimum</i> ..205 (photo), 206 (photo),	207, 208
<i>Alnus glutinosa</i>	267	<i>Crithmum verticillatum</i>	208
<i>Alnus incana</i>	267	<i>Cynodon dactylon</i>	260
<i>Alnus</i> sp.	266	<i>Cyperus</i> sp.	63
<i>Anaphalis triplinervis</i>	305	<i>Cytisus scoparius</i>	267
<i>Anthyllis vulneraria</i>	100	<i>Cytisus</i> sp.	263, 269
<i>Arachis glabrata</i>	260	<i>Dactylis glomerata</i>	69, 209
<i>Arctostaphylos</i> sp.	272	<i>Daucus carota</i>	205, 207
<i>Artemisia absinthium</i> ..157 (photo), 158 (photo),	160, 285	<i>Delphinium</i> sp.	74
<i>Artemisia campestris</i>	174	<i>Deschampsia cespitosa</i>	65, 68
<i>Astragalus glycyphyllos</i>	100, 189-194,	<i>Dianthus barbatus</i>	74, 85
194 (dist map), 195-197, 197 (dist map),	198, 199, 288 (photo), 289, 290	<i>Digitaria</i> sp.	38 (photo)
<i>Atriplex</i> sp.	271	<i>Dittrichia viscosa</i>	50
<i>Betula pendula</i>	38, 266	<i>Echium vulgare</i>	108, 266
<i>Betula</i> sp.	85, 264, 270, 272, 277	<i>Epilobium hirsutum</i>	275
<i>Brachypodium sylvaticum</i>	65, 69, 274	<i>Epilobium</i> sp.	74
<i>Brachythecium rutabulum</i>	210, 211	<i>Erica cinerea</i>	255, 256
<i>Buddleia</i> sp.	7, 86, 100	<i>Eryngium</i> sp.	99
<i>Calluna vulgaris</i>	273	<i>Euonymus</i> sp.	100
<i>Caltha palustris</i>	209	<i>Fagus sylvatica</i>	45, 65
<i>Calystegia sepium</i>	268	<i>Ficus</i> sp.	276
<i>Cardamine pratensis</i>	86	<i>Filipendula ulmaria</i>	74, 263
<i>Carduus</i> sp.	163, 174	<i>Frangula alnus</i>	101 (photo), 119
<i>Carex flacca</i>	213, 274	<i>Frangula</i> sp.	119, 120
<i>Carex riparia</i>	271	<i>Fraxinus excelsior</i>	45, 65, 73
<i>Carex</i> sp.	74, 85	<i>Fraxinus</i> sp.	296
<i>Carex sylvatica</i>	65, 209, 212-214	<i>Galega officinalis</i>	100
<i>Carlina acaulis</i>	305	<i>Genista tinctoria</i>	269
<i>Carlina</i> sp.	305	<i>Geranium dissectum</i>	213, 214
<i>Carlina vulgaris</i>	174	<i>Geranium robertianum</i>	212
<i>Carpinus</i> sp.	8	<i>Geranium sanguineum</i>	213
<i>Castanea</i> sp.	258	<i>Glechoma hederacea</i>	214
<i>Ceanothus</i> sp.	100, 103, 104 (photo)	<i>Glyceria maxima</i>	274
<i>Ceanothus thyrsiflorus</i>	103	<i>Hedera helix</i>	86, 100, 101 (photo)
<i>Centaurea jacea</i>	174	<i>Helichrysum foetidum</i>	305
<i>Centaurea phrygia</i>	174	<i>Helichrysum italicum</i> subsp. <i>picardi</i>	305
<i>Centaurea scabiosa</i>	161, 162, 163, 174	<i>Helichrysum melaleucum</i>	305
<i>Centaurea</i> sp.	174	<i>Helichrysum moesianum</i>	302
<i>Cerastium fontanum</i>	213, 214	<i>Helichrysum</i> sp.	302-305 (photos)
<i>Chenopodium</i> sp.	270	<i>Helichrysum versicolor</i>	302
<i>Circaea lutetiana</i>	275, 285	<i>Heracleum sphondylium</i>	276
<i>Cirsium arvense</i>	74, 168, 174	<i>Hippophae rhamnoides</i>	285
<i>Cirsium helenioides</i>	174	<i>Hordelymus europaeus</i>	65, 66, 67 (photo),
<i>Cirsium palustre</i>	174	68, 69, 274	
<i>Cirsium</i> sp.	163, 174	<i>Humulus lupulus</i>	266
		<i>Hyacinthoides non-scripta</i>	214

<i>Hypnum cupressiforme</i>	210, 211
<i>Ilex aquifolium</i>	86
<i>Inula aspera</i>	305
<i>Inula conyzae</i>	273
<i>Inula hirta</i>	305
<i>Inula salicina</i>	305
<i>Inula</i> sp.	305
<i>Iris pseudacorus</i>	85
<i>Juncus gerardii</i>	273
<i>Juniperus communis</i>	84
<i>Lavatera acerifolia</i>	58
<i>Lavatera arborea</i>	58
<i>Lavatera phoenicea</i>	58
<i>Lavatera</i> sp.	58, 59
<i>Leucanthemum vulgare</i>	279
<i>Ligustrum ovalifolium</i>	73
<i>Lonicera periclymenum</i>	74
<i>Lonicera</i> sp.	273
<i>Lotus corniculatus</i>	100, 255
<i>Luzula</i> sp.	274
<i>Luzula sylvatica</i>	273, 274
<i>Lychnis flos-cuculi</i>	74
<i>Lythrum salicaria</i>	100
<i>Malus domestica</i>	73
<i>Malus</i> sp.	122, 123, 263
<i>Malva arborea</i>	26
<i>Malva neglecta</i>	58
<i>Malva parviflora</i>	58
<i>Malva</i> sp.	56, 58, 59
<i>Malva sylvestris</i>	26, 58, 279, 290, 292, 293
<i>Medicago sativa</i>	260
<i>Mentha aquatica</i>	214
<i>Mercurialis perennis</i>	209
<i>Neotinea maculata</i>	s8
'Papdi beans'	282
<i>Parietaria judaica</i>	64, 270, 284
<i>Petasites albus</i>	174
<i>Phragmites australis</i>	126
<i>Phragmites</i> sp.	63
<i>Pinus sylvestris</i>	280, s4 (photo)
<i>Platanus</i> sp.	266
<i>Platanus x hispanica</i>	36, 263
<i>Populus alba</i>	267
<i>Populus</i> sp.	25, 263
<i>Populus tremula</i>	38
<i>Populus x canadensis</i>	263
<i>Prunella vulgaris</i>	263
<i>Prunus avium</i>	266
<i>Prunus cerasifera</i>	123
<i>Prunus lusitanica</i>	100
<i>Prunus mahaleb</i>	123
<i>Prunus padus</i>	272
<i>Prunus</i> sp.	123
<i>Prunus spinosa</i> .122, 123, 125, 263, 268, 272, 284	
<i>Pteridium aquilinum</i>	119
<i>Pulicaria dysenterica</i>	86, 305
<i>Pyracantha</i> sp.	73, 86, 100, 286
<i>Pyrus communis</i>	263
<i>Pyrus</i> sp.	123, 263
<i>Quercus cerris</i>	74

<i>Quercus petraea</i>	258
<i>Quercus robur</i>	258, 263, 266
<i>Quercus</i> sp. ...45, 85, 133, 258, 263, 264, 266, 267	
<i>Quercus x crenata</i>	258
<i>Ranunculus repens</i>	209, 210, 213
<i>Rhamnus cathartica</i>	273
<i>Ribes nigrum</i>	184, 296
<i>Ribes uva-crispa</i>	73
<i>Rosa canina</i>	74
<i>Rosa</i> sp.	73, 279
<i>Rosa spinosissima</i>	284
<i>Rubus fruticosus</i>	86, 101 (photo), 263, 273
<i>Rubus fruticosus</i> agg.	100
<i>Rumex confertus</i>	151
<i>Rumex crispus</i>	107-117 (photos), 150, 151, 257, 272, 284
<i>Rumex hydrolapathum</i>	107-110, 112-115 (photos), 116, 272, 284
<i>Rumex obtusifolius</i>	86, 116
<i>Rumex</i> sp.	86, 151 (photo)
<i>Salix alba</i>	297-300 (photos), 301
<i>Salix aurita</i>	15
<i>Salix caprea</i>	15, 152
<i>Salix cinerea</i>	15, 152
<i>Salix phylicifolia</i>	15
<i>Salix repens</i>	8, 10, 13-16 (photos), 22
<i>Salix repens</i> var. <i>argentea</i> .9 (photo), 11 (photo), 12 (photo)	
<i>Salix rosmarinifolia</i>	15
<i>Salix</i> sp.	15, 19-22, 74, 263, 266, 267, 296
<i>Salix viminalis</i>	297
<i>Salix fragilis</i>	74
<i>Salix x fragilis</i>	74, 297
<i>Saxifraga granulata</i>	183
<i>Schoenus nigricans</i>	268
<i>Scutellaria</i> sp.	276
<i>Senecio jacobaea</i>	86
<i>Serratula</i> sp.	174
<i>Solidago virgaurea</i>	275
<i>Sorbus aucuparia</i>	122, 123, 125
<i>Sorbus</i> sp.	123
<i>Sorbus torminalis</i>	266
<i>Sphagnum recurvum</i>	213
<i>Sphagnum</i> sp.	211, 213
<i>Stellaria media</i>	209, 212-214
<i>Thyselium palustre</i>	126
<i>Tilia</i> sp.	265
<i>Tussilago farfara</i>	163, 174
<i>Typha latifolia</i>	270
<i>Ulex europaeus</i>	267
<i>Ulex</i> sp.	267
<i>Ulmus glabra</i>	267
<i>Urtica dioica</i>	64, 74, 86, 103, 297
<i>Vaccinium vitis-idaea</i>	272
<i>Veronica agrestis</i>	209, 214
<i>Veronica beccabunga</i>	214
<i>Veronica chamaedrys</i>	213, 214
<i>Viburnum</i> sp.	266
<i>Vicia cracca</i>	74
<i>Vicia sativa</i>	100

